## THE QUARTERLY JOURNAL OF MEDICINE

EDITED BY

T. R. ELLIOTT F. R. FRASER

A. G. GIBSON

R. HUTCHISON

J. W. MINEE

H. D. ROLLESTON

WITH THE HELP OF

THE TRANSPORT OF A STATE OF A STATE OF A

J. Hill Abram, E. Farquhar Buzzard, John Cowan, T. Wardrop Griffith, G. Lovell Gulland, Arthur J. Hall, Gordon Holmes, Arthur F. Hurst, H. Maclean, George R. Murray, J. A. Nixon, R. A. Peters, R. W. Philip, E. P. Poulton, E. I. Spriggs.

### INDEX

TO VOLUMES XIII-XXIV

1919-1931

COMPILED BY

G. F. HOME

OXFORD: AT THE CLARENDON PRESS

LONDON, EDINBURGH, NEW YORK, TORONTO AND MELBOURNE: HUMPHREY MILFORD

### NOTICE TO SUBSCRIBERS

The subscription price of Volumes of the new series commencing in January 1932 will be the same as the present series (35s. net in paper covers, or 40s. net in cloth). The Indexes to Vols. 1-12 and Vols. 13-24 may be obtained, separately, at the published price of £2 2s. each.

Complete sets of the First Series may be obtained by new subscribers at the following prices:—Vols. 1-24 and Indexes to Vols. 1-12 and Vols. 13-24, £35 net unbound (in paper covers) or £40 net in cloth.

### NOTICE TO CONTRIBUTORS

The Quarterly Journal of Medicine is intended for the publication of papers on original work in all aspects of Medicine. Adequate reference must be made to previous publications dealing with the subject of the paper.

A paper describing a single case cannot be accepted unless the case is sufficiently rare, or shows important features which have not been previously described, or has been made the subject of particular observations or experiments.

Communications mainly of physiological or pathological interest are not, as a rule, acceptable unless they have also clinical bearings. Papers dealing with clinical observations are especially desired.

Papers sent in for publication must be typewritten. Illustrative figures (other than such as can be inserted in the text, e.g. temperature charts and line drawings) should be so planned as to fill one or more 8vo plates of  $9\frac{1}{4} \times 5\frac{3}{4}$  inches maximum. Attention to this will conduce to the rapid publication of papers if accepted.

Contributors will receive one proof in page, but it is assumed that all but verbal corrections have been made in the original manuscript; an allowance at the rate of ten shillings per sheet of sixteen pages is made for alterations in the proof (printers' errors excepted), and contributors will be responsible for any excess.

Each contributor of an article is entitled to fifty separate copies of his article (if the article has more than one contributor the fifty copies are divided amongst them), and may purchase additional copies if he informs the Editors of his wishes in this respect when he returns corrected proofs. The price of these additional copies will depend upon the amount of text and the number of plates in the paper.

In view of the greatly increased cost of production authors are requested to condense their papers as far as possible and to reduce the number of figures to the lowest number; this especially applies to coloured plates.

Communications that have been accepted and published become the property of the Journal and permission to republish must be obtained from the Editors.

All communications relating to the Journal are to be addressed to Dr. A. G. Gisson, Secretary to the Editorial Committee, 27 Banbury Road, Oxford.

LONDON HUMPHREY MILFORD, AMEN HOUSE, E.C.

### LEWIS'S PUBLICATIONS

JUST PUBLISHED. THIRD EDITION. With many Tables. Bound in Flexible Leather, Marbled edges. Imp. 8vo. 30s. net; postage 1s. (inland), 2s. (abroad).

### IEDICAL DICTIONARY

Containing all the Words and Phrases generally used in Medicine and the Allied Sciences, with their proper Pronunciation, Derivation, and Definition. By G. M. GOULD, A.M., M.D. Edited by R. J. E. SCOTT, M.A., B.C.L., M.D.

Extract from Review of Second Edition .- '. . . Needs no recommendation.' - British Medical Journal.

JUST PUBLISHED. SECOND EDITION. Crown 8vo. 7s. 6d. net; postage 6d.

### A MANUAL OF GENERAL MEDICAL PRACTICE

By W. STANLEY SYKES, M.A., M.B., B.Ch. (Cantab.), D.P.H. (Leeds), M.R.C.S.; late House Surgeon and Extern Midwifery Assistant, St. Bartholomew's Hospital; Matthews Duncan Prize, 1919,

St. Bartholomew's Hospital; Matthews Duncan Prize, 1919, St. Bartholomew's Hospital; Matthews Duncan Prize, 1919, St. Bartholomew's Hospital; Anaesthetist to the General Infirmary, Leeds, &c. Extract from Review of First Edition.—'. . . a readable and competent book. It contains a variety of information of practical value, well arranged . . . should be really informing to the young practitioner . . . the information has been shrewdly selected with an eye upon practical purposes. This is an interesting and useful little manual written from the general practitioner's point of view, and laying stress on what the author calls "non-hospital diseases". It should find many readers. "The Lancet.

SECOND EDITION. With 100 Original Illustrations, including 16 Plates. Demy 8vo. 12s. 6d. net; postage 6d.

### THE ACTION OF MUSCLES

Including Muscle Rest and Muscle Re-Education

By Sir COLIN MACKENZIE, M.D., F.R.C.S., F.R.S. (Edin.), Professor of Comparative Anatomy, and Director of the Australian Institute of Anatomy, Canberra.

"... a work which should be studied and mastered by every orthopaedic surgeon."—British Medical Journal.

Crown 8vo. 6s. net; postage 4d.

### A PATIENTS' MANUAL OF

By H. W. MOXON, B.A. (Camb.), M.R.C.S., Hon. Physician, Perth Hospital, Western Australia, &c.

'The instructions are clear and concise . . . the book is written on sound lines,'—British Medical Journal.

RECENTLY PUBLISHED. Pp. viii + 179. Demy 8vo. 7s. 6d. net; postage 5d.

### THE CONDUCT OF LIFE ASSURANCE EXAMINATIONS

By E. M. BROCKBANK, M.D.Vict., F.R.C.P., Honorary Consulting Physician, Royal Infirmary, Manchester, &c.

'There can be few medical practitioners who will not be the better for familiarity with the contents and wise counsels of this clearly-written guide to life assurance.'—The Practitioner.

RECENTLY PUBLISHED. Pp. xiv + 160. Crown 8vo. With 31 Illustrations. 7s. 6d. net; postage 5d.

THE HISTORY OF MEDICINE
A Short Synopsis

By BERNARD DAWSON, M.D. (Lond.), F.R.C.S.
(Eng.). With a Foreword by H. WOOLLARD,
M.D., D.Sc., Elder Professor of Anatomy and
Histology, University of Adelaide.

... a valuable outline of the ideals and performances of medicine. —The Lancet.

\* \* Complete Catalogue post free on application.

### H. K. LEWIS & CO. Ltd.

MEDICAL AND SCIENTIFIC PUBLISHERS AND BOOKSELLERS

BOOKSELLING DEPARTMENT.—Large Stock of Text-books and Recent Literature in all Branches of Medicine and Surgery of all Publishers.

FOREIGN MEDICAL AND SCIENTIFIC BOOKS.—Large stock available for inspection.

Prompt attention to orders and inquiries.

MEDICAL STATIONERY, Case Books (Bound or Loose-Leaf), Diaries, Medical Ledgers, Case Sheets, &c.; Nursing, Temperature and other Charts, Clinical Diagrams, Anatomical Models, &c.

### MEDICAL & SCIENTIFIC CIRCULATING LIBRARY

All the Latest Works obtainable without delay. Annual Subscription, Town or Country, from One Guinea. Telephone-Museum 7756 (3 Lines). Prospectus on application.

Bi-Monthly List of New Books and New Editions added to the Library, post free on application.

SECOND-HAND DEPARTMENT.—Large Stock of Second-hand Recent Editions always on view. 140 Gower Street, Telephone-Museum 4031. Old and rare books sought for and reported.

136 GOWER STREET and 24 GOWER PLACE, LONDON, W.C.1

### The Journal of Pathology and Bacteriology

The Official Journal of the Pathological Society of Great Britain and Ireland.

EDITED BY

A. E. BOYCOTT, M. J. STEWART W. W. C. TOPLEY

FOUNDED IN 1892 BY G. SIMS WOODHEAD

THE Journal is published Bi-monthly. The Subscription Price for Volume XXXIV is £2 (post free). All editorial communications to be addressed to Professor A. E. Boycorr, 17 Loom Lane, Radlett, Herts. Business communications and payment for subscriptions should be addressed to The Publishers, OLIVER & BOYD, LTD., Tweeddale Court, Edinburgh.

CONTENTS OF VOL. XXXIV. No. 5.

Shibasburo, Baron Kitasato. (With Plate.)

EARLAM, M.S.S., and ADOLPH BOLLIGER.

Experimental renal disease produced by X-ray. (With Plates.)

- LEYTON, OTTO, HUBERT M. TURNBULL and ALLEN B. BRATTON. Primary cancer of the thymus with pluriglandular disturbance. (With Plates.)
- OERTEL, HORST, HUBERT NYE and BRIAN THOMLINSON.

  A further contribution to the knowledge of innervation of human tumours. (With Plates.)
- ANDERSON, J. S., F. C. HAPPOLD, J. W. McLEOD and J. G. THOMSON. On the existence of two forms of diphtheria bacillus—B. diphtheriæ gravis and B. diphtheriæ mitis—and a new medium for their differentiation and for the bacteriological diagnosis of diphtheria. (With Plate.)

### OBITUARY.

James Lorrain Smith.

Gavin McCallum.

Alfred Theodore MacConkey. (With Plate.)

BOOKS RECEIVED.

### READY EARLY IN OCTOBER

TENTH EDITION. Fully revised and with 93 Illustrations. Bevelled Boards, Burnished Top. Sup. Roy. 8vo, about 1,050 pp. 42s. net; postage 1s.

### INDEX TREATMENT

A Complete Guide to Treatment in a form convenient for reference.

Edited by ROBERT HUTCHISON, M.D., F.R.C.P.

Physician to the London Hospital, and to the Hospital for Sick Children, Great Ormond Street, London.

In conjunction with 91 Representative Authors.

### FROM PRESS NOTICES OF FORMER EDITIONS:-

'We cannot do more than recommend it in terms of high laudation; it is a volume that should be in the hands of every practitioner of medicine.'—British Medical Journal.

'Since we first reviewed this book on its appearance in 1908 seven further editions have been issued—a gratifying evidence of success which establishes it beyond the reach of criticism. Its general plan and high standard of excellence are doubtless well known to our readers.'—Lancet.

'The popularity of this work still continues . . . this index is well worthy of its success, reflecting as it does the latest teaching in medical science.'—Medical Press and Circular.

Bristol: JOHN WRIGHT & SONS Ltd.

London: SIMPKIN MARSHALL Ltd.

### THE

### JOURNAL OF HYGIENE

GEORGE H. F. NUTTALL, M.D., Ph.D., Sc.D., LL.D., F.R.S. QUICK PROFESSOR OF BIOLOGY IN THE UNIVERSITY OF CAMBRIDGE

Vol. 31, No. 3.

JULY, 1931

Price 12s. 6d. net

### CONTENTS

Birth Rates and their possible association with the prevalence of Infectious Disease, (With 12 Graphs.) By J. H. L. CUMPSTON.

The Spermicidal Powers of Chemical Contraceptives. III. Pessaries. By John R. Baker.

Observations on Bacillus (Haemophilus) influenzae with Special Reference to Morphology and Colonial Characters. (With Plates IV and V containing 21 figures.) By Muriel M. Smith.

On the Statistical Measure of Infectiousness. By M. Greenwood.

Observations on the Weil-Felix Reaction in Tsutsugamushi Disease. (With 3 Charts.) By J. W. Wolff.

Epidemic Dysentery in the Nursing Staff due to Bacillus dysenteriae Sonne. (With Plate VI.) By L. W. Cann and S. De Navasquez.

Keeping Quality of Milk and the Age on Testing for Total Bacterial Count. By Capt. H. Barkworth. Döderlein's Vaginal Bacillus: A Contribution to the Study of the Lacto-Bacilli. (With 1 Text-figure.) By ROBERT CRUICKSHANK.

Specific and Non-Specific Serum Reactions in Typhus Fever. By A. Felix.

The Mortality of a Herd of Mice under 'Normal' Conditions. By M. Greenwood, W. W. C. Topley, and J. Wilson.

A Review of the Cancer Statistics in England and Wales and in Scotland between 1891 and 1927. (With a Diagram.) By W. T. Russell.

Appearance and Persistence in Rabbits' Blood of Rabicidal Antibodies Produced by Various Methods of Anti-Rabies Immunisation. (With a Chart.) By G. Stuart and K. S. Krikorian.

The Phases of Haemophilus pertussis. (With one Figure.) By P. H. Leslie and A. D. Gardner.

A volume consisting of four parts is issued as far as possible annually; subscription price 42s. net, payable in advance.

CAMBRIDGE UNIVERSITY PRESS, Fetter Lane, London, E.C. 4



### RUTHIN CASTLE

### NORTH WALES

A Private Hospital for Internal Diseases (except mental or infectious diseases)

The Hospital is equipped for the investigation and treatment of Disorders of the Stomach and Intestines, Diabetes, Nephritis, Malnutrition, Obesity, Tropical Diseases, Heart and Arterial Disease, Anæmias, and Nervous Diseases, and other complaints which need skilled chemical, bacteriological, and protozoological investigation, and dietetic, physical or other special treatment, or daily supervision.

The Castle is fitted with Laboratories, X-ray Installation, Electrocardiograph, Medical Baths, and Lifts.

A special equipment is installed for the X-ray treatment of various diseases.

The Staff includes Physicians who have had special experience of Chemical and Bacteriological Pathology, Dietetics, and X-ray Work, Analytical Chemists, Bacteriologists, Radiographers, a Matron, trained Nurses, experienced Masseurs and Masseuses.

Operating surgeons, gynæcologists, and specialists for Diseases of the Eyes, Nose, and Throat visit the Hospital when desired.


The climate is mild, and the neighbourhood beautiful.

Telegrams: CASTLE RUTHIN. Telephone: 66 RUTHIN. Apply: THE SECRETARY, RUTHIN CASTLE, NORTH WALES.

## The Quarterly Journal of Medicine

INDEX

VOLS. XIII-XXIV



# The Quarterly Journal of Medicine

### INDEX

TO VOLUMES XIII-XXIV

1919-1931

COMPILED BY

G. F. HOME

OXFORD

AT THE CLARENDON PRESS

1931

OXFORD UNIVERSITY PRESS
AMEN HOUSE, E.C. 4
LONDON EDINBURGH GLASGOW
LEIPZIG NEW YORK TORONTO
MELBOURNE CAPETOWN BOMBAY
CALCUTTA MADRAS SHANGHAI
HUMPHREY MILFORD
PUBLISHER TO THE
UNIVERSITY

Printed in Great Britain by John Johnson at the University Press, Oxford

### INDEX TO VOLUMES XIII-XXIV

Abdominal breathing: see also Parietal

breathing, xiii. 318, 319

Abdominal conditions and visceroptosis associated with chronic invalidism: a review (Bedingfield, H.), Part 1, xxii. 611-52; Part 2, xxiii. 1-65 clinical condition; symptoms and treat-

ment, xxiii. 25

clinical picture, xxii. 611

historical outline of the problem before Glénard, xxii. 614

membranes, bands, &c., xxii. 633 see also Stomach; visceroptosis, &c.

Abdominal muscles in high paraplegia, xiii. 311

in normal respiration, xiii. 300

Abdominal viscera, prolapse of: see Visceroptosis

Aberdeen, endemic bacillary dysentery in (Fraser, A. M., and Smith, J.), xxiii. 245 - 59

see Dysentery Abrahamson, Leonard. Four cases of congenital dextrocardia, including a case

with sino-auricular block, xviii. 335-8 Abscess formation in mustard gas poisoning, xiii. 211

Achalasia of the cardia (Hurst, A. F., and Rake, G. W.), xxiii. 491-508 achalasia of the cardiac sphineter, xxiii.

age incidence, xxiii. 498

anatomy of the cardiac sphincter and the physiology of deglutition, xxiii. 493

Auerbach's plexus, xxiii. 499 history, xxiii. 491

morbid anatomy, xxiii. 501

nervous disorders of the cardiac sphincter, xxiii. 496

oesophagus in, xxiii. 497

pathogenesis, xxiii. 498

symptoms, xxiii. 503 treatment, dilatation of the sphincter,

xxiii. 505 of the oesophagitis, xxiii. 506

surgery, xxiii. 506 Achlorhydria, after histamine injection, xxiv. 5, 6

anaemia in, xxiv. 13

and anaemia, achlorhydria with no anaemia, xxiv. 459

deposit obtained in achylia, xxiv. 461 intermediate group, xxiv. 453

stages in the failing gastric juice, xxiv. 462

studies on (Davies, D. T.), xxiv. 447-67 and hydrochloric acid therapy in Addison's (pernicious) anaemia (Shaw, M. E.), xvii. 319-25

Achlorhydria (cont.):

and pernicious anaemia, xxiv. 449

discussion, xxiv. 464

simultaneous occurrence in families, xxiv. 230

apparent, xxiv. 3

blood-count in, xxiv. 12

blood findings in, xxiv. 7 blood picture in, xxiv. 13

familial, importance in the aetiology of pernicious anaemia (Wilkinson, J. F., and Brockbank, W.), xxiv. 219-38

not associated with pernicious anaemia or subacute combined degeneration of the cord, xxiv. 233

fasting gastric secretion in, xxi. 11

in children, xxiv. 1

in chronic arthritis, xx. 276

in chronic gastric ulcer, xvi. 107

in gastric carcinoma, xxiii. 175 in liver treatment of pernicious anaemia, xxiii. 217

in old age, xxiv. 1

in young children, causes of, xxiv. 190 inhibitory effect of oil in, xxiv. 145

pepsin content in, xxiv. 7

relationship to anaemias, xxiv. 462 secondary anaemia with, xxiv. 462

true, xxiv. 4

with no anaemia, xxiv. 459 with secondary anaemia, xxiv. 455

see also Gastric contents, acidity of; Gastric juice; Hypochlorhydria, &c.

Acholuric jaundice, average colour index,

changes in blood-platelet picture before and after splenectomy, xxiv. 297

Chauffard's discovery of increased fragility of the red cells, xix. 330 cholesterol content of the blood after

splenectomy, xvi. 201

early accounts, and the subsequent history of Wilson's patients (Camp-bell, J. M. H.), xix. 323-32

fragility of red cells and other tests in, xix. 326

genealogical tree in five generations, xix. 337

of Wilson's family, xix. 324

Hayem's acquired cases, xix. 327 heredity in (Campbell, J. M. H., and

Warner, E. C.), xix. 333-55 history of family with 15 members in five generations, xix. 348

of second family with 5 members in four generations, xix. 353

Mendel's theory, xix. 338 liver treatment in, xxiii. 222

Mendelian inheritance in, xix. 339 in some other diseases, xix.

913.97

Acholuric jaundice (cont.):

Minkowski's familial cases, xix. 328 partial and latent cases of, xix. 333 discussion of, xix. 346

percentage distribution of red corpuscles according to strength of saline needed to produce haemolysis, xix. 344

percentage of red corpuscles undergoing haemolysis at various strengths of NaCl, xix. 344

some changes in the red cells in, xix. 342 streptothrix isolated from spleen, xvii. 191.

table showing condition of 8 living members of family, and condition of 3 two years after operation, xix. 335 van den Bergh's test in, xviii. 23

see also Hypochlorhydria

Achylia, deposit obtained in, xxiv. 461 see also Achlorhydria

Acid-base balance: see Blood

Acidaemia and alkalaemia in the diarrhoea and vomiting of infants (Maizels, M., and McArthur, C. B.), xxii. 581-610 methods, xxii. 581

Acidosis and debility; a contribution to the study of the state of the 'soil' disposing to disease (Osman, A. A., and Close, H. G.), xxiii. 393-405

and debility, methods, xxiii. 394 in chronic cases of gas poisoning, xiii. 179, 180

in a diabetic pregnant woman, xxii. 196

in diarrhoea and vomiting of infants, xxii.

in post-irradiation symptoms, xxiv. 112 lactic acid, alterations in respiratory exchange during exercise due to, xx.

pathological, in tetany, xviii. 71 plasma chlorides, xxiii. 400

variations in the plasma bicarbonate in disease, xxiii. 403

in health and debility, xxiii. 396 water content of the body in several groups, xxiii. 401

Acids, fatty: see Fatty acids

mineral, effect on acid-base regulation in health and in nephritis (Linder, G.C.), xx. 285-302

methods and material, xx. 287 Acne and variola minor, differential dia-

gnosis, xxiv. 495 Aeromegaly, basal metabolism in, xv. 339 Adamantinoma, xxiv. 602

Adams, D. K., Blacklock, J. W. S., Dunlop, E. M., and Scott, W. H. An investigation into the pathogenesis of disseminated sclerosis, xvii. 129-50

Adams-Stokes Syndrome: see Stokes-Adams Addis, T., and Stafford, D. D. Diastase determinations in urine and blood as a method for the measurement of the functional capacity of the kidney, xvii. 151 - 61

Addison's disease, adrenal fibrosis resulting from trauma, xxii. 131 diagnostic value of dextrose-tolerance

curves in, xx. 465

due to lack of adrenalin, xxii. 132

thyroid gland diseased in, xxii. 133 tuberculosis of the adrenals in, xxii. 132,

with atrophy of the cortex of the suprarenals (Brenner, O.), xxii. 121-44 atrophy due to chronic inflammation, xxii. 130

a congenital hypoplasia of the glands, xxii. 129

process a simple atrophy of the cortex, xxii. 131

Adenoid child: histological and clinical study (Wills, L., and Warwick, J.), xvii. 162-70

histories and general clinical findings, xvii. 166

morbid anatomy, xvii. 163 postural changes, xvii. 164

simple inflammation of the nasopharynx,

true hypertrophy of the adenoid tissue, xvii. 167

Adenoma of the thyroid, basal metabolism in, xv. 337

Adenosine, action upon the human heart (Honey, R. M., Ritchie, W. T., and Thomson, W. A. R.), xxiii. 485-9

effects on the heart beating with normal rhythm, xxiii. 486

effects on the heart presenting auricular fibrillation, xxiii. 487

Adolescence, pituitary obesity in (Gardiner-Hill, H., Jones, I., and Smith, J. F.), xviii. 309-26

pituitary obesity in, aetiology and age of onset of obesity, xviii. 311

bone development and epiphyseal fusion, xviii. 315 comparison of height with average

standards, xviii. 314 comparison of weight with average

standards, xviii. 311 general development and genital func-

tion, xviii. 316 growth, xviii. 313

metabolism, basal and carbohydrate, xviii. 317

ophthalmic findings, xviii. 313

presence or absence of pituitary tumour, xviii. 312

respiratory quotient, xviii. 320

review of experimental literature, xviii.

treatment and results, xviii. 322 type and distribution of obesity, xviii.

Adrenal cortex, atrophy of, Addison's disease with (Brenner, Q.), xxii.

> atrophy due to chronic inflammation, xxii, 130

Adrenal cortex (cont.):

a congenital hypoplasia of the glands, xxii. 129

lack of adrenalin a symptom of Addison's disease, xxii. 132

process a simple atrophy of the cortex, xxii. 131

cholesterol in, xviii. 397

Adrenal gland, atrophy of, in Addison's disease. diseased thyroid gland in, xxii. 133

fibrosis resulting from trauma, xxii. 131 in congenital pancreatic disease, xvii. 362 in diffuse hyperplastic sclerosis, histology, xiv. 226

in pregnancy, excess of cholesterol, xviii. 403

in relation to renal support, xvi. 297 tuberculosis of, in Addison's disease, xxii. 132, 134

tumour of: see Hypernephroma Adrenal hypernephroma: see

Hypernephroma

Adrenal virilism; with a report of two cases (Fordyce, A. D., and Evans, W. H.), xxii. 557-65

with a suprarenal tumour (Holmes, G.), xviii. 143-52

see also Hypernephroma

Adrenalin, action on the bronchi, xiii. 126 lack of, a symptom of Addison's disease, xxii. 132

reaction to, in man (Lyon, D. M.), xvii. 19 - 36

adrenalin hyperglycaemia, xvii. 28 alteration in output of carbon dioxide, xvii. 25

blood-pressure, xvii. 22

cardiac output and circulation rate, xvii. 25

cases of asthma, xvii. 31 cases of diabetes mellitus, xvii. 31

cases of hyperthyroidism, xvii. 30 cases of hypothyroidism, xvii. 30

cases showing no evidence of endocrine disturbance, xvii. 30

changes in respiratory quotient, xvii. 26 description of results, xvii. 20

glycosuria, xvii. 30 individual reaction, xvii. 22

local reaction, xvii. 20 metabolic rate, xvii. 28

metabolic responses, xvii. 25

method of investigation, xvii. 19 oxygen consumption, xvii. 25

pulse-pressure, xvii. 24 pulse-rate, xvii. 24 respiration, xvii. 27

types of reaction, xvii. 21 ventilation rate, xvii. 28

Adrenalin chloride, action on the human heart (Hume, W. E.), xxi. 459-62 electrocardiographic records, xxi. 462

Adrenalin hyperglycaemia, xvii. 28 Adrenalin mydriasis test (Loewi) in diagnosis of diseases of the pancreas, xiv. 68 Adventitia: see Coronary arteries; Heart disease, rheumatic

Age, influence on calcium balance and on excretion by faeces and urine, xiv. 367 see also under separate diseases

Agonal increase of parasites in malignant malaria, xiii. 419

Alastrim: see Variola minor

Albumin water, secretory response of the stomach to, xix. 462

Albuminuria and plasma protein changes in lipoid nephrosis, xxiii. 103

causation of, in hydraemic nephritis, xix. 287

effect of high protein diet on, in cases of nephritis (Wordley, E.), xiv. 88–101 febrile, with special reference to pneu-

monia (Hill, L. C), xxii. 305–19 Russell's method of estimation of albumin in the urine, xxii. 305

in hydraemic (chronic parenchymatous) nephritis, xix. 275

in renal dwarfism, xiv. 207

massive, in subarachnoid haemorrhage, xviii. 108

orthostatic, and sub-acute nephritis, xvi.

description of results, xvi. 77 discussion of results, xvi. 88

effect of exercise, xvi. 79

effect of position, xvi. 80, 82, 85, 86, 91 lordosis, xvi. 80, 82, 85, 90 methods, xvi. 73

not really 'functional', xvi. 92 study by means of graphic records (Russell, J. W.), xvi. 73–94

pneumonic, xxii. 308

see also Nephritis; Nephrosis; Pregnancy Alcohol, control experiments with, in determining metabolism in marasmus, xiv. 175

Alcoholism and sprue, xxiii. 416 chronic, in spontaneous subarachnoid

haemorrhage, xviii. 111 Alexander, W. A., and Goodall, Alexander. Acute myelocythaemia and chloroma,

xvii. 113-28 Alimentary canal in haemochromatosis, xxi. 125

upper, visceral pain in (Payne, W. W., and Poulton, E. P.), xvii. 53-80

methods of experiment, xvii. 54 Alimentary lipaemia, blood lipoids in,

factors influencing, xix. 160
Alkalaemia (Ellis, A. W. M.), xvii. 405–23 and acid urines in diarrhoea and vomiting of infants, xxii. 588

and acidaemia in the diarrhoea and vomiting of infants (Maizels, M. and McArthur, C. B.), xxii. 581-610

methods, xxii. 581 in congenital pyloric stenosis, xxii. 592 in the diarrhoea of infants (Maizels, M., and McArthur, C. B.), xxiii. 171-4

Alkali content of mucus and saliva, xxi. 13 reserve in renal disease, xv. 54

Alkali (cont.):

reserve under anaesthesia, fall of, xviii.

salts of higher fatty acids, inhibitory effect on gastric secretion and motility, xxiv. 137

Alkalis, administration of, and tetany (Henderson, P. S.), xiii. 427-32

Alkalosis in post-irradiation symptoms, xxiv. 113

relationship of tetany to, xviii. 73

Allergy and hydrochloric acid, empirical relationship between, xxiv. 193 in chronic intestinal diseases, xxiii. 16

Allison, P. R., Hemingway, A., and Mc-Swiney, B. A. The extensibility of human arteries, xxi. 489-98

Amenorrhoea, a frequent symptom of Graves' disease, xxii. 227

in chronic diarrhoea with tetany, xxiii. 205

in exophthalmic goitre, xv. 56; xxii. 227 in sprue, xxiii. 417

Amino-acids, fasting, xxii. 478

metabolism in health and disease (Witts, L.), xxii. 477-91

method of investigation, xxii. 478

Amino-nitrogen curve, xxii. 481 curve after doses of glycine, xxii. 481

in cardiovascular and renal disease, xxii. 485

fasting, xxii. 478 in diabetes, xxii. 486

in exophthalmic goitre, xxii. 487

in fevers, xxii. 489

in hyperthyroidism, xxii. 488

in leukaemia, xxii. 487

in uraemia, xxii. 488

post-absorptive values, xxii. 481

Ammonia, output of, in giving hydrochloric acid, xx. 290, 292, 295 Ammonium chloride, administration of, in

tetany, xviii. 70 effect on elimination of lead, xxiv. 436

Amyl nitrite, effect upon premature ventricular beats, xx. 238

Amyloid bodies in encephalitis lethargica, xviii. 170

Anaemia, Addison's: see Pernicious anaemia and achlorhydria, xxiv. 13

achlorhydria with no anaemia, xxiv. 459 deposit obtained in achylia, xxiv. 461 stages in the failing gastric juice, xxiv. 462

studies on (Davies, D. T.), xxiv. 447-67 and dysphagia (Cameron, J. A. M.), xxii. 43-9

aplastic, after irradiation, xxiv. 119 in X-ray and radium workers, xxiv. 115 liver treatment in, xxiii. 222

as symptom in chronic infective endocarditis, xvi. 264

associated with splenomegaly, liver treatment, xxiii. 222

associated with syphilis, liver treatment in, xxiii. 223

Anaemia (cont.):

average colour index in different types, xix. 344

cholesterol content of the blood in, and its relation to splenic function (Mac-Adam, W., and Shiskin, C.), xvi. 193-203

decrease of cholesterol in the blood in, xviii. 410

haemolytic, liver treatment in, xxiii. 222 in nephrosis, xxiii. 113

in sprue: see Sprue

intermediate group, and achlorhydria, xxiv. 453

nutritional, liver treatment in, xxiii. 221 of pregnancy: see Pregnancy

pernicious: see Pernicious anaemia secondary, and achlorhydria, xxiv. 455,

of unknown causation, liver treatment in, xxiii. 223

van den Bergh's test in, xviii. 24 secondary to haemorrhage, changes in

blood-platelet picture in, xxiv. 297 liver treatment in, xxiii. 221 sedimentation rate in, xx. 374 splenic: see Splenic anaemia

Anaemias, blood-count in, xvi. 255 circulation rate in, xxi. 283

gastric juice in, xvi. 130

treatment of; critical review

(Vaughan, J. M.), xxiii. 213-32 factors concerned in normal blood production, xxiii. 224

mode of action of active liver principle, xxiii. 226

relationship to achlorhydria, xxiv. 462 specific oxygen capacity of haemoglobin in, xxii. 511

toxic and infective, liver treatment in, xxiii. 223

Anaesthesia, changes in the blood in (Potter, D. G. E.), xviii. 261-73

changes in the blood in, method of estimation, xviii. 263

fall in alkaline reserve in, xviii. 267 general, blood cholesterol after operation under, xx. 324

hexose phosphoric acid in, xviii. 262

hyperglycaemia in, xviii. 262
Analgesia, hysterical, following mustard gas poisoning, xiii. 207

Anaphylaxis and blood-platelets, xxiv. 320 and intravenous vaccine therapy, certain phenomena associated with (Gow, A. E.), xiii. 82-104

as cause of post-irradiation symptoms, xxiv. 113

coagulation time, xiii. 268

coli vaccine used to produce, xiii. 96 in the treatment of haemophilia (Vines, H. W. C.), xiii. 257-76; xx. 507

Anderson, Grace H. Sequelae of epidemic encephalitis in childhood, with notes on the prognosis as regards complete recovery, xvi. 173-92.

Anderson, Grace H., and Graham, Stanley. Some factors concerned in the actiology of tetany in children, xviii. 62-76.

Andrewes, C. H. A clinical study of van den Bergh's test in jaundice, xviii. 19-35 Aneurysm, annual mortality from, in Eng-

land and Wales, xx. 333 (congenital) of the cerebral arteries (Green, F. H. K.), xxi. 419–32 case reports, xxi. 420

differential diagnosis from carcinoma of the lung, xxii. 428

intracranial, ruptured, as cause of subarachnoid haemorrhage, xviii. 111

saccular aortic, bibliography of cases, xx. 342

clinical duration of (Colt, G. H.), xx. 331 - 48

Aneurysmal dilatation of the left auricle (Bramwell, J. C., and Duguid, J. B.), xxi. 187-210

case history, xxi. 188

cause of extreme dilatation, xxi. 199 Angina of effort and cardiac infarction,

aetiology in, xxiii. 234 comparison of age incidence, xxiii. 234 high percentage in cardiac syphilis, xxiii.

Angina pectoris and auricular fibrillation, xxiii. 319

and coronary thrombosis, xxiii. 233 familial incidence, xxiii. 234

in relation to paroxysmal auricular fibrillation, xxiv. 80

Anginal pain and cardiac infarction, aetiological correspondence between (Coombs, C. F.), xxiii. 233-44 coronary arteries in production of, xxiii.

238

in pernicious anaemia, xxiii. 236

Angiomata, xxiv. 604

Antigen, helminthic, chemical nature of, xv. 249

hydatid, comparison of relative value of human and sheep fluid as, xv.

factors modifying absorption, xv. 254 preparation of various, and relative value, xv. 251

site and mode of production, xv. 248 Antonovitch, S., and Golla, F. L. A clinical method for the continuous registration of blood-pressure, xxiii. 167-70

Aorta, saccular aneurysm, bibliography of cases, xx. 342

saccular aneurysm, clinical duration of (Colt, G. H.), xx. 331-48

syphilis of: see Syphilitic aortitis Aortic cusps, condition of, xxi. 386

thickening of, xxi. 387 Aortic and pulmonary cusps, clinical importance of variations in the number (Wauchope, G. M.), xxi. 383-99

Aortic disease and syphilis, xv. 37 Aortic incompetence, circulation rate in, xxi. 278

Aortic lesions and nerve irritation: experimental study (Shaw, R. C.), xix. 203-22

results of depressor irritation, xix. 218 results of previous investigations, xix.

results of sympathetic irritation, xix. 216

results of vagal irritation, xix. 213

Aortic valve, atheroma, xxi. 388 bicuspid, and endocarditis lenta, association between, xxi. 391

congenital bicuspid, condition of the cusps, xxi. 386

frequency, xxi. 386 sex incidence, xxi. 386

in chronic infective endocarditis, xvi. 274 incidence of secondary lesions, xxi. 390 infections of endocarditis, xxi. 388 numerical variations in, xxi. 385

with two cusps, xxi. 395

Aortic and pulmonary valves, clinical importance of variations in the number of cusps forming (Wauchope, G. M.), xxi. 383-99

Aortitis and syphilitic disease of the heart, xv. 31

syphilitic: see Syphilitic aortitis Aphasia in chronic infective endocarditis, xvi. 266

Aphonia, functional, following mustard gas poisoning, xiii. 204

Aplastic anaemia: see Anaemia, aplastic Apoplexy, pulmonary, in mustard gas poisoning, xiii. 215

Appendicitis and sprue, xxiii. 416 associated with functional disorders of the colon, xxiv. 549

chronic, as cause of visceroptosis, xxii. 631

gastric juice in, xvi. 122 Appendix, diverticula of, xix. 11

dyspepsia, xxii. 631 Archer, H. E., and Robb, G. D. The toler-

ance of the body for urea in health and disease, xviii. 274-87 Arneth count: see Leucocyte count

Arrhythmias, circulation rate in, xxi. 279 see also Cardiac arrhythmia

Arsenic in malaria, xiii. 22

compounds in treatment of disseminated sclerosis, xxiii. 380

Arsenobenzol purpura, aetiology, xxiv. 387 blood counts, xxiv. 382, 384, 385 clinical symptoms and signs, xxiv. 387 haematology, xxiv. 388

morbid anatomy and pathology, xxiv.

mortality, xxiv. 387 prodromal symptoms, xxiv. 387

treatment, xxiv. 389 with a short description of four cases (Bamforth, J., and Elkington, J. St.

G.), xxiv. 381-91 Arteria anastomotica auricularis magna, xxii, 253

Arterial carbon dioxide pressure in cardiac dyspnoea (Fraser, F. R., Harris, C. F., Hilton, R., and Linder, G. C.), xxii. 1-20

methods, xxii. 2

Arterial elasticity in man (Bramwell, J. C.), xvii. 225-43

Arteries, cerebral: see Cerebral arteries coronary: see Coronary arteries elasticity of, and the capillary circulation, xvii. 239

and the work of the heart, xvii. 239 in man (Bramwell, J. C.), xvii. 225-43 influence of blood-pressure on, xvii. 229 relationship to diastolic pressure, xvii. 232

relationship of pulse-wave velocity to, xvii. 225

variation with age, xvii. 235

extensibility of human (Hemingway, A., McSwiney, B. A., and Allison, P. R.), xxi. 489–98

method of measurement, xxi. 490

function of, xvii. 238

relationship of disseminated sclerosis patches to, xxiii. 351

Arterioles, pulmonary, effects of multiple embolism of (Dunn, J. S.), xiii. 129-47 Arterio-selerosis, actiology of, xvi. 41

aetiology of, histological evidence, xiv.

local hyperplastic sclerosis and unit processes in arterial disease, xiv. 228

pathological process; degeneration, xiv.

pathological process; inflammation, xiv. 233

physiological processes; growth, xiv. 229

physiological processes; involution, xiv. 230

as cause of spontaneous subarachnoid haemorrhage, xviii. 110

cholesterol in the blood in, xviii. 405; xxi. 317

definition of, xiv. 216

hyperplastic; see Hyperplastic sclerosis in children (Evans, G.), xvi. 33-44

clinical and pathological records, xvi. 34

renal disease as a cause, xvi. 42 in relation to renal disease, histology and incidence of diffuse hyperplastic sclerosis, xiv. 219

in renal infantilism, xvi. 33

clinical and pathological records, xvi.

local hyperplastic sclerosis and unit processes in, xiv. 228

relation of diffuse hyperplastic sclerosis to senile arterio-sclerosis, xiv. 239

with special reference to its relation to chronic renal disease (Evans, G.), xiv. 215-82

see also Hyperplastic sclerosis

Arthritis, chronic, age incidence, xx. 275 chronic, blood-sugar curve in, xiv. 319 gastric acidity to positive urine cultures, relationship of, xx. 281

gastric contents in, method of analysis, xx. 273

gastric function in (Miller, S., and Smith, F. B.), xx. 271-83

gastric secretion and streptococci in faeces in, association between, xx. 271 hypochlorhydria and achlorhydria in, xx. 276

relationship of gastric acidity to positive urine cultures, xx. 281 sex incidence, xx. 275

urine cultures in, xx. 281

Arthropathia psoriatica (Garrod, Sir A. E., and Evans, G.), xvii. 171-8

Artificial pneumothorax, case reports, with details of intrapleural pressures, xix.

combined with diaphragmatic paralysis, xxi. 473

determination of degree of activity of disease, xix. 181

development of contralateral disease in (Davidson, M.), xix. 179-201

diaphragmatic paralysis as a therapeutic measure in intrathoracic disease (Campbell, A. J.), xxi. 463–87

discussion of results, xix. 186 selection of cases, xix. 183 selective collapse, xix. 182

Ascites in haemochromatosis, xxi. 123 van den Bergh's test in, xviii. 31

Ashby, Hugh T. Haematoporphyria congenita (congenital porphyrinuria): its association with hydroa vacciniforme and pigmentation of the teeth, xix. 375-9

Association of Physicians of Great Britain and Ireland,

Twelfth annual meeting (London), 1919, xiii, after p. 104

Thirteenth annual meeting (Manchester), 1920, xiv, after p. 309

Fourteenth annual meeting (Birmingham), 1921, xv, after p. 194

Fifteenth annual meeting (Oxford), 1922, xvi, end of volume

Sixteenth annual meeting (Edinburgh), 1923, xvii, after p. 214

Eighteenth annual meeting (Bristol), 1924, xviii, after p. 239 Nineteenth annual meeting (London),

Nineteenth annual meeting (London) 1925, xix, end of volume

Twentieth annual meeting (Newcastle-on-Tyne), 1926, xx, after p. 352

Twenty-first annual meeting (Belfast), 1927, xxi, after p. 186

Twenty-second annual meeting (Liverpool), 1928, xxii, end of volume
Twenty-third annual meeting (Cam-

bridge), 1929, xxiii, after p. 133 Twenty-fourth annual meeting (London), 1930, xxiv, after p. 284 Asthma after administration of adrenalin, xvii. 31

in childhood, gastric analyses, comparison of results according to type of meal employed, xxiv. 186 hypochlorhydria of (Bray, G. W.),

xxiv. 181-97

hypochlorhydria of, age, xxiv. 187 hypochlorhydria of, causes of achlorhydria in young children, xxiv. 190

hypochlorhydria of, comparison of results according to fractional method over three hours and those of the hour specimen, xxiv. 186

hypochlorhydria of, empirical relationship, xxiv. 193

hypochlorhydria of, extent of influence of this hypochlorhydria, xxiv. 193 hypochlorhydria of, family history, xxiv. 188

hypochlorhydria of, gastric analyses in normal children, xxiv. 189

hypochlorhydria of, gastric analysis, typical, xxiv. 187

hypochlorhydria of, is deficiency of secretion a cause or result of allergy? xxiv. 192

hypochlorhydria of, observations in other forms of allergy, xxiv. 188

hypochlorhydria of, previous illnesses, xxiv. 188

hypochlorhydria of, sex, xxiv. 188 hypochlorhydria of, significance

findings, xxiv. 190 hypochlorhydria of, summarized results of 200 fractional gastric analyses,

xxiv. 184 hypochlorhydria of, summarized results of 200 fractional gastric analyses classified according to highest peak of free HCl attained, as well as to age and sex, xxiv. 185

hypochlorhydria of, technique, xxiv.183 hypochlorhydria of, therapeutic indications, xxiv. 194

hypochlorhydria of, what happens to the acid? xxiv. 191

Astroblast, xxiv. 590 Astroblastoma, xxiv. 595

Astrocytes, xxiv. 590

Astrocytoma fibrillare, xxiv. 595
Ataxia, hereditary, Mendelian principles involved, xviii. 351

hereditary, mode of inheritance of (Brain, W. Ř.), xviii. 351-8

evidence in favour of two Mendelian factors, xviii. 354

inadequacy of current theories to explain, xviii. 352

Atheroma, xxi. 388

Athletes: see Marathon runners

Atmospheres enriched by oxygen and carbon dioxide in treatment of certain forms of infantile atrophy (McCrea, E. F. W., and Raper, H.S.), xxii. 269-79 methods and results, xxii. 270

Atophan, source of uric acid excreted in the urine after (Graham, G.), xiv. 10-18

Atria, blood-supply to, xxii. 250

Atrophic infants: see Infantile atrophy Atropin, action of, on the acidity of the gastric contents, xix. 76

action of, on the bronchi, xiii. 126 on gastric juice, xix. 461; xxi. 8 in bundle branch block, xxiv. 19 see also Belladonna

Atropin sulphate, effect on premature ventricular beats, xx. 240

Aub, Joseph C., and Hunter, Donald. Lead studies: xv. The effect of the parathyroid hormone on the excretion of lead and of calcium in patients suffering from lead poisoning, xx. 123-40

Auditory nerve tumour, xxiv. 599

clinical, xxiv. 600 histogenesis, xxiv. 600

Auerbach's plexus: see Achalasia of the cardia

Auricle, left, aneurysmal dilatation of (Bramwell, J. C., and Duguid, J. B.), xxi. 187-210

left, aneurysmal dilatation of, associated pericarditis, xxi. 199

case history, xxi. 188

cases showing extensive fibrosis of the auricular wall, xxi. 193

cause of extreme dilatation, xxi. 199 exercise tolerance, xxi. 205 intra-cardiac pressure in, xxi. 202 myocardial fibrosis in, xxi. 201

radioscopic appearances, xxi. 206 rate of conduction in, xiv. 341

Auricles in flutter, xxi. 34

Auricular contractions, premature: see Auricular extra-systoles

Auricular extra-systoles and syphilitic infection of the heart, xv. 33 in acute rheumatism, xiii. 367, 369

in aetiology and prognosis of auricular fibrillation, xxiii. 318

Auricular fibrillation, actiological varieties, xxiii. 309

aetiology and prognosis of (Cookson, H.), xxiii. 309-25 aberrant ventricular complexes, xxiii.

317 amplitude of fibrillation waves, xxiii. 318

auricular fibrillation and heart-block, xxiii. 314

complete block, xxiii. 315

expectation of life in rheumatic cases with fibrillation classified according to age of onset, xxiii. 313

partial block, xxiii. 314

post-mortem findings in 10 cases of non-rheumatic auricular fibrillation, xxiii. 310

post-mortem findings in 10 control cases of heart disease with normal rhythm, xxiii. 311 premature contractions, xxiii. 318

Auricular fibrillation (cont.):

relation between age and prognosis in the rheumatic group, xxiii. 313 relation of aetiology to prognosis,

xxiii. 312

relative incidence of embolism in mitral stenosis with and without auricular fibrillation, xxiii. 314

some prognostic indications of the electrocardiogram, xxiii. 317 alternating with paroxysmal flutter, xxi. 22

and angina pectoris, xxiii. 319 and complete block, cases, xxiii. 316

and heart-block, xxiii. 314 and infective endocarditis, x:

and infective endocarditis, xxiii. 321 and sudden death, xxiii. 322

arterial carbon dioxide pressure in, xxii. 6
associated with exophthalmic goitre,
quinidine in the treatment of, xvi. 222
associated with gastro-intestinal dis-

turbance, xxii. 241

associated with intoxications, xxii. 239
associated with pathological lesions in the
auricular muscle, xxii. 238

associated with trauma and physical exertion, xxii. 241

causes of (Cowan, J.), xxii. 237–45 circulation rate in, xxi. 279

digitalis in treatment of, xv. 285 digitalis and quinidine in treatment of,

xvi. 207 effects of adenosine in, xxiii. 487 following electrical shock, xxii. 241

following electrical shock, xxii. 24 goitre as cause, xxiv. 525 in acute rheumatism, xiii. 371

in chronic pulmonary disease, xix. 128 in exophthalmic goitre, xvii. 327

case reports, xvii. 334 in Graves' disease, xxii. 239

in high blood-pressure cases, xix. 124 in thyro-toxic conditions (Dunhill, T. P., Fraser, F. R., and Stott, A. W.), xvii. 326–38

mitral ventriculo-diastolic murmurs, xvi. 227

paroxysmal: see Paroxysmal auricular fibrillation

quinidine administration in, ill effects of, xvi. 211; xxii, 290

quinidine intoxication, general symptoms, xvi. 212 quinidine sulphate in (Hay, J.), xv.

313-18 quinidine treatment of (Clark-Kennedy,

A. E.), xvi. 204–35

quinidine treatment of (Parkinson, J., and Campbell, M.), xxii. 281–303 actiology in relation to selection of cases, xxii. 282

blood-pressure in, xv. 308 case histories, xv. 291

case histories, established fibrillation, xxii. 296–303

case histories, paroxysmal fibrillation, xxii. 294–6 clinical advantages, xxii. 289

Auricular fibrillation (cont.):

duration of fibrillation before treatment, xxii. 283

effect of quinidine on pulse-rate, blood-pressure and fluid output, xvi. 217

embolism consequent on restoration of auricular function, xvi. 213

extra systoles observed, xvi. 216 ill effects on the heart, xv. 306

ill effects of quinidine, xvi. 211; xxii. 290 ill effects on the system generally, xv. 306 indications for quinidine therapy, xvi. 225

influence of aetiology on result, xxii. 286 influence of duration of fibrillation before treatment on result obtained, xxii. 285

methods of administration and dosage, xvi. 206

methods of investigation, xv. 288 persistence of normal rhythm, xxii. 287 prognosis and tendency to relapse

(a) if quinidine is discontinued(b) if quinidine is continued indefinitely, xv. 308

prognosis and tendency to relapse in successful cases, xvi. 223

pulse-rate in, xv. 308

quinidine and cardiac rhythm, xvi. 215 respiratory paralysis associated with, xvi. 215

restoration of normal rhythm as a therapeutic procedure, xvi. 218 results, xv. 304

results in established fibrillation, xxii. 285

results in paroxysmal fibrillation, xxii.

symptoms due to disturbances of the cerebral circulation, xvi. 215

symptoms due to toxic action of the drug on the myocardium, xvi. 213 urinary excretion in, xv. 308

relative value of quinidine and digitalis in the treatment, xvi. 220

successful quinidine treatment of, and its relationship to, the pathological condition of the heart and clinical condition of the patient, xvi. 208

therapeutic value of quinidine in treatment of (Clark-Kennedy, A. E.), xv. 279-312

Auricular flutter, actiology and clinical varieties, xxi. 25

after acute coronary thrombosis, xxi. 31 after-history and prognosis in, xxi. 37

after-treatment of, xxi. 42 and heart failure, xxi. 22

auricles in, xxi. 34 blood-pressure in, xxi. 23

clinical features, xxi. 21

course and treatment of (Parkinson, J., and Bedford, D. E.), xxi. 21-50 diagnosis of, xxi. 35

digitalis in treatment of, xxi. 39

Auricular flutter (cont.):

effects of vagal pressure in, xxi. 24

embolism in, xxi. 24

in acute rheumatism, xiii. 371; xxi. 26 in cardiac enlargement, xxi. 29

in chronic rheumatic heart disease, xxi. 28 in empyema and septicaemia, xxi. 27 in high blood pressure and chronic

in high blood-pressure and chronic nephritis, xxi. 29

in hyperthyroidism, xxi. 28

in infective endocarditis, xxi. 27 in otherwise healthy hearts, xxi. 25

in pulmonary tuberculosis, xxi. 27

in syphilis, xxi. 27 paroxysmal, alternating

paroxysmal, alternating with fibrillation, xxi. 22

and established flutter, xxi. 21 pulse in, xxi. 23

quinidine in treatment of, xxi. 40 blood-pressure in, xv. 308

prognosis and tendency to relapse
(a) if quinidine is discontinued

(a) if quinidine is discontinued (b) if quinidine is continued indefinitely, xv. 308

urinary excretion in, xv. 308 strophanthin in treatment of, xxi. 40

syncope in, xxi. 22 treatment of, xxi. 39

ventricles in, xxi. 35 with complete heart-block, xxi. 33

with 1:1 rhythm, xxi. 31

Auricular tachycardia (case), xv. 19

Auriculo-ventricular bundle, syphilis involv-

ing, xv. 32 see also Bundle branch block

Auriculo-ventricular heart-block in acute

rheumatism, xiii. 369

Auriculo-ventricular node, rate of conduction in, xiv. 341

Auriculo-ventricular rhythm in acute rheumatism, xiii. 372

Auto-intoxication and constipation, xxiii. 2
Azotorrhoea in diagnosis of diseases of the pancreas, xiv. 61

### $\mathbf{B}$

Bach, Francis. On the clinical significance of right branch bundle block, xxiii. 261-72

Bacillus coli, intravenous injection of, differential leucocyte counts after, xiii.

used to produce shock reaction, xiii. 96 vaccine injection, cytological changes in blood following, xiii. 97

Bacillus coli anaerogenes, xxiii. 247

Bacillus dispar: see Lactose-fermenting organisms

Bacillus dysenteriae, aetiological relationship of, to ileocolitis, xviii. 348

Bacillus influenzae, incidence of infections with Pfeiffer's bacillus before, during, and after the 1918 epidemic (McLeod, J. W., Ritchie, A. G., and Dottridge, C. A.), xiv. 327-38

Bacillus influenzae (cont.):

observations on the carrier problem at the height of the early summer epidemic, 1918, xiv. 331

observations on healthy individuals, March, 1920, xiv. 333

observations on the summer epidemic, 1918, xiv. 330

period of the autumn epidemic, xiv. 332 (Pfeiffer), fatal bronchiolitis and bronchopneumonia caused by, during an interpandemic period (Malloch, A., and Rhea, L. J.), xiv. 125–38

Bacillus nitroso in sulphaemoglobinaemia, xix. 87

Bacillus tularense in tularaemia, xvii. 365 morphology and culture of, xvii. 378 Bahr, P. Manson-: see Manson-Bahr

Baker, S. L.: see Bennett, T. Izod, et al. (Nephrosis)

Bamforth, J., and Elkington, J. St. G. Arsenobenzol purpura; with a short description of four cases, xxiv. 381-91

Banti's disease: see Splenic anaemia

Barber, Hugh. Renal dwarfism, xiv. 205–13
Barcroft. J., Boycott, A. E., Dunn, J. S., and Peters, R. A. Observations on respiration and circulation in the goat, xiii. 35–45

—, Dryerre, H., Meakins, J. C., Parsons, T. R., and Parsons, W. On the hydrogen-ion concentration and some other properties of the blood from two cases of autotoxic enterogenous cyanosis, xix. 257-72

—, Hunt, G. H., and Dufton, Dorothy. Treatment of chronic cases of gas poisoning by continuous oxygen administration in chambers, xiii. 179–200

Barlow's disease: see Infantile scurvy
Barnard, William G. A case of paradoxical embolism with blood-clot lodged in foramen ovale, xxiii. 305-7
and Elliott, T. R. Carcinoma of the

- and Elliott, T. R. Carcinoma of the lung causing intestinal obstruction by secondary denosits, vviii, 407-10

secondary deposits, xxiii. 407-10

Barnes, Stanley, Thomson, A. P., and
Lamb, F. W. M. Case of malignant
change developing in a tumour of the
recto-genital pouch associated with
diffuse infiltration of the lungs and
intense crythraemia, xix. 151-7

Basal metabolism after exercise, xxii. 472 and pulse-pressure, general correlation between, xviii. 39

and pulse-pressure in conditions of disturbed thyroid function, relation between (Davies H. W., and Eason, J.), xviii. 36–61

methods of estimation, xviii. 38 and respiratory exchange in pulmonary tuberculosis (Williamson, R.), xxiii. 85-100

as an index of nutrition, xvi. 18 effect of dietary changes, xx. 201 effect of exercise upon, xxii. 463, 472 Basal metabolism (cont.):

estimation in adolescent goitre, xviii. 137

in acromegaly, xv. 339

in adenoma of the thyroid, xv. 337

in cretinism, xv. 337; xvi. 11

in disorders of the pituitary body, xv. 339

in exophthalmic goitre, xv. 336

in hyperthyroidism, xv. 336

in hypopituitarism, xv. 337

in mongolism, xvi. 15

in myxoedema, xv. 337; xviii. 329

in nephritis, xxiii. 113

in nephrosis, xxiv. 253

in nocturnal enuresis, xv. 342

in normal men, age, occupation, physical fitness, nutrition, &c., xvi. 375

Benedict's method in, xvi. 371 blood-pressure in, xvi. 381

comparative study (Hobson, F. G.), xvi. 363-89

Dryer's method in, xvi. 369

Du Bois's method, xvi. 371

general conditions of experiments, xvi.

grouping by age, xvi. 374 grouping by weight, xvi. 374 haemoglobin percentage in, xvi. 377 methods of estimation, xvi. 367

pulse-rate in, xvi. 380 in parenchymatous goitre, xv. 336

in pituitary obesity in adolescence, xviii.

in pulmonary tuberculosis, xxiii. 87

in unstable conditions of certain endocrine glands (Gardiner-Hill, H.), xv. 331-47

influence of previous muscular activity and other factors on (Wishart, G. M.), xx. 199-204

intra-individual variation, xx. 193

meaning of the term, xv. 333

methods of estimating, xv. 334; xvi. 367 of cretins and mongols compared, xvi. 17 relation of nitrogen excretion to, xx. 203 relation of, to the endogenous metabolism. xx. 203

respiratory quotient, xx. 196

respiratory quotients during work periods, xx. 201

thyroid gland in, xv. 335 variability of (Wishart, G. M.), xx. 193-7 results of other workers, xx. 194

variations in diet and, xx. 197

Basedow's disease: see Exophthalmic goitre Basophilia: see Blood-platelets

Baths, warm immersion, blood-pressures, xxiii. 330

warm immersion, circulation-rate, xxiii. 331

effects on pulse-rate, xxiii. 329 methods, xxiii. 328

some effects upon the circulation (Davies, H. W., and Holmes, G.), xxiii. 327-41

Bedford, D. Evan, and Parkinson, John. The course and treatment of auricular flutter, xxi. 21-50

Bedingfield, H. A review of visceroptosis and allied abdominal conditions associated with chronic invalidism: part I, xxii. 611-52

part II, xxiii. 1–65

Bell, James R., and MacAdam, William. Variations in gastric secretion of the normal individual, xvii. 215-24

Belladonna and neutral fats, action on the acidity of the stomach contents (Roberts, W. M.), xix. 74-85

method of determination, xix. 75 see also Atropin

Benedict's clinical calorimeter, xvi. 382 Benedict's method in basal metabolism, xvi.

Bennett, T. Izod. Observations on a series of cases of haematuria of unusual origin; with notes on cystoscopic findings, by C. H. S. Frankau, xiii. 105-120

-, Dodds, E. C., and Robertson, J. D. The conception of 'nephrosis'; observations on three fatal cases; with an account of the histological changes, by S. L. Baker, xxiv. 239-55

Beresford, E. H., and Earl, C. J. C. Spontaneous cardiac rupture: a review of 46 cases, xxiv. 55-66

Bergh's test: see Van den Bergh

Beri-beri, aetiology of, xiii. 337

in the Mesopotamian Force (Sprawson, C. A.), xiii. 337-55

infective origin of, xiii. 338, 339

Bicarbonate of soda: see Sodium bicarbonate Bicuspid aortic valve: see Aortic valve Bile, amount secreted in 24 hours, xxi. 108

bladder, bile salts in, xxi. 109

cholesterol content, xxi. 110

chemical composition, xxi. 109

cholesterol content in bladder, xxi. 110 cholesterol in, xviii. 397

origin of, xxi. 117

composition of, and its bearing upon sterol metabolism (Fox, F. W.), xxi. 107 - 21

constituents in the intestine, fate of, xxi. 116

constituents secreted into the intestine in 24 hours, xxi. 115

fistula, bile salts in, xxi. 110 cholesterol content, xxi. 110

Bile acids and cholesterol, close relationship between, xxiii. 466, 467

Bile ducts, new, xx. 454

Bile pigment changes outside the liver, xvi.

metabolism of, relation of the reticuloendothelial system to, xvi. 395 Bile salts and total solids in bladder bile,

xxi. 109 daily amount of secretion into intestine,

xxi. 116 fate of, in the intestine, xxi. 116

haemolytic action of, inhibition by lecithin, xviii. 412

origin of, xxi. 117

Biliary disease, blood cholesterol in hepatic and (Gardner, J. A., and Gainsborough, H.), xxiii. 465-83

Biliary thrombi, xvi. 401 Bilirubin content in pernicious anaemia, xvi.

content of blood under various conditions, xviii. 404

content of the gall-bladder, xvi. 409 content of haemorrhagic exudates into

serous cavities, xvi. 409 content of normal serum, xvi. 408

in the blood serum in the light of the observations of van den Bergh and others, xvi. 396

van den Bergh's test, xvi. 397 van den Bergh's test, biphasic reac-

tions, xvi. 398 in haemolytic jaundice, xvi. 410 in obstructive hepatic jaundice, xvi. 409

threshold, xviii. 34 see also van den Bergh's test

Birth injuries : see Intracranial haemorrhage Birth palsy: see Intracranial haemorrhage

Birth-rate and exophthalmic goitre, xviii. 211 Blacklock, J. W. S., Adams, D. K., Dunlop, E. M., and Scott, W. H. An investigation into the pathogenesis of disseminated sclerosis, xvii. 129-50

Bladder bile: see Bile, bladder Blood, acid-base equilibrium, disturbance of, to the alkaline side: alkalaemia

(Ellis, A. W. M.), xvii. 405-23 acid-base equilibrium, disturbance of, case reports, xvii. 408

tetany in, xvii. 417 acid-base equilibrium in haemophilia, xx.

486 of the blood serum, changes in, xx. 297

of the cerebrospinal fluid, xxi. 101 acid-base regulation in health and in nephritis, effect of mineral acid on (Linder, G. C.), xx. 285-302

methods and material, xx. 287 action of gastric juice on, xix. 473

gglutination in sedimentation rate, xxii. 150

amino-nitrogen content: see Aminonitrogen

bilirubin content under various conditions, xviii. 404

buffers in, xvi. 164

calcium content of, xiv. 357, 359; xxiv. 396 at different ages, xiv. 359

in experimental rickets in dogs, xiv. 352, 359

in normal and rachitic pups, xiv. 360 in renal disease, methods of estimation, xvi. 344

cells: see Blood corpuscles

changes in anaesthesia, method of estimation, xviii. 263

chemistry, fasting, in cases of diabetes mellitus, xix. 163

cholesterol content of, xxiii. 106 after diathermy, xx. 325

Blood (cont.):

after operation under general anaesthesia, xx. 324

after radiation of malignant growths, xx. 325

after splenectomy in cases of haemolytic and splenic anaemia, xvi. 197 and radium (Brunton, C. E.), xx. 321-9

methods, xx. 322 distribution of, xviii. 397

in acute nephritis, xxi. 300

in anaemia, and its relation to splenic function (MacAdam, W., and Shiskin, C.), xvi. 193-203

decrease of, xviii. 410 in arterio-sclerosis and hyperpiesia, xviii. 405; xxi. 317

in biliary and hepatic disease (Gardner, J. A., and Gainsborough, H.), xxiii. 465 - 83

in cancer patients, xx. 323

cases of gall-stones (Campbell, J. M. H.), xviii. 123–31; 404 methods of investigation, xviii. 126

in chronic interstitial nephritis, xxi. 317 in chronic parenchymatous nephritis, xxi. 306

in diabetes mellitus, xviii. 408

in jaundice, xviii. 404; xxiii. 472

in nephritis (Maxwell, J.), xviii. 405; xxi. 297-324

effect of uraemia on, xxi. 315

in nephrosis, xxiii. 105

in pathological conditions, xvi. 195 in renal oedema, xxi. 319

in pregnancy, xviii. 402

in toxaemias of pregnancy, xxi. 317

circulation rate: see Heart-rate coagulation: see Blood-coagulation

creatinin estimations in various diseases, xv. 45

cytological changes in, following injection of bacillus coli vaccine, xiii. 97 diastase determinations in, as a method for

the measurement of the functional capacity of the kidney (Stafford, D. D., and Addis, T.), xvii. 151-61

in Bright's disease, xvii. 154, 158 method, xvii, 151

diphtheria antitoxin in, reliability of the Schick test as an indicator, xxii. 330

diseases of, associated with intracranial haemorrhage in infancy and childhood, xx. 361

during pregnancy, cholesterol in, xviii. 402 effect of irradiation on, xxiv. 115

effect of oxygen intake on circulation, xvi. 154

effect of parathyroid extract on, xx. 133; xxiv. 402

effects of parathyroid overdosage in lead poisoning, xx. 135

examination of, in autotoxic enterogenous cyanosis, xix. 258

findings in achlorhydria in elderly people, xxiv. 7

Blood (cont.):

hydrogen-ion concentration of, from two cases of autotoxic enterogenous cyanosis (Barcroft, J., Dryerre, H., Meakins, J. C., Parsons, T. R., and Parsons, W.), xix. 257-72

methods of investigation, xix. 260 in achlorhydria, xxiv. 13

in achlorhydria in elderly people, xxiv. 7 in anaesthesia, changes in (Potter, D. G. E.), xviii. 261-73

in arsenobenzol purpura, xxiv. 388

in arterio-sclerosis, cholesterol in, xviii. 405 in diabetes mellitus, cholesterol and lipaemia in, xviii. 408

in haemochromatosis, iron content of, xxi. 127

in jaundice and gall-stones, cholesterol in, xviii. 404

in mustard gas poisoning, xiii. 223 in nephritis, cholesterol in, xviii. 405 in nephrosis, xxiv. 252

in spirochaetal jaundice, xiv. 155

in sprue, xxiii. 421

inorganic phosphorus, xxiv. 399 lipoid content of, xviii. 400

lipoids in alimentary lipaemia, factors influencing, xix. 160

nitrogenous metabolic products in, under physiological and pathological conditions (Höst, H. F., and Hatlehol, R.), xv. 43-54

non-protein nitrogen estimations in various diseases, xv. 45

normal, reaction of, xv. 196

parasites in, quantitative estimation, xiii. 2

phosphate content of, in nephritis, xvi. 346 and sugar metabolism, relationship between, xviii. 262

phosphorus and calcium of, in renal disease (Wesselow, O. L. V. de), xvi. 341 - 62

production, normal, factors concerned in, xxiii. 224

proteins, xxii. 150

changes in lipoid nephrosis, xxiii. 103 reaction of, in relation to dyspnoea (Fraser, F. R., Ross, J. P., and Dreyer, N. B.), xv. 195–206

description of cases, xv. 203

methods, xv. 196 results, xv. 196

sedimentation: see Blood sedimentation

sugar content: see Blood-sugar

urea: see Urea

uric acid in, xiv. 10, 11

experiments in estimation, xiv. 12 viscosity: see Viscosity of the blood see also Serum; Blood-plasma, &c.

Blood cells: see Blood corpuscles Blood-clot lodged in foramen ovale in a case

of paradoxical embolism (Barnard, W. G.), xxiii. 305-7 retraction and blood-platelets, xxiv. 312 Blood coagulation and blood-platelets, xxiv.

and haemophilia studies:

I: Blood coagulation in haemorrhagic diseases, by R. V. Christie, xx. 471-

II: Observations on haemic functions in haemophilia, by R. V. Christie, H. W. Davies, and C. P. Stewart, xx. 481 - 98

III: The treatment of haemophilia, by R. V. Christie and G. Lovell Gulland, xx. 499-510

in haemophilia, xx. 476

localization of coagulation defect, xx.

in haemorrhagic diseases (Christie, R. V.), xx. 471-80

in jaundice, xx. 475

in pseudo-haemophilia, xx. 478

in purpura, xx. 473 platelet reaction, xx. 472

rate of, in anaphylactic shock, xiii. 268

in peptone injections in septicaemia, xiv. 193

method of estimating (Gibbs's coagulometer), xvii. 312-18

stimulation of, in treatment of haemophilia, xx. 506

time, xxiv. 286

tissue reaction, xx. 472

Blood coagulometer, clinical (Gibbs, O. S.), xvii. 312-18

Blood-colouring matter in pathological conditions, specific oxygen capacity of (Engelkes, H.), xxii. 507-17

Blood corpuscles, changes in, in malignant malaria, xiii. 420

diameters of, xvi. 258

red: see Erythrocytes

sedimentation of: see Blood sedimentation rate

Blood-count, cell diameters, xvi. 258 cholesterol and, xviii. 413

diurnal variations in disease, xvi. 259 normal, xvi. 259

haematocrit volume-colour index (Rossdale, G.), xvi. 245-62 technique, xvi. 248

in achlorhydria, xxiv. 7, 12, 13

in acute ileocolitis in children, xviii. 342 in anaemias, xvi. 255

in arsenobenzol purpura, xxiv. 388 in bronchial carcinoma, xxiv. 47

in carcinoma of the lung, xxii. 424

in chronic infection of the spleen, xvii. 195 in chronic infective endocarditis, xvi. 264

in malignant malaria, xiii. 420

in sprue, xxiii. 421 methods, in anaemic bloods, xvi. 247

bichromate solution, xvi. 246 cedar-wood oil, xvi. 246

citrated venous blood, xvi. 247, 250 hirudin, xvi. 247

isotonic saline, xvi. 246

magnesium sulphate, xvi. 246

Blood count (cont.):

whole blood, xvi. 250

whole blood without salts, xvi. 246

of X-ray workers, xxiv. 115

total white count in liver treatment of pernicious anaemia, xxiii. 214

see also Leucocyte count

Blood-fat, age and nutritional condition of

patient, xix. 172

and prognosis in diabetes mellitus, xix. 176 in diabetes mellitus in relation to treatment (White, A. C.), xix. 159–78 insulin and, xix. 175

level, factors influencing, xix. 161

relation of diet to, xix. 172

Blood plasma bicarbonate in disease, variations in, xxiii. 403

in health and in debility, variations in, xxiii. 396

chlorides in health and in debility, variations in, xxiii. 400

colloid osmotic pressure, xix. 277

creatinine in, xxiv. 571

inorganic phosphorus content of, xvii. 294; xxiv. 399

phosphatase in, xxiv. 400

proteins, xxii. 150 protein changes in lipoid nephrosis, xxiii.

103 specific gravity and relative viscosity, xxii, 149

Blood-platelets and anaphylaxis, xxiv. 320 and capillary haemorrhage, xxiv. 316 and clot retraction or syneresis, xxiv. 312 and coagulation, xx. 472; xxiv. 309 and purpura haemorrhagica, xxiv. 305 and thrombosis, xxiv. 311

changes in acholuric (haemolytic) jaundice, before and after splenectomy,

xxiv. 297 changes in acute myeloblastic leukaemia, xxiv. 297

changes in acute rheumatism, xxiv. 298 changes in anaemia secondary to haemo-rrhage, xxiv. 297

changes in chronic myeloid leukaemia, xxiv. 297

changes in lobar pneumonia, xxiv. 297 changes in malignant endocarditis, xxiv.

changes in pernicious anaemia, xxiv. 297 changes in purpura haemorrhagica, xxiv. 296

changes in splenic anaemia, xxiv. 297 destruction of, xxiv. 293

spleen in, xxiv. 293 historical, xxiv. 287

in diseases characterized by infection and toxaemia, xxiv. 301

its clinical significance (Mackay, W.), xxiv. 285-328

technique, xxiv. 285
modification of count, influence of liver,
xxiv. 308

influence of phenylhydrazine hydrochloride, xxiv. 309 Blood-platelets (cont.):

influence of splenectomy, xxiv. 309 influence of X-rays, xxiv. 308

morphology in disease, xxiv. 295 in health, xxiv. 288

numerical variations in disease, xxiv. 295 cause, xxiv. 299

numerical variations in health, xxiv. 294 origin of, xxiv. 289

viability of, xxiv. 292

Blood-pressure after administration of adrenalin, xvii. 22

and blood viscosity (Lyon, D. M.), xiv.

and blood viscosity, methods of estimation, xiv. 401

pathological cases, xiv. 402 physical considerations, xiv. 399 variations due to age, xiv. 401

and exercise, xxii. 471

and pulse-rate up to 6 months after confinement compared with 9th month of pregnancy and with controls, xxii. 397

and renal efficiency, methods employed, xix. 414

relation of changes in urine volume to pulse-pressure changes, xix. 422

relation of increase in urea concentration to fall in blood-pressure, xix. 421 relations of, xix, 413

and sugar tolerance curve, relation between, in elderly people, xxiv. 268

arterial carbon dioxide pressure in cardiac dyspnoea (Fraser, F. R., Harris, C. F., Hilton, R., and Linder, G. C.), xxii. 1–20'

case reports, xxii. 16 methods, xxii. 2

arterial carbon dioxide pressure in mitral stenosis and auricular fibrillation, xxii. 6 arterial carbon dioxide pressure, variations in health, xxii. 5

changes in right ventricle, measurement of, by cardiac puncture (Dunn, J. S.), xiii. 46-56

continuous registration of, a clinical method (Golla, F. L., and Antonovitch, S.), xxiii. 167–70

diastolic, changes in, measurement by cardiac puncture, xiii. 48

high, effects of, xvii. 234 in pregnancy, xxii. 384

normal distribution of, xxii. 387

in pregnancy, xxii. 388 relationship to arterial elasticity, xvii. 232

effect of digitalis on, xxi. 155

effect of experimental pleural effusion on, in right ventricle (Dunn, J. S.), xiii. 57-61

effect of quinidine on, xvi. 218

effect of warm immersion bath on, xxiii.

high, and heart failure, relationship between, xix. 122

Blood-pressure (cont.):

and primary myocardial failure, xix. 133

auricular flutter in, xxi. 29 blood cholesterol in, xxi. 317

blood viscosity in (Harris, I., and Mc-Loughlin, G.), xxiii. 451-64

cases of abnormally high pressure, xxiii. 453

effect upon blood-pressure of artificially lowering viscosity, xxiii. 455 effect of starvation on blood viscosity, xxiii. 458

effect of viscosity of artificially lowering the blood-pressure, xxiii.

method, xxiii. 452

normal daily variations in bloodpressure and blood viscosity, xxiii. 454

effect on renal efficiency of lowering the blood-pressure in cases of (Reid, C.), xix, 411-30

heart failure secondary to, xix. 136 in heart failure with normal rhythm, xix. 121

in relation to actiology of paroxysmal auricular fibrillation, xxiv. 71 possible compensatory mechanisms,

xix. 412 in auricular flutter, xxi. 23 in chronic nephritis, xxi. 6

in enronic nephritis, xxi in embolism, xiii. 136

in marathon runners, xxiv. 340

in mustard gas poisoning, xiii. 223 in normal women, range of, xxii. 386 in quinidine treatment of auricular fibril-

lation, xv. 308 in relation to age in pregnancy, xxii. 385

in relation to basal metabolism, xvi. 381 in relation to height, xxii. 386

in relation to posture in pregnancy, and to period of pregnancy, xxii. 386 in relation to weight, xxii. 386

in renal dwarfism, xiv. 208

in sprue, xxiii. 423

influence of, on arterial elasticity, xvii. 229 lowering of, effect on renal efficiency in cases with high blood-pressure (Reid, C.), xix. 411-30

low, blood viscosity and, xxiii. 454 observations in pregnancy, xxii. 383

pulse-rate, and the response to exercise during normal pregnancy, and some observations after confinement (Hare, D. C., and Karn, M. N.), xxii. 381-404

methods of selection and tests employed, xxii. 382

raised, and renal damage, xvi. 357 in relation to diffuse hyperplastic sclerosis, xiv. 241

relation of the increase in urea concentration to fall in, xix. 421

systolic and diastolic, effect of digitalis on, xiii. 64 Blood-pressure (cont.):

systolie, changes in, measurement by cardiac puncture, xiii. 48

in pregnancy, xxii. 384

normal distribution of, xxii. 387 normal distribution in pregnancy, xxii. 387

relation of height of, to blood urea content, xix. 422

unilateral alterations in, caused by unilateral pathological conditions (Cyriax, E. F.), xiii. 148-64

the differential blood-pressure sign (Cyriax, E. F.), xiv. 309–13

variations in pregnancy, xxii. 390 venous, xiii. 49 see also Pregnancy

Blood sedimentation-rate, xvi. 257

in anaemia, xx. 374

in diseased states, xvi. 257 in hypercholesterolaemia, xx. 373

in kala-azar, xx. 378 in leprosy, xx. 374

in malaria, xx. 380 in sprue, xx. 379

increase in, associated with marked

leucocytosis, xx. 374 laevulose tolerance tests, xxii. 147

method of numerical comparison of sedimentation rates, xxii. 146 of blood corpuscles, xvi. 257

of erythrocytes in certain tropical diseases (Newham, H. B.), xx. 371–82 technique, xx. 372

of erythrocytes, further notes (Newham, H. B., and Martin, P. H.), xxii. 145-52 varying, theories of the phenomenon, xx. 372

see also Erythrocytes; Leucocytes, &c. Blood-serum: see Serum

Blood-sugar content after rectal injections of glucose, xiii. 357

and blood phosphate, relationship between, xviii. 262

and guanidine, xxi. 509

and urea in diabetes mellitus, relationship between, xviii. 245

carbohydrate content of the cerebrospinal fluid and its relation to, xxi. 102 comparative constancy of, when all factors are kept constant, xix. 229

during pregnancy (Williams, E. C. P., and Wills, L.), xxx. 493-505 classification of cases, xxii. 494

method of examination, xxii. 494 non-glycosuric cases:

non-glycosuric cases: cases with no sugar leak, xxii. 495 cases with sugar leak, xxii. 495

symptomless glycosuria: renal glycosuria, xxii. 496 raised sugar curves, xxii. 497 effect of diet on, xvii. 270

effect of synthalin on, xxi. 510 estimation in atrophic infants, methods,

estimation in various diseases, xv. 45

Blood-sugar content (cont.):

estimation, methods, xiv. 106, 320

fall and hypoglycaemia, xx. 71

fasting, effect of insulin on, in insulinresistant diabetic, xxi. 362

in normal children, xviii. 177

in normal children, variation with age, xviii. 178

in under-nourished children, xviii. 179 level of, xx. 83

low, and rise after food in insulinresistant diabetic, xxi. 361

in adults, normal percentage, xv. 9 in atrophic infants (Guy, R. A.), xv. 9-17 compared with weight trends, xv. 14

percentage, xv. 12 in cancer, xiv. 319, 325

in children, xiv. 322

after different diet, xviii. 187

in chronic arthritis, xiv. 319

in chronic nephritis, xiv. 317

in diabetes, xv. 46

case histories, xiv. 28-56 effect of exercise on, xx. 69

method of procedure, xiv. 20 relation of age to blood-sugar, xiv. 22

relation of carbohydrate tolerance to blood-sugar and renal threshold, xiv.24 relation of clinical severity with bloodsugar and renal threshold, xiv. 23

relation of duration of disease with blood-sugar and renal threshold, xiv.

relation of ketonuria to blood-sugar and renal threshold, xiv. 25

review of previous work, xiv. 19 some observations on (Pickering, D. V.), xiv. 19-56

in diarrhoea in children, xviii. 181 in diseases of the ductless glands, xiv. 318 in elderly people (Marshall, F. W.), xxiv.

257 - 84average blood-sugar curve in elderly people, xxiv. 267

clinical summary of cases, xxiv. 271-84 curves approximating to the typical diabetic curve, xxiv. 263

curves approximating to the typical normal adult curve, xxiv. 261 curves showing a storage defect, xxiv.261

the 'flat' curve, xxiv. 263 the 'lag' curve, xxiv. 261

method of selection of cases, xxiv. 257 relationship of disease to form of toler-

ance curve found, xxiv. 264 carbuncle of back, xxiv. 266 carcinoma, xxiv. 266 cardiac disease, xxiv. 265 chronic bronchitis, xxiv. 265 chronic osteitis of tibia, xxiv. 266 parenchymatous goitre, xxiv. 266 rheumatoid arthritis, xxiv. 266 senile gangrene of foot, xxiv. 266 senility, xxiv. 265

tuberculous neck sinuses, xxiv. 266

technique, xxiv. 257

Blood-sugar content (cont.):

in encephalitis lethargica, xviii. 300 and cerebrospinal fluid sugar content, relationship between, xviii. 301

in endogenous obesity, xxi. 333

in exogenous obesity, xxi. 336 in exophthalmic goitre, xviii. 327

in healthy young adults, xiv. 321

in infants, xv. 11

in laevulose test for liver efficiency, xvii. 43

in marathon runners, xxiv. 333

in myxoedema, xviii. 328 treated cases, xviii. 329

in nephritis, xiv. 317; xv. 46

in normal and under-nourished children (Brown, M. J.), xviii. 175-90

method of estimation, xviii. 176 in obesity, xxi. 332

in old age, xiv. 324

in pregnancy, xvii. 46

in relation to volume of cells, xviii. 177

in senility, xxiv. 265 in vomiting, xviii. 180

normal, in healthy adults, xxiv. 258 normal percentage in adults, xv. 9

in infants, xv. 10, 11

relation of age to, xiv. 22 relation of carbohydrate tolerance to, xiv. 24

relation of clinical severity to, xiv. 23 relation of ketonuria to, and renal threshold, xiv. 25

relationship between phosphatase content of blood and metabolism of sugar, xviii. 262

rise in, as a result of exercise, xx. 72 time curves in renal glycosuria, xvii. 264 see also Hyperglycaemia

Blood-sugar tolerance and the blood-pressure, xxiv. 268

at various ages, xxiv. 259

curves from healthy young male adults, xix. 398

curves from subjects over 60 years of age xix. 399

effect of septic focus on, xxiv. 268 estimation of (Maclean, H., and Wesse-

low, O. L. V. de), xiv. 103-19 in healthy old age, xxiv. 260

in infantile atrophy, xviii. 182 method of estimating, xiv. 106

some observations on, with special reference to variations found at different ages (Spence, J. C.), xiv. 314-26

test in normal children, xviii. 181 see also Carbohydrate tolerance; Dextrose tolerance

Blood transfusion in haemophilia, xiii. 266 in sprue, xxiii. 436 introduction of normal prothrombin in

haemophilia (a) by direct method, xx. 500

(b) by citration method, xx. 500

(c) by defibrinated blood, xx. 502 (d) by intravenous fresh human serum, xx. 502

Blood transfusion (cont.):

(e) by introduction of sheep serum, xx. 504

(f) by introduction of horse serum, xx. 504

Blood-urea: see Urea.

Blood-vessel tumours of the brain, xxiv. 604 Body, water content of, xxiii. 401

Body-build in gastroptosis, xv. 150

Body-weight, cases of adolescent goitre differing from normal standards, xviii. 135

comparison with average standards, in pituitary obesity in adolescence, xviii. 311

in pregnancy, correlation of exercise response with, xxii. 393

relation of weight to blood-pressure, xxii. 386

in relation to basal metabolism, xvi. 376 in renal dwarfism, xiv. 208 in training, xxii. 465

trends compared with blood-sugar content in atrophic infants, xv. 14

Bone-marrow in pernicious anaemia, xxiii. 225

in splenic anaemia, activity of, xxiv. 300

Bone phosphatase, xxiv. 400

Bones, brittle, association of blue sclerotics with, and progressive deafness (Stobie, W.), xvii. 274-87

brittle, association of blue sclerotics with, and progressive deafness, aetiology and pathology, xvii. 283

association of blue sclerotics with, and progressive deafness, historical introduction, xvii. 274

and progressive deafness, X-ray examinations, xvii. 285

changes in, relation of parathyroid tumour to, xxiv. 410

deformities of, in renal dwarfism, xiv. 209 development and epiphyseal fusion in pituitary obesity in adolescence, xviii. 315

effect of calcium content of diet on, xxiv. 408

effect of diet on, xxiv. 408

effect of parathyroid extract on, xxiv. 407 fractures of: see Fractures of bones growth of, madder experiments on, xxiv.

408
in exophthalmic goitre, radiographic studies, xxiv. 419

in progressive lipodystrophy, xviii. 234 iron content of, in haemochromatosis, xxi. 129

pigmentation of, in congenital porphyrinuria, xix. 365, 378, 383

tuberculosis of, diagnostic results of intradermal tuberculin reaction in, xxiv. 165

see also Neurofibromatosis, periosteal; Osteitis, &c.; Rickets; and under special bones Bourne, Geoffrey. An attempt at the clinical classification of premature ventricular beats, xx. 219-43

The operation of cardiolysis; with a description of two fresh cases, and an analysis of the literature, xvii. 179-90

Boycott, A. E., Bareroft, J., Dunn, J. S., and Peters, R. A. Observations on respiration and circulation in the goat, xiii. 35-45

Boyd, William. Epidemic encephalitis: the second Winnipeg outbreak, xviii. 153– 73

Brain, R. T., and Kay, H. D. A new test of renal function, xxii. 203-16
Brain, W. Russell. Disseminated sclerosis;

Brain, W. Russell. Disseminated sclerosis; critical review, xxiii. 343-91 Heredity in simple goitre, xx. 303-19

Inheritance of epilepsy, xix. 299–310

The mode of inheritance of hereditary ataxia, xviii. 351–8

Brain, abscess of: see Cerebral abscess blood-vessel tumours of, xxiv. 604

calcium content of, in experimental rickets in dogs, xiv. 352, 359

damage to, by exposure to radium, xxiv.
112

evolution of crescent in cerebral type of malignant malaria, xiii. 422 histological changes in malignant malaria,

xiii. 418
in chronic infection of the spleen, xvii.

197 in diffuse hyperplastic sclerosis, histology,

xiv. 224 in fatal case of malignant malaria, xiii.

385, 396, 410, 412 in progressive lenticular degeneration,

xvii. 393
iron content of the tissues in haemochro-

matosis with special reference to the brain (Sheldon, J. H.), xxi. 123–37 (a) chemical analysis, xxi. 130

(b) macroscopical investigation, xxi.
132

(c) microscopical investigation, xxi. 132

metastatic carcinoma of, xxiv. 603 pathological lesions of, in encephalitis lethargica, xviii. 165

secondary carcinoma of, xxiv. 603 tumours of: see Intracranial tumours

Bramwell, J. Crighton. Arterial elasticity in man, xvii. 225-43
— and Cowan, John. Clinical aspect of

bundle branch block. xix. 95-111
— and Duguid, J. B. Aneurysmal dilatation

of the left auricle, xxi. 187-210

— and Ellis, Reginald. Some observations on the circulatory mechanism in mara-

thon runners, xxiv. 329-46

Bray, George W. The hypochlorhydria of asthma in childhood, xxiv. 181-97

Breathing: see Respiration

Breathlessness: see Bronchitis, chronic; Dyspnoea Brenner, O. Addison's disease with atrophy of the cortex of the suprarenals, xxii. 121 - 44

Brett, P. C., Gardiner-Hill, H., and Smith, J. Forest. Carbohydrate tolerance in myxoedema, xviii. 327-34

Gardiner-Hill, H., and Smith, J. Forest. Some factors of significance in adolescent goitre, xviii. 133-42

Bright's disease: see Nephritis

Briscoe, J. C. Mechanism of post-operative massive collapse of the lungs, xiii. 293-335

Brockbank, William. Observations on the serum calcium in pulmonary tuberculosis and on treatment by intravenous injection of calcium, xx. 431-48

- and Wilkinson, John Frederick. The importance of familial achlorhydria in the aetiology of pernicious anaemia, xxiv. 219 - 38

Brodie's pump used in investigation of action of chlorine on the bronchi, xiii. 121, 122

Bromsulphalein test of liver function (Bulmer, E.), xx. 101-14 clinical findings, xx. 103 criticism, xx. 107

history of test, xx. 101

technique, xx. 102, 104 Bronchi, action of adrenalin on, xiii. 126 action of atropin on, xiii. 126 action of chlorine, &c., on (Gunn, J. A.), xiii. 121-7

action of morphine on, xiii. 126 action of urethane on, xiii. 127

calibre of, methods of recording changes in, xiii. 121

carcinoma of, basal-celled, xxiv. 31 clinical study (Maxwell, J., and Nichol-

son, W. A.), xxiv. 29-53 incidence, xxiv. 29

pathology, xxiv. 30

(primary), aetiology, xxiv. 31 age incidence, xxiv. 32

analysis of main symptoms, xxiv. 35 auscultation, xxiv. 44 blood count, xxiv. 47

bronchoscopy, xxiv. 48 chronic bronchitis in relation to aetiology, xxiv. 33

clinical features, xxiv. 31 clinical metastases, xxiv. 45

clubbing of fingers, xxiv. 39 cough the commonest symptom,

xxiv. 35 cyanosis, xxiv. 40 diaphragmatic paralysis, xxiv. 41

dilated veins, xxiv. 41 distribution of primary growth, xxiv. 38

dysphagia in symptomatology, xxiv.

dyspnoea in symptomatology, xxiv.

histological appearances, xxiv. 48 913.97

Bronchi (cont.):

influenza in relation to actiology, xxiv. 34

laryngeal paralysis, xxiv. 41

mode of onset, xxiv. 35 night sweats in symptomatology, xxiv. 37

occupation in relation to actiology, xxiv. 32

oedema, xxiv. 40 pain in symptomatology, xxiv. 36

palpation, xxiv. 43 percussion, xxiv. 43

physical signs in the chest, xxiv. 42 pleural effusion, xxiv. 46

previous health in relation to actiology, xxiv. 33 pulse in, xxiv. 39

respiration rate, xxiv. 40 results of treatment (X-rays), xxiv. 49

sex incidence, xxiv. 31 site of secondary deposits, xxiv. 45 sputum in symptomatology, xxiv. 36 sympathetic paralysis, xxiv. 41 symptomatology, xxiv. 35 symptoms of metastasis, xxiv. 38

temperature, xxiv. 39 total duration of symptoms, xxiv. 34 Type I. hilum tumour, xxiv. 50

II. lung tumour, xxiv. 50 III. mediastinal tumour, xxiv. 51

IV. combined tumour, xxiv. 51

Wassermann reaction, xxiv. 48 wasting, xxiv. 38

X-ray examination, xxiv. 48 see also Lungs, carcinoma of

Bronchiectasis, development of contralateral disease in artificial pneumothorax therapy (Davidson, M.), xix. 179-201

in mustard gas poisoning, xiii. 213 phrenic evulsion in, xxi. 470

Bronchiolitis, circulatory system in, xiv. 128 diagnosis of, xiv. 129

duration of disease, xiv. 130 fatal, and broncho-pneumonia caused by B. influenzae of Pfeiffer during an inter-pandemic period (Malloch, A.,

and Rhea, L. J.), xiv. 125-38 morbid anatomy and post-mortem bacteriology, lungs, trachea and bronchi, xiv. 130

pericardium, myocardium and endocardium, xiv. 133

salient clinical features, xiv. 126 sputum and its bacteriology, xiv. 127 summary of cases with post-mortem findings and bacteriology, xiv. 136

treatment of, xiv. 130 Bronchitis, chronic, blood-sugar content in, xxiv. 265

chronic, carbon dioxide output during and after exercise, xx. 155

Bronchitis (cont.):

carbon dioxide percentage in expired air, xx. 58, 147

effect of exercise on the pulmonary ventilation and rate and depth of breathing in (Campbell, J. M. H., and Poulton, E. P.), xx. 27-48 type of respiration at rest, xx. 30

type of respiration during and after exercise, xx. 30

effect of exercise on the respiratory exchange in (Campbell, J. M. H., and Poulton, E. P.), xx. 49–68

effect of residence in an oxygen chamber in (Campbell, J. M. H., and Poulton, E. P.), xx. 141-72

in relation to aetiology of bronchial carcinoma, xxiv. 33

maximum depth of breathing with and without oxygen treatment, xx. 153 output of carbon dioxide during and after exercise, xx. 54

oxygen consumption per minute during and after exercise, xx. 52

percentage of carbon dioxide in expired air, xx. 147

percentage of inspired air absorbed in the form of oxygen, xx. 59

pulmonary ventilation and rate and depth of breathing with and without oxygen treatment, xx. 151 pulse-rate after exercise, xx. 37

respiration with and without oxygen treatment, xx. 154

respiratory exchange, xx. 55

respiratory exchange at rest, xx. 155
respiratory exchange and respiratory
quotient during and after exercise,
xx. 155

total oxygen consumption during and after exercise, xx. 50

type of respiration during oxygen treatment, xx. 150

incidence in mustard gas poisoning, xiii. 209

manifestations in malaria, xiii. 27 pneumococci in, xv. 112

see also Bronchiolitis

Broncho-dilators in broncho-constriction,
xiii. 126

Broncho-pneumonia and fatal bronchiolitis caused by B. influenzae of Pfeiffer during an inter-pandemic period (Malloch, A., and Rhea, L. J.), xiv. 125–38 cases, xv. 109

circulatory system in, xiv. 128 diagnosis of, xiv. 129

duration of disease, xiv. 130

incidence in mustard gas poisoning, xiii.

morbid anatomy and post-mortem bacteriology, lungs, trachea and bronchi, viv. 130

pericardium, myocardium and endocardium, xiv. 133 salient clinical features, xiv. 126 Broncho-pneumonia (cont.):

sputum and its bacteriology, xiv. 127 summary of cases with post-mortem findings and bacteriology, xiv. 136 treatment of, xiv. 130

Bronchoscopy in bronchial carcinoma, xxiv.

Brown, Muriel J. The sugar content of the blood in normal and undernourished children, and the effect of fat on the absorption of carbohydrate, xviii. 175–90

Brunton, Charles E. The blood-urea and its estimation in diabetes mellitus, xviii. 241-9

Radium and the blood cholesterol, xx. 321-9

Bulmer, Ernest. The bromsulphalein test of liver function, xx. 101-14

Bundle branch block, aetiological factors, xxiv. 16

aetiological factors, cardiovascular syphilis, xxiv. 16

high blood-pressure, xxiv. 17 rheumatism, xxiv. 17

age incidence, xxiv. 15 analysis of cases, xxiv. 15

analysis of cases, xxiv. 15 associated cardiovascular conditions, xix.

associated electrocardiographic abnormalities, xxiv. 18

auricular fibrillation in, xxiv. 18 auriculo-ventricular heart-block in xxiv.

case summaries, xix. 104

causes of, xix. 100 clinical and histological study (Hill, I. G. W.), xxiv. 15–28

clinical aspect of (Cowan, J., and Bramwell, J. C.), xix. 95–111

diagnosis of, xix. 99 from physical signs, xxiv. 18

electrocardiogram of, xix. 95 expectation of life, xxiv. 17 extra-systoles in, xxiv. 18

histological results, xxiv. 19

incidence of, xix. 96 right and left cases, xxiv. 16

incomplete, xxiv. 22 intermittent, xxiv. 482

left, rarity of, xxiv. 482 mode of onset, xix. 96 mortality, xxiv. 17

predominance of right over left, xxiv. 482

prognosis, xix. 99; xxiv. 17 relation to cardiac failure, xxiv. 16

response to digitalis and atropin, xxiv. 19 right, aetiology, xxiv. 482

aetiology and incidence
(a) cardiovascular degenerative, xxiii.
262

(b) syphilitic, xxiii. 262

(c) rheumatic, xxiii. 263
age and sex incidence, xxiv. 483

an analysis of the clinical records of 56 cases with typical electrocardiograms

Bundle branch block (cont.):

(Campbell, S. B. B., and Turkington, S. I.), xxiv. 481-5

clinical significance of (Bach, F.), xxiii. 261-72

criteria, xxiv. 481

electrocardiograms, xxiii. 268-72

incidence of, xxiv. 482

mortality, xxiv. 484

pathology, xxiii. 263

permanency of lesion, xxiv. 482

prognosis, xxiv. 484

(a) cardiovascular degenerative, xxiii. 261

(b) syphilitic, xxiii. 261 (c) rheumatic, xxiii. 262

symptoms, xxiv. 483

sex incidence, xxiv. 15 symptoms, xix. 97

Burns in mustard gas poisoning, xiii. 226

Burton, J. A. G., Cowan, John, and Miller, Hugh. Generalized myositis fibrosa, with the report of a case, xvii. 103-11

—, Cowan, John, and Fleming, John. Generalized myositis fibrosa (condition ten years after onset), xxiv. 369–70

—, Cowan, John, Kay, J. Hunter, Marshall, A. J., Rennie, J. K., Ramage, J. H., and Teacher, J. H. Four cases of fibrosis of the myocardium with electrocardiographic and post-mortem examinations, xxiii. 293–303

Butcher, T. A. Observations on the gastric acidity and secretion in health, xix.

455-78

C

Caecum, mobile, xxii. 635

Caffein and gastric secretion, xxi. 10 solution, effect on gastric secretion, xxiv.

effect on gastric secretion with oil

administered previously, xxiv. 139
Cairns, H. W. B. Heredity in polycystic

disease of the kidneys, xviii. 359–92

Calcium, absorption of, xxiv. 394 absorption of, and its fixation in the skeleton (Telfer, S. V.), xvii. 245-59

and its fixation in the skeleton, historical, xvii. 245

description of methods, xvii. 247 results, xvii. 250

and lead metabolism, parallelism between, xx. 124

and magnesium contents of the cerebrospinal fluid (McCance, R. A., and Watchorn, E.), xxiv. 371-9

experimental results, xxiv. 374

historical, xxiv. 371 methods, xxiv. 373

source of cases and material, xxiv. 374 in some pathological sera (Watchorn, E.), xviii. 288-93

and phosphorus of the blood in renal disease (Wesselow, O. L. V. de), xvi. 341-62 Caleium (cont.):

metabolism and the parathyroids in health and disease; critical review (Hunter, D.), xxiv. 393-446

in chronic diarrhoea with tetany (Linder, G. C., and Harris, C. F.), xxiii. 195–212

amenorrhoea in, xxiii. 205

clinical histories and experimental data, xxiii. 197

effect of ergosterol, xxiii. 208 methods and material, xxiii. 197 the steatorrhoea, xxiii. 204

metabolism studies (Telfer, S. V.),

part I: excretion of calcium and phosphorus, xvi. 45-62

part II: metabolism of calcium and phosphorus in rickets, xvi. 63-72

part III: absorption of calcium and phosphorus and their fixation in the skeleton, xvii. 245-59

part IV: influence of free fatty acids in the intestine on the absorption and excretion of the mineral elements, xx. 1-6

part V: infantile rickets. The excretion and absorption of the mineral elements and the influence of fats in the diet on mineral absorption, xx. 7–25

relation between amounts ingested and excreted, xvi. 49

available, madder experiments on source of, xxiv. 409

source of, xxiv. 407

balance in normal and rachitic children, xiv. 362-97

comparison of, xiv. 373 influence of age on, xiv. 367

chloride, administration of, in tetany, xviii. 68

content of the blood, xiv. 357, 359; xxiv.

at different ages, xiv. 359

in experimental rickets in dogs, xiv. 352

in rachitic and normal pups, xiv. 360 in renal disease, methods of estimation, xvi. 344

of the brain in experimental rickets in dogs, xiv. 352

of the cerebrospinal fluid and of the serum, relation between, xxiv. 376

of diet, effect on bones, xxiv. 408 of the muscle in experimental rickets in dogs, xiv. 352

normal, existence of tetany with,

of the serum: see Serum

of the tissue, xiv. 356, 359

of the tissues, xxiv. 397

of the ultra-filtrates, xxiv. 378

excretion of, xxiv. 395

by faeces and urine at different ages, xiv. 369

control of diet, xiv. 375

Calcium (cont.):

influence of age in, xiv. 367 methods of estimating, xiv. 374 fter parathyroidectomy, xx. 124

after parathyroidectomy, xx. 124 effect of the parathyroid hormone on, in cases of lead poisoning (Hunter, D., and Aub, J. C.), xx. 123-40 effects of parathyroid extract on, xx. 136

functions of, xxiv. 397

in treatment of acute necroses of liver, xxiv. 439

of erythema pernio, xxiv. 440

of experimental tuberculosis (Hoyle, J. C.), xxii, 451-9

of haemoptysis, xx. 441 of lead colic, xxiv. 439

of lead poisoning, xxiv. 438 of milk fever in cows, xxiv. 441

of oedema and inflammatory exudates, xxiv. 440

of tetany, xxiv. 438 of urticaria, xxiv. 441

of varicose ulceration, xxiv. 441

intake and output in healthy and maras-

mic infants, xvii. 347 intravenous injection treatment of pul-

intravenous injection treatment of pulmonary tuberculosis (Brockbank, W.), xx. 431-48 introduction of, in treatment of haemo-

philia, xx. 504

is rickets due to a deficient supply to the bones? xiv. 352-61

metabolism, action of thyroid and parathyroid contrasted, xxiv. 418

changes during tuberculosis, xxii. 453
effect of changes in the acid-base
balance on signs and symptoms of
tetany, xviii. 68

effects of irradiated ergosterol, xxiv. 420 of over-dosage with irradiated ergosterol, xxiv. 421

of thyroxin and thyroid disease on, xxiv. 417

in rickets (Telfer, S. V.), xvi. 63-72 method, xvi. 64

method for determination of, xiv. 375 normal, xxiv. 394

osteitis deformans, xxiv. 433

osteomalacia, xxiv. 424

rickets, xxiv. 423

need for diet adequate in, xxiv. 437 output and its relation to the weight of faeces, xiv. 364

physiology and pharmacology of, xx. 432 relationship of utilization of to the intake, xiv. 371

serum: see Serum calcium

soaps and faecal solids, relation between, xvi. 53

treatment of experimental tuberculosis (Hoyle, J. C.), xxii. 451-9

of haemoptysis, xx. 441 use in therapeutics, xxiv. 437

Calories required during first year of life, xvi. 323

Calorimeter, clinical (Benedict's), xvi. 382

Cameron, G. R., and Hurley, L. E. Multiple nodular hyperplasia of the liver, xx. 449-56

Cameron, J. A. Munro. Dysphagia and anaemia, xxii. 43-9

Cammidge 'pancreatic' reaction in diagnosis of diseases of the pancreas, xiv. 67

Campbell, A. J. Diaphragmatic paralysis as a therapeutic measure in intrathoracic disease, xxi. 463–87.

Campbell, J. M. H. Cholesterol in the blood in cases of gall-stones, xviii. 123-31

Cholesterol in health and disease; critical review, xviii. 393–422

Early accounts of acholuric jaundice and the subsequent history of Wilson's patients, xix. 323–32

Geographical distribution of exophthalmic goitre in the British Isles, xviii.191– 223

Some aspects of exophthalmic goitre, xv. 55–68

 and Poulton, E. P. Effect of exercise on the respiratory exchange in chronic bronchitis, xx. 49-68

and Poulton, E. P. The effect of exercise on the pulmonary ventilation and rate and depth of breathing in chronic bronchitis: part I, xx. 27-48
 and Poulton, E. P. The effect on breath-

 and Poulton, E. P. The effect on breathless subjects of residence in an oxygen chamber, xx. 141-72

and Warner, E. C. Heredity in acholuric jaundice, xix. 333-55

Campbell, John S. Stereoscopic radiography of the coronary system, xxii. 247-67

Campbell, Maurice, and Parkinson, John. Quinidine treatment of auricular fibrillation, xxii. 281-303

 and Parkinson, John. Paroxysmal auricular fibrillation: a record of 200 patients, xxiv. 67-100

Campbell, S. B. Boyd, and Turkington, S. I. Right bundle branch block; an analysis of the clinical records of 56 cases with typical electrocardiograms, xxiv. 481-5
Cancer: see Carcinoma

Canti, R. G. Primary pulmonary tuberculosis in children, xiii. 71-81

Capillary circulation and arterial elasticity, xvii. 239

Capillary haemorrhage and blood-platelets, xxiv, 316

Carbohydrate, absorption of, effect of fat on (Brown, M. J.), xviii. 175-90

absorption of, in marasmus, xiv. 184; xvii. 347

and fat metabolism, relation of, xx. 77 content of the cerebrospinal fluid and its relation to the blood-sugar, xxi. 102

fat transformed into, evidence of, xx. 78 metabolism in myasthenia gravis, xv. 274 in obesity, xxi. 330

in pituitary obesity in adolescence, xviii. 318 Carbohydrate (cont.):

tolerance in diabetes, criteria of altered tolerance, xxi. 214

in diabetes, does insulin improve it?
(Rabinowitch, I. M.), xxi. 211-21
influence of different diets, xxi. 215

in marasmus, xiv. 183 in myxoedema (Gardiner-Hill, H., Brett, P. C., and Smith, J. F.), xviii. 327-34

relation of to blood-sugar and renal threshold, xiv. 24

tests in adolescent goitre, xviii. 138
Carbohydrate dyspepsia, intestinal: se
Dyspepsia, intestinal carbohydrate

Carbon dioxide, alteration in output after administration of adrenalin, xvii. 25 and oxygen enriched atmospheres in the treatment of certain forms of infentile atrophy (McCrop. F. F. W.

fantile atrophy (McCrea, E. F. W., and Raper, H. S.), xxii. 269–79 methods and results, xxii. 270

arterial pressure in cardiac dyspnoea (Fraser, F. R., Harris, C. F., Hilton, R., and Linder, G. C.), xxii. 1-20

case reports, xxii. 16 methods, xxii. 2

in mitral stenosis and auricular fibrillation, xxii. 6

variations in health, xxii. 5

elimination an important factor in determining amount of work a man is capable of, xx. 418

in expired air, percentage of, xx. 58, 147 in expired air, in pulmonary tuberculosis, xxiii. 89

output of, during and after exercise, xx. 54, 155

percentage in expired air, xx. 58, 147
rise in percentage with exercise, xx. 59
with and without oxygen treatment,
xx. 148

relative effect on excess of, and want of oxygen on the breathing, xx. 37

Carcinoma, appearance of, and onset of X-ray dermatitis, time interval, xxiv. 124

arising in chronic gastric ulcer, gastric juice in, xvi. 121

blood-sugar curve in, xiv. 319, 325 bronchial: see Bronchi, carcinoma of cholesterol in the blood in, xx. 323

experimental production by X-rays and radium, xxiv. 122 gastric: see Gastric carcinoma

metastatic, xxiv. 631 of the lung: see Lung

proteins of the serum in (Kennaway, E. L.), xvii. 302-11

method, xvii. 304 question of stimulating effect of irradiations on, xxiv. 104

X-ray and radium produced, xxiv. 122 Cardia, achalasia of: see Achalasia Cardiac: see also Heart Cardiac arrhythmia, circulation rate in, xxi. 279

relationship of pulse-wave velocity and pressure in, xvii. 231

Cardiac disease: see Heart disease

Cardiac efficiency, estimation of rise or fall in, xv. 286

Cardiac energy index, xxii. 393

Cardiac failure: see Heart failure
Cardiac hypertrophy: see Heart enlargement
Cardiac infortion and appring of affect

Cardiac infarction and angina of effort, comparison of age incidence, xxiii. 234 and anginal pain, aetiological correspondence between (Coombs, C. F.), xxiii. 233-44

cardiac rupture, rarest sequela of, xxiv. 60 in aetiology of spontaneous cardiac rupture, xxiv. 57

rarity in cardiac syphilis, xxiii. 235

Cardiac output and circulation rate after administration of adrenalin, xvii. 25

Cardiac pain and angina of effort, actiology in, xxiii. 234

in pernicious anaemia, xxiii. 236 methods of experiment, xvii. 59

Cardiae puncture, measurement of pressure changes in right ventricle by (Dunn, J. S.), xiii. 46-56 method, xiii. 46

Cardiae rhythm, alteration in, changes in ventricular predominance with, xxiii. 74 in goitre, xxiv. 507

normal, heart failure with (Parkinson, J., and Clark-Kennedy, A. E.), xix. 113-50

action of digitalis in (Hay, J., Jones, H. W., and Ince, P.), xxi. 153-76 material and method of investigation, xxi. 157

cardiovascular syphilis and, xix. 115 chronic pulmonary disease and, xix. 128 high blood-pressure in, xix. 121 method of investigation, xix. 113 primary myocardial failure and, xix.

132

prognosis in, xix. 145 relationship between high blood-pressure and cause of failure, xix. 122 rheumatic endocarditis and, xix. 137 the rhythm in cardiovascular syphilis,

xix. 117 quinidine and, xvi. 215

restoration of normal rhythm as a therapeutic procedure, xvi. 218

Cardiac rupture, spontaneous, age distribution, xxiv. 56

spontaneous, age of cardiac infarct in aetiology, xxiv. 60

and insanity, frequent association of, xxiv. 56

cardiac infarction in aetiology, xxiv. 57 case reports, xxiv. 64–6

haemopericardium in, xxiv. 61 incidence, xxiv. 55

mechanism of death, xxiv. 62 mechanism of rupture, xxiv. 61

Cardiac rupture (cont.):

microscopic appearance of rupture, xxiv. 59

mode of death, xxiv. 57 mortality rate, xxiv. 56 partial rupture, xxiv. 60 pathological basis, xxiv. 57 relative frequency of rupture, xxiv. 59 review of 46 cases (Beresford, E. H.,

and Earl, C. J. C.), xxiv. 55-66 sex distribution, xxiv. 56 site and character of rupture, xxiv. 58 size and character of tear, xxiv. 59

Cardiac sphincter, achalasia of, xxiii. 497 anatomy of, xxiii. 493 dilatation of, in treatment of achalasia of the cardia, xxiii. 505

nervous disorders of, xxiii. 496

Cardiolysis operation; with a description of two fresh cases, and an analysis of the literature (Bourne, G.), xvii. 179–90 contra-indications, xvii. 184

dangers of, xvii. 182 indications for, xvii. 182

Cardio-neurotoxic syndrome, xiii. 337 Cardiospasm: see Achalasia of the cardia Cardiovascular and renal disease, amino-

nitrogen curve in, xxii. 485 and renal disease, urea curve in, xxii. 485

Cardiovascular syphilis and bundle branch block, xxiv. 16 cause of heart failure, xix. 117

cause of heart failure, xix. 117
clinical features, xix. 116
heart failure with normal rhythm and,
xix. 115

the rhythm in, xix. 117 see also Heart, Syphilis of

Cardiovascular system, lesions of, and nerve irritation: experimental study (Shaw, R. C.), xix. 203-22

Carditis, rheumatic: see Heart disease, rheumatic

Carmichael, E. Arnold, and Green, F. H. K.
Parkinsonian rigidity: a clinical and
instrumental study of the effect of
stramonium, hyoscine, and other alkaloids, xxii. 51-64

Carpopedal spasm in tetany, xiii. 431
Catarrhal infections, susceptibility to, of cases of intestinal disturbance, xxiii. 30
Cattle, stiff-sickness of, xxiv. 430

Cauda equina and paraplegia symptoms in lymphogranulomatosis maligna (Hodgkin's disease) (Weber, F. P.), xvii. 1-5

Central nervous system : see Nervous system,

Cerebellum, atrophy of, sugar content of cerebrospinal fluid, xv. 5 tumours of, xxiv. 631

Cerebral abscess resulting from general systemic pyaemia, xxiii. 143

Cerebral apoplexy, xx. 360 Cerebral arteries, 'congenital' aneurysm of (Green, F. H. K.), xxi. 419-32

'congenital' aneurysm of, case reports, xxi. 420 Cerebral circulation, symptoms due to disturbances in treatment of auricular fibrillation by quinidine, xvi. 215

Cerebral embolism, source of embolus, xxiii.

Cerebral haemorrhage in infants and children: see Intracranial haemorrhage in relation to diffuse hyperplastic sclero-

sis, xiv. 252

Cerebral tumours: see Intracranial tumours Cerebrospinal fever, reaction of the spinal fluid during (Shearer, C., and Parsons, T. R.), xiv. 120-4

Cerebrospinal fluid, acid-base equilibrium of, xxi. 101

after death, magnesium content of, xx. 180

alkalinity of, xxi. 93

and Wassermann reaction, xix. 437 calcium content of, and serum calcium, relation between, xxiv. 376

carbohydrate content of, and its relation to the blood-sugar, xxi. 102

chlorine and magnesium in, xx. 178 cytology, xix. 435

foam test, xix. 435 formation of, xxiv. 611 globulin tests, xix. 432

glycolysis in, and its clinical significance

(Chevassut, K.), xxi. 91–106 effect of temperature, xxi. 94 experimental investigations, xxi. 92 specificity of the enzyme causing, xxi. 95

high sugar content in encephalitis lethargica, xv. 1

hydrogen-ion concentration of, xxi. 100 in diarrhoea and vomiting of infants, chloride content of, xxii. 597

in disseminated sclerosis, xxiii. 376 protein content of, xvii. 131

in encephalitis lethargica, xiv. 293; xv. 134; xviii. 163

increased sugar content in, the reflection of high blood-sugar, xxi. 104

in meningitis, magnesium content of, xx. 177

in serological diagnosis of neuro-syphilis; a critical analysis of certain laboratory methods (Watson, H. F.), xix. 431-53

in spontaneous subarachnoid haemorrhage, xviii. 97

in symptomatology of intracranial tumours, xxiv. 611

inorganic constituents of (McCance, R. A., and Watchorn, E.), xxiv, 371-9

 calcium and magnesium, experimental results, xxiv. 374 historical, xxiv. 371 methods, xxiv. 373 source of cases and material, xxiv.

374
inorganic phosphorus content of (Cohen,
H.), xvii. 289-301

Cerebrospinal fluid (cont.):

altered permeability of the choroid plexus, xvii. 298

bacterial activity, xvii. 296

degeneration of nervous tissue, xvii. 296

historical, xvii. 289

influence of age, xvii. 294

method, xvii. 290

proximity of death, xvii. 295

lumbar puncture, repeated xvii. 296

results, xvii. 291

Lange reaction, xix. 433

magnesium content of (Cohen, H.), xx. 173-86; xxiv. 372

and serum magnesium, relation between, xxiv. 376

effect of increasing magnesium content of serum on, xx. 181

historical, xx. 173

method employed, xx. 173

normal sugar content, xv. 2

post-mortem changes in, xx. 179 production of lactic acid in, xxi. 97

reaction of, and relationship between glycolysis and hydrogen-ion concentration, xxi. 100

during cerebrospinal fever (Shearer, C., and Parsons, T. R.), xiv. 120-4

sugar content and blood-sugar content, relationship between, xviii. 301

and its diagnostic value, especially in encephalitis lethargica (Coope, R.), xv. 1-8

review of literature, xv. 1

in cerebellar atrophy, xv. 5

in delusional insanities, xv. 4

in dementia praecox, xv. 4

in differential diagnosis of encephalitis lethargica and tuberculous meningitis, xv. 1

in disseminated sclerosis, xv. 5 in encephalitis lethargica (Halliday, J. L.), xviii. 300-8; xv. 7

in epileptic insanity, xv. 4 in general paralysis of the insane, xv.

in hydrocephalus, xv. 4

in hysteria, xv. 7

in imbecility, xv. 4

in mania, xv. 4

in meningococcal meningitis, xv. 4

in nervous diseases, xv. 7

in paranoid dementia, xv. 5

in pneumococcal meningitis, xv. 4

in pneumonia, xv. 4, 7

in syphilitic meningitis, xv. 4

in tabes, xv. 4, 7

in tuberculous meningitis, xv. 4

in uraemia, xv. 4

method of estimation, xv. 4 van den Bergh's test in, xviii. 30

Wassermann reaction and, xix. 431

Cerebrospinal meningitis, gonococcal, xv.

Chemical warfare committee: Report on the action of chlorine, &c., on the bronchi (Gunn, J. A.), xiii. 121-7

Chest, measurements of, xiii. 305

Chevassut, Kathleen. Glycolysis in cerebrospinal fluid and its clinical significance, xxi. 91-106

Chicken-pox and variola minor, differential diagnosis, xxiv. 493

associated with intracranial haemorrhage, xx. 363

Children, achlorhydria in, xxiv. 1

acute ileocolitis in (Cruickshank, R.), xviii. 339-50

actiology of tetany in (Anderson, G. H., and Graham, S.), xviii. 62-76

arterio-sclerosis in (Evans, G.), xvi. 33-44 clinical and pathological records, xvi. 34 renal disease as a cause, xvi. 42

asthma in: see Asthma

blood-sugar content in, xiv. 322

in normal and undernourished (Brown, M. J.), xviii. 175–90

calcium balance, comparison in normal and rachitic children, xiv. 373

in normal and rachitic children, xiv. 362 - 97

caloric balance in health and marasmus, xvii. 348

extreme variability of pulse-rate in, xxii. 520

fasting blood-sugar content in, xviii. 177 variation with age, xviii. 178

fat absorption in healthy and atrophic children, xiii. 285

fat metabolism in (Hutchison, H. S.), xiii. 277-92

fractional test-meal in a series of 50 normal children (Copeman, W. S. C., and Hill, N. G.), xxii. 33-41

goitre in English school children (Stocks, P.), xxi. 223-75

assessment of personal factor in survey, xxi. 225

hyperplastic sclerosis in, xvi. 40

part played by endothelium in, xvi. 40 incidence of goitre and thyroid enlargement in Somersetshire and Devonshire, xxi. 228

instability of pulse-rate in nervous children, xxii. 522

intracranial haemorrhage in (Sheldon, W. P. H.), xx. 353-70

age incidence, xx. 354

arising after the natal period, xx. 358 associated with the acute fevers, xx.

associated with chronic nephritis, xx. 360

associated with diseases of the blood, xx. 361

associated with heart disease, xx. 364

diagnosis, xx. 369 distribution of, xx. 354

frequency at necropsy, xx. 353

secondary to thrombosis, xx. 365

Children (cont.):

marasmic: see Infantile atrophy normal, blood-sugar tolerance test in,

xviii. 181 gastric analyses in, xxiv. 189

normal variation in heart rate, xxii.

primary pulmonary tuberculosis in (Canti, R. G.), xiii. 71–81

pulse-rate in, and range in health and disease (Sutherland, G. A., and Mc-Michael, J.), xxii. 519-29

effect of pyrexia on normal variation, xxii. 523

value of normal variation in, xxii. 522 undernourished: see Infantile atrophy vomiting in, blood-sugar content in, xviii.

180 see also Infants

Chlorides and water, excretion of, after their oral administration (Crawford, J. H.), xxi. 71-81

content after intake of 9 gm. of sodium chloride, xxi. 76

of the cerebrospinal fluid in diarrhoea and vomiting of infants, xxii. 597 of effusions, xx. 179

of erythrocytes in infantile diarrhoea, xxiii. 173

of mucus and saliva, xxi. 14

of the stomach, action of histamine on (Duthie, R. J.), xxiii. 447-9 of the urine, xxi. 72

after intake of 1,000 c.c. of water, xxi. 73

after intake of 1,000 c.c. of normal saline, xxi. 74

excretion of, after oral administration, method of investigation, xxi. 73

by the healthy and diseased kidney (Wesselow, O. L. V. de), xix. 53–73 experimental, xix. 56 methods employed, xix. 53

in azotaemic nephritis without oedema, xix. 62

in nephritis with oedema, xix. 65 in the body, changes in the distribution, as cause of post-irradiation symptoms, xxiv. 113

in nephrosis, xxiv. 252 inorganic and total, xxii. 36

intake of 9 gm. sodium chloride, urine volume, chloride and urea content after, xxi. 76

of gastric juice, xxi. 12

retention of, in hydraemic nephritis, xix.

total, and free hydrochloric acid in the stomach, variation of (Duthie, R. J.), xx. 265-9

and free hydrochloric acid in the upper and lower parts of the stomach (Duthie, R. J.), xxii. 575-9

at the pyloric and cardiac parts of the stomach, xxii. 578

curve, consideration of, xxii. 37

Chlorides (cont.):

estimations in the fractional test-meal, clinical application of; with an analysis of a series in fifty normal children (Copeman, W. S. C., and Hill, N. G.), xxii. 33-41

see also Ammonium chloride Chlorine, action of, on the bronchi (Gunn,

J. A.), xiii. 121-7 and magnesium in the cerebrospinal fluid, xx. 178

Chloroma and acute myelocythaemia (Goodall, A., and Alexander, W. A.), xvii. 113–28

and its relationships, xvii. 126

case report, xvii. 120

intermediate stage between leukaemia and, xvii. 117

Chloropicrin, poisoning by, case histories, xiii. 183

Cholaemia: see Acholuric jaundice Choleic acid principle, xxiii. 468 Cholelithiasis: see Gall-stones Cholesteatoma, xxiv. 605

Cholesterol content and bile acids, close relationship between, xxiii. 466, 467 and haemolysis of the red cells, xviii.

411 and immunity, xviii. 415

and its occurrence in the body, methods of estimating, xviii. 396

and lipaemia, xviii. 399

and sedimentation of the red cells, xviii.
413

colorimetric determination, degrees of accuracy to be expected, xviii. 127

daily amount of secretion into the intestine, xxi. 116

distribution of, xviii. 396

estimation and blood-sampling, xx. 322 method employed, xvi. 194

fate of, in the intestine, xxi. 116

in bladder bile, xxi. 110

in health and disease: critical review (Campbell, J. M. H.), xviii. 393–422

in nephrosis, xxiv. 252 of the bile, xviii. 397

of the blood: see Blood, cholesterol content of the kidneys in lipoid nephrosis, xxiii. 105

of the suprarenal cortex, xviii. 397

of the suprarenals in pregnancy, xviii. 403

of the urine in lipoid nephrosis, xxiii. 109 origin of, xxi. 117

physiology of, xviii. 394

relationship of, to fat and lecithin, xviii. 398

Cholesterol metabolism and distribution, disturbance of, in lipoid nephrosis, xxiii. 105

and the reticulo-endothelial system, xxiii.
112

composition of bile and its bearing upon (Fox, F. W.), xxi. 107–21 of nephritis, xxiii. 110

Chorea, incidence of, in aetiology of exophthalmic goitre, xv. 59

Choreiform movements in encephalitis lethargica, xviii. 160

Choroid papilloma, xxiv. 606

Choroid plexus, altered permeability of, and the phosphorus content of the cerebrospinal fluid, xvii. 298

Christie, Ronald V. Blood coagulation in haemorrhagic diseases, xx. 471-80

Davies, H. Whitridge, and Stewart, C. P. Observations on haemic functions in haemophilia, xx. 481-98

and Gulland, G. Lovell. The treatment of haemophilia, xx. 499-510. , Sendroy, J., jr., and Van Slyke, D. D.

The distribution of electrolytes in haemophilic blood, xxii. 65-71

Chromophile adenoma, xxiv. 621 Chromophobe adenoma, xxiv. 621

Circulation and respiration in the goat (Barcroft, J., Boycott, A. E., Dunn, J. S., and Peters, R. A.), xiii. 35-

some effects of warm immersion baths upon (Davies, H. W., and Holmes, G.), xxiii. 327-41

circulation-rate, xxiii. 331 methods, xxiii. 328 pulse-rate, xxiii. 329

Circulation-rate: see Heart-rate

Circulatory mechanism in marathon runners (Bramwell, J. C., and Ellis, R.), xxiv. 329-46

in marathon runners, blood-pressure, xxiv. 340

cardiac enlargement, xxiv. 335 electrocardiographic findings, xxiv. 342

glycogen balance, xxiv. 333 heart-sounds, xxiv. 343 oxygen debt, xxiv. 331 oxygen requirements, xxiv. 331

physical characteristics, xxiv. 329 Cirrhosis, hepatic, gastric juice in, xvi.

van den Bergh's test in, xviii. 27 Clark-Kennedy, Archibald E. On the therapeutic value of quinidine in the treatment of auricular fibrillation, xv. 279-

Quinidine in the treatment of auricular fibrillation, xvi. 204-35

- and Owen, Trevor. The limitation of muscular effort and its relation to cardiac failure, xx. 383-430

and Parkinson, John. Heart failure with normal rhythm, xix. 113-50

Clarke, Cecil, and Hadfield, Geoffrey. Congenital pancreatic disease with in-

fantilism, xvii. 358-64 Clarke, R. C., Coombs, C. F., Hadfield, G., and Todd, A. T. On certain abnormalities, congenital and acquired, of the pulmonary artery, xxi. 51-69

Climacteric: see Menopause

Close, Harold G., and Osman, A. Arnold.
Acidosis and debility; a contribution to the study of the state of the 'soil' disposing to disease, xxiii. 393-405

Clubbing of fingers in bronchial carcinoma, xxiv. 39

in chronic infective endocarditis, xvi. 264 Coagulation: see Blood coagulation

Coagulometer, blood (Gibbs, O. S.), xvii. 312 - 18

Cod-liver oil, effect on the excretion and absorption of mineral elements in active rickets, xx. 7 treatment of rickets, xvi. 329

Coeliae infantilism, xxiv. 431 Cohen, Henry. The inorganic phosphorus content of cerebrospinal fluid, xvii. 289-301

The magnesium content of the cerebrospinal and other body fluids, xx. 173-86 Purgative action of magnesium salts, xix. 249-56

Coliform bacilli and streptococci in faecal cultures, incidence of predominance, xx. 278

Coliform vaccine in intravenous vaccine therapy, xiii. 90

Colitis, muco-membranous, xxiii. 15

muco-membranous, as a symptom in gastro-intestinal disturbance, xxiii.

pathology of, xxiv. 539

Colloid of the plasma, osmotic pressure, xix. 277

Colloidal gold reaction in disseminated sclerosis, xvii. 131

Colon, autointoxication and constipation, xxiii. 2

diseases of, distribution of lesions or disorders, xxiv. 534 incidence, xxiv. 533

functional disorders of (Spriggs, E. I.), xxiv. 533-65

aetiology, xxiv. 537 infections, xxiv. 537

neurosis and constipation, xxiv. 537 · occupation, xxiv. 539

age, xxiv. 538

alimentary symptoms, xxiv. 543 appendicitis associated with, xxiv. 549 associated diseases and disorders, xxiv.

549 bacteriology, xxiv. 541 diagnosis, xxiv. 551

differential diagnosis, xxiv. 552

disorders classified as functional, xxiv. 534

faeces, xxiv. 546

morbid anatomy, xxiv. 541 pathology, xxiv. 539

intestinal intoxication, xxiv. 540 prognosis, xxiv. 553

prophylaxis, xxiv. 553 radiology, xxiv. 546 redundant loops, xxiv. 551

signs, xxiv. 546

Colon (cont.):

symptoms and signs, xxiv. 543 treatment, xxiv. 554

dietetic and hygienic, xxiv. 554 muco-membranous colitis, xxiv. 559 mucous colitis, xxiv. 558 spastic disorders, xxiv. 557

surgery, xxiv. 560

visceroptosis associated with, xxiv. 550 irritable: see Colon, functional disorders of normal, functions of, xxiv. 535 responsiveness to psychical effects, xxii.645 a source of systemic disease, xxiii. 7

Colorimetry, haematocrit volume-colour index (Rossdale, G.), xvi. 245-62

Colospasm, symptoms and signs, xxiv. 545 Colt, G. H. The clinical duration of saccular aortic aneurysm in British-born subjects, xx. 331-48.

Complement fixation reaction in hydatid disease (Fairley, N. H.), xv. 244-67 basis of, xv. 245

diagnostic value, xv. 261

effect of age and cyst situation on, xv. 262 technique, xv. 246

significance after operations on hydatid cysts, xv. 263

value in clinical medicine, xv. 259 see also Wassermann reaction

Conjunctivae in congenital porphyrinuria, xix. 383

Conran, Philip Crawford. On dropping of the stomach, xv. 144-66

Constipation and autointoxication, xxiii. 2 as cause of functional disorders of colon, xxiv. 537

as a symptom in gastro-intestinal disturbances, xxiii. 28

due to haemorrhoids, xxiii. 13

due to vitamin B deficiency, xxiii. 9 relationship between physical symptoms, mental reaction, and constitutional make-up, xxiii. 16

spastic, due to atony, xxiii. 12

Contralateral disease, development of, in pneumothorax artificial therapy (Davidson, M.), xix. 179-201 case reports, with details of intrapleural

pressures, xix. 191

Convulsions as a symptom of disseminated sclerosis, xxiii. 372

in encephalitis lethargica, xviii. 161 infantile, and inherited epilepsy, xix. 303

Cooke (modified Arneth) count: see Leucocyte count

Cookson, Harold. The aetiology and prognosis of auricular fibrillation, xxiii. 309-25

and Parkinson, John. The size and shape of the heart in goitre, xxiv. 499-532

Coombs, Carey F. Endocarditis lenta (chronic ulcerative endocarditis), xvi.

Observations on the aetiological correspondence between anginal pain and cardiac infarction, xxiii. 233-40

Coombs, Carey F. (cont.):

Streptococcal infections of the heart, xv. 114-30

Clarke, R. C., Hadfield, G., and Todd, A. T. On certain abnormalities, congenital and acquired, of the pulmonary artery, xxi. 51-69

Coope, Robert. The sugar content of the cerebrospinal fluid and its diagnostic value, especially in encephalitis lethar-

gica, xv. 1-8

Cope, C. L. The excretion of creatinine by the human kidney in health and in nephritis, xxiv. 567-85

The osmotic pressure of the blood proteins in nephritis, xxii. 91-105

Copeman, W. S. C., and Hill, N. Gray. The clinical application of total chloride estimation in the fractional test meal; with an analysis of a series in 50 normal children, xxii. 33-41

Coproporphyrin, xix. 360

Cornea in progressive lenticular degeneration, xvii. 392

Coronary arteries, age changes in, xxii. 254 anastomoses, xxii. 252 anastomosis and age change, xxiv. 203

anatomical variations, xxiv. 204

blood-supply to the neuromuscular tissue, xxiv. 202

blood-supply to the valves, xxiv. 201 distribution of, xxii. 248

effect of digitalis on, xxi. 156 in acute rheumatic carditis, xxiii. 241

adventitia, xxiii. 242 intima, xxiii. 242 main branches of (Perry, C. B.), xxiii.

241 - 4

media, xxiii. 242

in disease, coronary sclerosis, xxiv. 205 in health and disease, clinical cases and radiographic findings, xxiv. 208

in health and disease; radiographic study (Jones, E. W.), xxiv. 199-217 technique, xxiv. 200

in syphilitic infection of the heart, xv. 31

infarction, xxii. 257

complications of, xxii. 258

interference with the blood-supply of the neuromuscular tissue, xxii. 263 morbid anatomy of, xxii. 255

normal coronary distribution (summary), xxiv. 201

obstruction in a main trunk, xxii. 263 in a specialized artery, xxii. 263

occlusion, xxii. 256 case reports, xxiv. 209

ramus atrii

septi fibrosi, xxii. 252

ventriculorum superior, xxii. 252

rupture of, xxii. 258

sclerosis of, xxii. 262; xxiv. 205 associated with paroxysmal tachycardia, xxiv. 209

radiological appearances, xxiv. 206

Coronary arteries (cont.):

thrombosis of, xxiv. 207

acute, auricular flutter after, xxi. 31

and angina, xxiii. 233

cardiovascular symptoms, xix. 49

clinical symptoms, xix. 47 clinical syndrome (McNee, J. W.), xix.

44 - 52

colour of the face, xix. 48

course and prognosis, xix. 50

electrocardiographic signs, xix. 50 in relation to paroxysmal auricular

fibrillation, xxiv. 80

onset, xix. 48

pain, xix. 48

previous history, xix. 48

radiological appearances, xxiv. 208

records of cases, xix. 45

treatment, xix. 51

vomiting, xix. 49

variations in the ventricular distribution,

xxii. 251

vascular basis of heart-block, xxiv. 213 Coronary infarction: see Coronary arteries Coronary system, stereoscopic radiography of (Campbell, J. S.), xxii. 247-67

stereoscopic radiography of, blood-supply of the neuromuscular tissue, xxii. 253

technique, xxii. 247

Coronary thrombosis: see Coronary arteries

Corpus callosum, tumours of, xxiv. 627 Cowan, John. The causes of auricular

fibrillation, xxii. 237-45 and Bramwell, J. Crighton. Clinical aspect of bundle branch block, xix. 95-111

Burton, J. A. G., and Fleming, John. Generalized myositis fibrosa (condition ten years after onset), xxiv. 369-70

-, Burton, J. A. G., and Miller, Hugh. Generalized myositis fibrosa, with the

report of a case, xvii. 103-111

–, Burton, J. A. G., Kay, J. Hunter,
Marshall, A. J., Rennie, J. K., Ramage, J. H., and Teacher, J. H. Four cases of fibrosis of the myocardium with electrocardiographic and post-mortem examinations, xxiii. 293-303

and Strong, R. H. Treatment of malaria, xiii. 1-24

Cowell, S. J., and Mellanby, E. The effect of iodine on hyperthyroidism in man, xviii. 1-18

Cranial and spinal nerve-roots in disseminated sclerosis, pathological changes in, xxiii. 352

Cranial nerve disturbance in encephalitis lethargica, xviii. 161

palsies of, in intracranial tumours, xxiv.

Crawford, J. Hamilton. Observations on the excretion of water and chloride after their oral administration, xxi. 71-81.

Creatine and rigidity (Hirst, M., and Imrie, C. G.), xxi. 401-18 and rigidity, historical, xxi. 401

in post-encephalitic rigidity, xxi. 140

Creatine (cont.):

output of, xxi. 401

taken by mouth and effect on excretion, xxi. 405

see also Creatinuria

Creatinin estimations in blood in various diseases, xv. 45

estimations, in diabetes, xv. 46

in nephritis, xv. 46

excretion of, xxiv. 569

by the human kidney in health and in nephritis (Cope, C. L.), xxiv. 567 - 85

creatinine excretion in normal subject, xxiv. 573

methods, xxiv. 570

relation between creatinine and urea excretion, xxiv. 575

in nephritis, xxiv. 578 Creatinuria and glycosuria in myasthenia gravis (Williams, B. W., and Dyke, S. C.), xv. 269-78

and glycosuria in myasthenia gravis,

methods employed, xv. 269

as a sequel to fractures of bones, and the influence of thyroid feeding upon it and upon the creatinuria of post-encephalitic rigidity (Hirst, M., and Imrie, C. G.), xxii. 153-65

following fracture of the femur, influence of the thyroid feeding on, xxii. 154

in Parkinsonian rigidity, effect of thyroid administration, xxii. 157

in post-encephalitic rigidity, xxi. 402

occurrence of, following fractures of bones, xxii. 154

influence of thyroid feeding on, xxii. 154 Creatorrhoea in diagnosis of diseases of the pancreas, xiv. 61

Crescent formation in brain in malignant malaria, evolution of, xiii. 422

Cretinism and deaf-mutism, association of, xx. 310

and mongolism, basal metabolism compared, xvi. 17

respiratory exchange in (Fleming. G. B.), xvi. 11-21

basal metabolism as an index of nutrition

basal metabolism in, xv. 337; xvi. 11 after thyroid treatment, xvi. 14

Cruickshank, Robert. Acute ileocolitis in children, xviii. 339-50

Crural type of breathing, xiii. 318, 319

Cyanosis, enterogenous, autotoxic, blood examination in, xix. 258

enterogenous, case reports, xix. 257 hydrogen-ion concentration and some other properties of the blood from two cases of (Barcroft, J., Dryerre, H., Meakins, J. C., Parsons, T. R., and Parsons, W.), xix. 257-72

methods of investigation, xix. 260 in bronchial carcinoma, xxiv. 40

Cyriax, Edgar F. Unilateral alterations in blood-pressure caused by unilateral Cyriax, Edgar F. (cont.):

pathological conditions; the differential blood-pressure sign, xiii. 148-64

Unilateral alterations in blood-pressure: the differential blood-pressure sign, xiv. 309-13

D

Davidson, Maurice. Observations on the development of contralateral disease in artificial pneumothorax therapy, xix. 179-201

Davies, Daniel T. Studies on achlorhydria and anaemia, xxiv. 447-67

 and James, T. G. Illtyd. An investigation into the gastric secretion of a hundred normal persons over the age of sixty, xxiv. 1-14

Davies, H. Whitridge, and Eason, John. The relation between the basal metabolic rate and the pulse-pressure in conditions of disturbed thyroid function, xviii. 36-61

—, Christie, R. V., and Stewart, C. P. Observations on haemic functions in haemophilia, xx. 481–98

 and Gilchrist, A. Rae. Observations upon the circulation rate in man by the ethyl iodide method, xx. 245-64

 and Holmes, Geoffrey. Some effects of warm immersion baths upon the circulation, xxiii. 327-41

Deaf-mutism, congenital, and cretinism, relationship between, xx. 310

congenital, and simple goitre, association of, xx. 309

Deafness and otorrhoea and the tonsiladenoid operation, xxii. 112

progressive, association of blue sclerotics and (Stobie, W.), xvii. 274–87 association of blue sclerotics with

association of blue sclerotics with brittle bones and,

aetiology and pathology, xvii. 283 historical introduction, xvii. 274 X-ray examinations, xvii. 285

Debility and acidosis; a contribution to the study of the state of the 'soil' disposing to disease (Osman, A. A., and Close, H. G.), xxiii. 393–405 methods, xxiii. 394

and hypertrophied tonsils, xxii. 114 blood plasma bicarbonate in, variations in, xxiii. 396

blood plasma chlorides in, variations in, xxiii. 400

water content of the body in, xxiii. 401 Deglutition, physiology of, xxiii. 493

Delusional insanities, sugar content of the cerebrospinal fluid, xv. 4

Dementia, paranoid: see Paranoid dementia Dementia praecox, sugar content of the cerebrospinal fluid, xv. 4

Dental caries and the tonsil-adenoid operation, xxii. 113

Dental sepsis, effect on blood-sugar in elderly people, xxiv. 269

Depressor nerve, anatomy of, xix. 212 irritation of, and aortic lesions, xix. 218 Dermatitis, syphilitie, and variola minor,

differential diagnosis, xxiv. 494 X-ray: see X-ray dermatitis

Devonshire, incidence of goitre and thyroid enlargement in school children, xxi. 228 De Wesselow, O. L. V.: see Wesselow, O. L. V. de

Dextrocardia, congenital, electrocardiograms, xviii. 336 congenital, four cases (Abrahamson, L.),

xviii. 335-8

Dextrose tolerance, diagnostic value of (Hale-White, R., and Payne, W. W.), xx. 457-69

diagnostic value in Addison's disease, xx.
465

in diabetes, xx. 462

in diseases of the pancreas, xiv. 68 in disorders involving voluntary muscles, xx. 466

in glycosuria, xx. 462 in myasthenia gravis, xx. 466 in pituitary disorders, xx. 463 in skin sepsis, xx. 466 in thyroid disorders, xx. 465

relation of hypoglycaemia to muscular fatigue, xx. 467

types of curve, xx. 457

estimation of (Maclean, H., and Wesselow, O. L. V. de), xiv. 103–19 the diabetic curve, xiv. 113 response in the normal individual, xiv.

in health (Hale-White, R., and Payne, W. W.), xix. 393-410 age, xix. 403

experimental results, xix. 396 fasting blood-sugar level, xix. 403 maximumblood-sugar obtained, xix. 403 methods of analysis, xix. 396 nausea, xix. 402

psychological element, xix. 397 the range in health, xix. 403

the range in health, xix. 403
rate of emptying of stomach, xix. 397
sugar tolerance curves from healthy
young male adults, xix. 398

sugar tolerance curves from subjects over 60 years of age, xix. 399 technique, xix. 393

time taken for blood-sugar to return to normal, xix. 404

in healthy young male adults, xix. 398 in subjects over 60 years of age, xix. 399 test, xxiv. 258

in diagnosis of diseases of the pancreas, xiv. 68

with special reference to variations found at different ages (Spence, J. C.), xiv. 314-26 Diabetes mellitus after administration of

adrenalin, xvii. 31
amino-nitrogen in, xxii. 486
blood-fat and prognosis in, xix. 176
blood-fats in, in relation to treatment
(White, A. C.), xix. 159-78

Diabetes mellitus (cont.):

blood-sugar in: see Blood-sugar

cholesterol in the blood and lipaemia in, xviii. 408

creatinin estimations in the blood in, xv. 46

diagnostic value of dextrose tolerance curve in, xx. 462

does insulin improve carbohydrate tolerance in? (Rabinowitch, I. M.), xxi. 211-21

influence of different diets, xxi. 215 effect of exercise on blood-sugar in, xx. 69 effect of protein in the diet in (Lyall, A.), xx. 115-22

nitrogen equilibrium, xx. 119

importance of condition of glycogen store, xx. 84

in a pregnant woman, improvement due to foetal insulin (Lawrence, R. D.), xxii. 191-202

evidence of acidosis, xxii. 196

evidence of parenchymatous nephritis, xxii. 195

history of the case and course of pregnancy, xxii. 191

improvement in tolerance and relapse after labour, xxii. 197

protein requirements and nitrogenous balance, xxii. 197

incidence of, in England and Wales, xx. 91 insulin absorption through intact skin, xx. 191

and blood-fat in, xix. 175

and carbohydrate tolerance in, criteria of altered tolerance, xxi. 214

and, variations in the dose in the first few days, on a fixed diet, xix. 230 by inunction a failure (Harrison, G. A.),

xx. 187-92

in, can it produce even a partial cure? (Harrison, G. A.), xix. 223-34 difficulties of investigation, xix. 228 method of investigation, xix. 223

results, xix. 224 therapeutic application of, xx. 81 resistance in (Lawrence, R. D.), xxi.

359 - 69

blood-sugar studies, xxi. 361 case history, xxi. 359

effect of insulin on fasting bloodsugar, xxi. 362

lack of coenzyme necessary to in-

sulin action, xxi. 365 low fasting blood-sugar and rise after

food in spite of insulin, xxi. 361 organic defect in liver or muscle as cause, xxi. 364

prolonged comparison between, and ordinary diabetic, xxi. 363

recovery of carbohydrate tolerance after omission of insulin, xxi. 365

level of fasting blood-sugar in, xx. 83 mortality at different ages in England and Wales since 1911-14, changes in, xx. 88

Diabetes mellitus (cont.):

from, in England and Wales, and London, during the last 40 years, changes in, xx. 88

(recorded) in recent years in England and Wales . . ., some observations, with special reference to the introduction of insulin (Young, M., and Russell, W. T.), xx. 87-100

non-protein nitrogen estimations in the blood in, xv. 46

relationship between urea and bloodsugar in, xviii. 245

serum calcium in, xix. 242

sugar estimations in the blood in, xv. 46 tolerance estimations in, xiv. 113

treatment by high diets and high insulin,

urea and its estimation in (Brunton, C. E.), xviii. 241-9

estimations in the blood in, xv. 46 formation in, after ingestion of glycine, xxii. 486

in, xviii. 242

methods, xviii. 242

uric acid estimations in blood in, xv. 46 use of synthalin in the treatment of (Graham, G., and Linder, G. C.), xxi. see also Insulin

Diabetic coma, relation of infection to (Graham, G.), xviii. 294-9

Diabetic lipaemia, xix. 161 see also Diabetes mellitus

Diaphragm, anatomically and embryologically considered, xiii. 319

function of, xxi. 463 nerve supply of, xxi. 467 paralysis of, xiii. 293

as a preliminary to thoracoplasty, xxi.

as a therapeutic measure in intrathoracic disease (Campbell, A. J.), xxi. 463-87

combined with pneumothorax, xxi. 473 complications, xxi. 477

contra-indications for, xxi. 476 effects of, on elderly persons, xxi. 466 on the heart, xxi. 466

on intrathoracic structures, xxi. 465

on labour, xxi. 466

on lungs, xxi. 465 on muscle, xxi. 464

on oesophagus, xxi. 466

on respiration, xxi. 465 on thoracic capacity, xxi. 465

in abscess of the lung and hydatid disease, xxi. 471

in bronchial carcinoma, xxiv. 41 in bronchiectasis, xxi. 470

in chronic pleural empyema, xxi. 471

in fibrosis of the lung, xxi. 471 in pulmonary tuberculosis, xxi. 472

indications for phrenic exacresis, xxi.470 method of producing, temporary, xxi. 468

Diaphragm (cont.):

permanent, xxi. 469

nerve regeneration, xxi. 468

operation, xxi. 476

special indications in pulmonary tuberculosis, xxi. 472

therapeutic, history, xxi. 466

relation to pulmonary diseases, xxi. 464

Diarrhoea, acute, in children: see Heocolitis
and vomiting of infants, acidaemia and
alkalaemia in (Maizels, M., and
McArthur, C. B.), xxii. 581-610

methods, xxii. 581 alkalaemia and acid urines in, xxii. 588 cases with acidosis, xxii. 585

chloride content of the cerebrospinal fluid in, xxii. 597

chronic, with tetany, amenorrhoea in, xxiii. 205

with tetany, calcium and phosphorus metabolism in (Linder, G. C., and Harris, C. F.), xxiii. 195–212

clinical histories and experimental data, xxiii. 197

effect of ergosterol, xxiii. 208 methods and material, xxiii. 197 the steatorrhoea, xxiii. 204 treatment, xxiii. 209

in children, blood-sugar content in, xviii.

in exophthalmic goitre, xv. 56

of infants, alkalaemia in (Maizels, M., and McArthur, C. B.), xxiii. 171–4

chloride content of erythrocytes in, xxiii. 173

Diastase content, determination in urine and blood as a method for the measurement of the functional capacity of the kidney (Stafford, D. D., and Addis, T.), xvii. 151-61 method, xvii. 151

estimations in urine and blood of patients with Bright's disease, xvii. 158

in diagnosis of diseases of the pancreas, xiv. 63

of the urine and blood of patients with Bright's disease, xvii. 154

of the urine, diagnosis of diseases of the pancreas, with special reference to (Wallis, R. L. M.), xiv. 57–87

in diagnosis of diseases of the pancreas, xiv. 63

rate of excretion, variations in, in the same normal individual, xvii. 156 relation between, and volume of urine,

xvii. 154

Diastolic pressure: see Blood-pressure, diastolic

Diathermy, blood cholesterol after, xx. 325 in treatment of disseminated sclerosis, xxiii. 381

Diazo reaction for bilirubin, xvi. 397
Dichlorethyl sulphide: see Mustard gas
Diet changes in basal metabolism, effect of,
xx. 201

effect of, and renal glycosuria, xvii. 265

Diet (cont.):

on blood-sugar, xvii. 270 on bones, xxiv. 408

influence of, on structure of teeth, xxiv. 428

Digitalis, action of, in cardiac failure with
normal rhythm (Hay, J., Jones,
H. W., and Ince, P.), xxi. 153–76

material and method of investigation,
xxi. 157

and diuresis, xxi. 155

and heart-block, in acute rheumatism, xiii. 370

and quinidine in the treatment of auricular fibrillation, xvi. 207 relative value of, xvi. 220

changes in T wave due to, xxi. 155 circulation rate before and after, xxi. 282 effect of, on blood-pressure, xxi. 155

on circulation rate, xxi. 281

on circulation rate in some pathological states (Kininmonth, J. G.), xxi. 277-96

on conduction, xxi. 154

on coronary arteries, xxi. 156

on heart muscle, xxi. 154 on pulse-pressure, xxi. 156 on vital capacity, xxi. 156

heart rate before and after, xxi. 282 in pneumonia and other fevers, xxi. 156 in treatment of auricular flutter, xxi. 39 in treatment of auricular fibrillation, xv. 285

in treatment of bundle branch block, xxiv.
19

in treatment of paroxysmal auricular fibrillation, xxiv. 87

influence of, on the different phases of the heart-beat, particularly as regards the intracardiac pressure (Harris, I.), xiii. 63-70

producing paroxysmal auricular fibrillation, xxiv. 86

Diphtheria, antitoxic immunity according to social class, xxii. 352

antitoxin in the blood, reliability of the Schick test as an indicator, xxii. 330 carriers, Schick reaction in, xxii. 349 clinical, and Schick reaction, xxii. 347

congenital Schick immunity, xxii. 351 immunity to, other than that due to anti-toxin, xxii. 345

incidence of, in aetiology of exophthalmic goitre, xv. 60

latent immunization, xxii. 352 mechanism of, xxii. 355

paralysis after, xiii. 293

racial immunity, xxii. 370
rate of artificial active-immunization,
xxii. 362

of natural immunization, xxii. 356 reliability of the negative Schick reaction as an indicator of immunity from, xxii. 334

Schick reaction and artificial immunization, xxii. 360 and passive immunity, xxii. 349 Diphtheria (cont.):

Schick's test and its applications: critical review (Dudley, S. F.), xxii. 321–79 sex and Schick immunity, xxii. 363

study of the protective action of serum against haemolysin in (Gordon, J., and Science, J.), xxi. 345-58

subsequent prophylactic inoculations against, xxii. 336

toxin-antitoxin, primary and secondary antigenic stimuli, xxii. 342 see also Schick reaction

Diphtheritic palsies, sugar content of cerebrospinal fluid, xv. 7

Diphtheroid organism in intravenous vaccine therapy, xiii. 87

Diplopia in encephalitis lethargica, xv. 133 Disseminated sclerosis, case histories, xvii.

clinical features, xvii. 129
colloid gold reaction in, xvii. 131
critical review (Brain, W. R.), xxiii. 343–91
distribution and incidence, xxiii. 344–9
environmental factors, xxiii. 348
geographical distribution

(i) England and Wales, xxiii. 344

(ii) United States, xxiii. 345 (iii) other countries, xxiii. 345

hereditary and familial incidence, xxiii. 348

rural and urban life and occupation, xxiii. 346 sex incidence, xxiii. 349

variations in racial susceptibility, xxiii. 345

early evidence of lumbar involvement, xvii. 131

early manifestations, xvii. 130

early ocular manifestations, xvii. 130 experimental transmission, bacteriological observations, xvii. 136

blood cultures, xvii. 134 infective nature, xvii. 132

microscopical examination, pathological changes, xvii. 135

and bacteriology, xxiii. 359-68 criticism of alleged transmission to animals, xxiii. 365

criticism of the spirochaetal theory, xxiii. 366

evidence in favour of the Spherula insularis, xxiii. 367

Spherula insularis, xxiii. 361 Spirochaeta argentinensis, xxiii. 360 spontaneous infections of experimental animals, xxiii. 363

historical note, xvii. 129
pathogenesis of (Adams, D. K., Blacklock, J. W. S., Dunlop, E. M., and Scott, W. H.), xvii. 129-50; xxiii.

353-9
nature of the pathological process, xxiii.
353

precipitating factors, xxiii. 357 route of infection of the nervous system, xxiii. 356 Disseminated sclerosis (cont.):

trauma, xxiii. 358

which tissue is primarily affected? xxiii. 355

pathology of, xxiii. 349-53 atypical patches, xxiii. 350

changes in cranial and spinal nerveroots, xxiii. 352

changes in the meninges, xxiii. 352 changes in the peripheral nerves, xxiii. 352

changes in the visual fibres, xxiii. 352

distribution of patches, xxiii. 350 an 'early' patch, xxiii. 349 evolution of the sclerotic patch, xxiii.

350

internal hydrocephalus, xxiii. 353 a 'late' patch, xxiii. 350 perivascular patches, xxiii. 351 periventricular patches, xxiii. 351 secondary degeneration, xxiii. 353 subpial patches, xxiii. 351

protein content of cerebrospinal fluid, xvii. 131

relationship to other diseases, xxiii. 381–6 and acute disseminated encephalomyelitis, differential diagnosis, xxiii. 384

and encephalitis periaxialis diffusa, relationship between, xxiii. 385 and neuromyelitis optica, xxiii. 382

differential diagnosis, xxiii. 383 and post-vaccinial encephalitis, relationship between, xxiii. 385

and syphilis, relationship of, xvii. 132 serological features, xvii. 131 significance of Wassermann reaction in, xvii. 131

sugar content of cerebrospinal fluid, xv. 5 symptomatology, xxiii. 368–78

age of onset, xxiii. 369 auditory and vestibular disturbances,

xxiii. 374 cerebrospinal fiuid, xxiii. 376 convulsions, xxiii. 372

duration of disease, xxiii. 370 effects of lumbar puncture on the course of the disease, xxiii. 370

mental symptoms, xxiii. 371 mode of onset, xxiii. 368 muscular wasting, xxiii. 376

ocular symptoms,
(a) disturbances of ocular movements, xxiii. 372

(b) retrobulbar neuritis, xxiii. 373 relative frequency of symptoms, xxiii. 370

sensory disturbances

(a) objective sensory loss, xxiii. 376

(b) pain, xxiii. 375

(c) paraesthesiae, xvii, 131; xxiii. 375

spinal, sacral and cerebellar forms, xxiii. 378 termination of disease, xxiii. 370 Disseminated sclerosis (cont.):

treatment, xvii. 137; xxiii. 378-81 arsenic compounds, xxiii. 380 diathermy and deep X-ray therapy,

xxiii. 381

injection treatment, xxiii. 380 malaria treatment, xxiii. 379 typhoid vaccine in, xxiii. 379 vaccines and serum, xxiii. 379 types of, xvii. 130

Diuresis and digitalis, xxi. 155

Diverticula, intestinal: see Intestinal diver-

Dodds, E. C., and Robertson, J. D. The origin and occurrence of lactic acid in human gastric contents, with special reference to malignant and nonmalignant conditions, xxiii. 175-93
-, Bennett, T. Izod, and Robertson, J. D.

The conception of 'nephrosis'; observations on three fatal cases; with an account of the histological changes, by S. L. Baker, xxiv. 239-55

Dottridge, C. A., McLeod, J. W., and Ritchie, A. G. Incidence of infections with Pfeiffer's bacillus before, during, and after the 1918 epidemic, xiv. 327-38

Douglas, J. S. C., and Hall, Arthur J. On relapsing pyrexia in lymphadenoma, with an account of a case, xvi. 22-32

Dreyer, N. B., Fraser, Francis R., and Ross, J. P. Reaction of the blood in relation to dyspnoea, xv. 195-206

Dreyer's method in basal metabolism, xvi.

Dryerre, H., Barcroft, J., Meakins, J. C., Parsons, T. R., and Parsons, W. On the hydrogen-ion concentration and some other properties of the blood from two cases of autotoxic enterogenous cyanosis, xix. 257-72

Du Bois's method in basal metabolism, xvi. 371

Ductless glands, diseases of, blood-sugar curve in, xiv. 318

see also under special glands

Ductus arteriosus, persistence of, xxi. 51 Dudley, Sheldon F. Schick's test and its applications: critical review, xxii. 321-79

Dufton, Dorothy, and Hunt, G. H. A numerical measurement of dyspnoea, xiii. 165 - 77

-, Barcroft, J., and Hunt, G. H. Treatment of chronic cases of gas poisoning by continuous oxygen administration in chambers, xiii. 179-200

Duguid, J. B., and Bramwell, J. Crighton. Aneurysmal dilatation of the left auriele, xxi. 187-210

Dunhill, T. P., Fraser, F. R., and Stott, A. W. Auricular fibrillation in thyro-toxic conditions, xvii. 326-38

Dunlop, E. M., Adams, D. K., Blacklock, J. W. S., and Scott, W. H. An investigation into the pathogenesis of disseminated sclerosis, xvii. 129-50

Dunn, John Shaw. Effect of experimental pleural effusion on the blood-pressure in the right ventricle, xiii. 57-61

Effects of multiple embolism of pulmonary arterioles, xiii. 129-47

Measurement of pressure changes in the right ventricle by cardiac puncture, xiii. 46-56

, Barcroft, J., Boycott, A. E., and Peters, R. A. Observations on respiration and circulation in the goat, xiii. 35-45

Duodenal ileus, chronic, xxii. 628 Duodenal stasis, xxii. 641

Duodenal ulcer, acute, gastric juice in, xvi.

chronic, gastric juice in, xvi. 99 gastric juice in, hydrochloric acid in, xvi. 99

post-operative, xvi. 111 Duodenum, diverticula of: see Intestine, small, diverticula pain in, xvii. 69

ulcer of: see Duodenal ulcer

Dural sac in production of raised intracranial pressure, xxiv. 612

Duthie, Robert J. Action of histamine on the chloride content of the stomach, xxiii. 447-9

Fractional analysis of the gastric contents: a preliminary note on the variation of the free hydrochloric acid and total chlorides in the upper and lower parts of the stomach, xx. 265-9

Variation of free hydrochloric acid and total chloride in the upper and lower parts of the stomach, xxii. 575-9

Dwarfism, renal: see Renal dwarfism

Dyke, S. C. Inquiry into the more remote prognosis in war nephritis, xv. 207-14 On the pathology of nephritis associated with oedema, xviii. 77-92

Preliminary report of some cases of con-

tracted kidney, xvi. 1-9 and Williams, B. W. Observations on creatinuria and glycosuria in myasthenia gravis, xv. 269-78

Dysentery, bacillary, endemic, in Aberdeen (Fraser, A. M., and Smith, J.), xxiii. 245 - 59

age incidence and type groups, xxiii. 248

alimentary symptoms, xxiii. 252 annual distribution and type, xxiii.

248 bacteriological investigation, 254

clinical description and treatment as occurring in hospital practice, xxiii. 251

differential diagnosis, xxiii. 254 distribution of cases in first 5 years

of life, xxiii. 249

duration of infectivity, xxiii. 255 familial incidence and type, xxiii. 251 Flexner dysentery, xxiii. 255 general manifestations, xxiii. 251

Dysentery (cont.): mortality incidence in age groups, xxiii. 249

relationship of cases to environmental condition, xxiii. 250

relationship to sex, xxiii. 249

respiratory symptoms, xxiii. 252

seasonal incidence and type, xxiii. 250

sequelae, xxiii. 253

Sonne dysentery, xxiii. 255

spread and control of dysentery, xxiii. 256

statistical analysis of cases, xxiii.

symptoms referable to central nervous system, xxiii. 253

treatment, xxiii. 254 typing of Flexner strains, xxiii. 255

classification, xxiii. 246 incidence and mortality

in England and Wales, xxiii. 246

in Scotland, xxiii. 246

lactose-fermenting organisms in, xxiii. 245, 247

Dyspepsia, intestinal carbohydrate (Hurst, A. F., and Knott, F. A.), xxiv. 171-9 intestinal carbohydrate, pathogenesis,

xxiv. 173 starch digestion in man, xxiv. 171 stools in, xxiv. 176, 177 symptoms, xxiv. 175

treatment, xxiv. 178 Dysphagia and anaemia (Cameron, J. A. M.),

xxii. 43-9 aetiology, xxii. 47 blood changes in, xxii. 45 differential diagnosis, xxii. 45

in bronchial carcinoma, xxiv. 37 pathology, xxii. 46

sex and age incidence, xxii. 43 social and personal condition, xxii. 43-9 symptoms, xxii. 44

treatment and results, xxii. 46

Dyspnoea and chronic cases of gas poisoning, xiii. 190

cardiac, arterial carbon dioxide pressure in (Fraser, F. R., Harris, C. F., Hilton, R., and Linder, G. C.), xxii.

case reports, xxii. 16 methods, xxii. 2

effect on respiratory muscles, xiii. 324 in bronchial carcinoma, xxiv. 37

numerical measurement of (Hunt, G. H., and Dufton, D.), xiii. 165-77 method, xiii. 165

ratio, xiii. 167

conditions affecting, xiii. 169

reaction of the blood in relation to (Fraser, F. R., Ross, J. P., and Dreyer, N. B.), xv. 195-206

description of cases, xv. 203 method, xv. 196 results, xv. 196 see also Respiration

913.97

Dystrophia adiposo-genitalis: see Pituitary obesity

Е

Earl, C. J. C., and Beresford, E. H. Spontaneous cardiac rupture: a review of 46 cases, xxiv. 55-66

Eason, John, and Davies, H. Whitridge.
The relation between the basal metabolic rate and the pulse-pressure in conditions of disturbed thyroid function, xviii. 36-61

Echinococcosis: see Hydatid disease

Ectoderm, xxiv. 591

Ectodermal tissues, lesions of, in tetany, xxiv. 406

'Effort syndrome' in mustard gas poisoning, xiii. 227

Effusions: see Pleural effusions

Einhorn's stomach tube: see Gastric contents, fractional test meals

Elasticity of arteries: see Arteries, elasticity of Electrical axis of the heart as an indicator of changes in ventricular predominance (Jones, H. W., and Roberts, R. E.), xxiii. 67-76

baby group, xxiii. 74 fixed apex group, xxiii. 70

transposition group, xxiii. 73 of normal hearts, effects of respiration and posture on, xxiii. 68

Electrical shock, auricular fibrillation following, xxii. 241

Electrocardiogram as an indicator of predominance of right or left side of heart,

changes in, produced by digitalis, xiii. 65 effect of strophanthus on, xiii. 65

in bundle branch block, xix. 95

in ventricular complexes in myocardial infarction and fibrosis, xxiii. 273-92, 293-303

some prognostic indications in auricular fibrillation, xxiii. 317

see also Q deflexion; T wave; and under separate heart conditions

Electrolytes in haemophilic blood, distribution of (Christie, R. V., Sendroy, J., and van Slyke, D. D.), xxii. 65-71

Elephantiasis nervorum, xxiii. 154 Elkington, J. St. G., and Bamforth, J. Arsenobenzol purpura; with a short description of four cases, xxiv. 381-91

Elliott, T. R., and Barnard, W. G. Carcinoma of the lung causing intestinal obstruction by secondary deposits, xxiii. 407-10

Ellis, Arthur W. M. Disturbance of the acid-base equilibrium of the blood to the alkaline side: alkalaemia, xvii.

Ellis, Reginald, and Bramwell, J. Crighton. Some observations on the circulatory mechanism in marathon runners, xxiv. 329 - 46

Emaciation in sprue, xxiii. 425

Emboli in general systemic circulation, xxiii. 135

Embolism, alterations in respiration after, xiii. 133

arterial (gross) in chronic infective endocarditis, xvi. 266

blood-pressure in, xiii. 136

consequent on restoration of auricular function by quinidine, xvi. 213

experimental starch (Dunn, J. S.), xiii. 129-47

histological examination after injection, xiii. 143

immediate effects of, xiii. 130 in auricular flutter, xxi. 24

measurements of rate of circulation in, xiii. 135

multiple, of pulmonary arterioles, effects of (Dunn, J. S.), xiii. 129-47

of pulmonary artery, xxiii. 135 paradoxical: see Paradoxical embolism pathological examination after injection, xiii. 142

pulmonary: see Pulmonary embolism
Emmons, W. F. The clinical eriometer, xxi.
83-90

Emphysema: see Bronchitis, chronic Empyema and septicaemia, auricular flutter in, xxi. 27

chronic pleural, phrenic evulsion in, xxi.

Encephalitis, post-vaccinial, and disseminated sclerosis, relationship between, xxiii. 385

Encephalitis lethargica, actiology, xiv. 289 age and sex, xv. 130

amyloid bodies in, xviii. 170

and tuberculous meningitis, differential diagnosis by sugar content of cerebrospinal fluid, xv. 1

bacteriology, xiv. 290 blood-sugar content in, xviii. 300

calcification of vessels in, xviii. 168 cerebrospinal fluid in, xiv. 293; xv. 134; xviii. 163

increased sugar content in, the reflection of high blood-sugar, xxi. 104 cerebrospinal fluid, sugar in (Halliday, J. L.), xviii. 300-8

choreiform movements in, xviii. 160 clinical picture in the two Winnipeg epidemics, xviii. 154

convulsions in, xviii. 161

course of the disease, xiv. 302; xv. 134 cranial nerve disturbance in, xviii. 161 critical review (Symonds, C. P.), xiv.

283–308

description of cases, xv. 137 diagnosis, xiv. 303; xv. 135

diplopia in, xv. 133 duration of the disease, xviii. 163 epidemiology, xiv. 285; xv. 131

extreme dilatation of the vessels in, xviii.
171

first Winnipeg epidemic associated with hiccough, xviii. 155 Encephalitis lethargica (cont.): high sugar content in, xv. 1 histology, xv. 138

histology, xv. 138 historical, xiv. 283

hyperaesthesia of face and scalp in, xviii.

hyperkinesis in, xviii. 159 hypoglossal nerve in, xv. 134

in childhood, sequelae of, with notes on prognosis as regards complete recovery (Anderson, G. H.), xvi. 173–92

inversion of sleep rhythm in, xviii. 163 involuntary movements in, xv. 134

locality, xv. 131 mental condition in, xviii. 162

morbid anatomy of, xv. 138 muscular rigidity in, xviii. 161

myoclonus in, xv. 134; xviii. 160 myokymia in, xviii. 160 nervous system in, xv. 133

nystagmus in, xv. 133 occupation, xv. 131 onset, xv. 131

ophthalmoplegia as a symptom, xiv. 295 optic neuritis in, xv. 133

Parkinsonian rigidity: a clinical and instrumental study of the effect of stramonium, hyoscine, and other alkaloids (Carmichael, E. A., and Green, F. H. K.), xxii. 51-64,

comparison of therapeutic effects of hyoscine and stramonium, xxii. 59 comparison of therapeutic effects of stramonium and its individual alka-

loids, xxii. 62 dosage and toxic effects of stramonium, xxii. 60

effect of hyoscine by mouth, xxii. 57 effect of hyoscine injected subcutaneously, xxii. 57

effect of stramonium in, xxii. 57 influence of thyroid feeding on, xxii.

pathological anatomy, xiv. 286

pathology, xviii. 165
post-encephalitic rigidity, creatinuria of,

influence of thyroid feeding on (Hirst, M., and Imrie, C. G.), xxii. 153-65

ptosis in, xv. 133 pupils in, xv. 133

rapid respiration a manifestation in second Winnipeg outbreak, xviii. 155 reflexes in, xv. 134

relationship between sugar content of the cerebrospinal fluid and blood in, xviii. 301

repeated lumbar puncture in, xv. 136 second Winnipeg outbreak (Boyd, W.), xviii. 153–73

mode of onset, xviii. 157 motor onset, xviii. 159 pathology, xviii. 165

sensory onset, xviii. 158
sequelae of, habit peculiarities, prognosis,
xvi. 190

moral habits, spitting, xvi. 188

Encephalitis lethargica (cont.):

nocturnal wakefulness and excitability, xvi. 177

case reports, xvi. 177

prognosis, xvi. 179

influence of age, xvi. 181

influence of sex, xvi. 181

nature of onset, xvi. 181

year of onset, xvi. 182

treatment, xvi. 182 psychical disturbances, xvi. 185

hyperpnoeic breathing, xvi. 189

prognosis, xvi. 188

influence of age, xvi. 188

influence of sex, xvi. 188

nature of onset, xvi. 188 year of onset, xvi. 188

treatment, xvi. 188 seventh nerve in, xv. 133

speech in, xv. 134

sphincters in, xv. 134

sugar content of cerebrospinal fluid, xv. 7 sugar content of the cerebrospinal fluid and its diagnostic value (Coope, R.),

xv. 1-8 review of literature, xv. 1

symptomatology, xiv. 294

treatment, xv. 136

trismus in, xv. 133

twenty cases (Hume, W. E., Nattrass, F. J., and Shaw, A. F. B.), xv. 131-43

urotropin in, xv. 136 see also Post-encephalitic

Encephalitis periaxialis diffusa and disseminated sclerosis, relationship between, xxiii. 385

Encephalitozoon cuniculi, xxiii. 364

Encephalo-myelitis, acute disseminated, and disseminated sclerosis, differential diagnosis, xxiii. 384

Encephalography in diagnosis of intracranial tumours, xxiv. 634

Endocardial pressure, measurement by cardiac puncture (Dunn, J. S.), xiii. 46 - 56

Endocarditis, infective, and auricular fibrillation, xxiii. 321

infective, auricular flutter in, xxi. 27 (chronic) (Coombs, C. F.), xvi. 309-

(Starling, H. J.), xvi. 263-81

aetiology, xvi. 269, 311

further considerations, xvi. 315

age of cases, xvi. 270 anaemia and leucocytosis in, xvi. 264 and bicuspid valve, association be-

tween, xxi. 391

army service and, xix. 38

associated with intracranial haemorrhage, xx. 364

bacteriology, xvi. 273

blood count in, xvi. 264 changes in blood-platelet picture in,

xxiv. 297 clubbing of fingers in, xvi. 264 duration of illness in, xvi. 276

Endocarditis (cont.):

enlargement of the heart in, xvi. 265 enlargement of the spleen in, xvi. 265 excessive fatigue as a factor in aetio-

logy, xvi. 318

gross embolism in, xvi. 266

hemiplegia and aphasia in, xvi. 266

mode of death in, xvi. 277

morbid anatomy, xvi. 311 morbid physiology, xvi. 312

Osler's nodules in, xvi. 267

pallor in, xvi. 264

petechiae in, xvi. 267

post-mortem lesions, xvi. 273

pyrexia in, xvi. 267

recovery in, xvi. 277

relative incidence of, xvi. 269

relative prevalence of, before and after the war (Wauchope, G. M.), xix. 35-43

rheumatic fever in aetiology of, xvi.

315 sex incidence in, xvi. 316; xix. 38

spleen in, xvi. 265, 274

sweating in, xvi. 267

symptoms, xvi. 264-9

and diagnosis, xvi. 312 treatment, xvi. 315

urine in, xvi. 268

valvular lesions in, xvi. 274

valves affected, xxi. 389

see also Peptone

lenta: see Endocarditis, infective (chronic) malignant: see Endocarditis, infective (chronic)

rheumatic: see Heart disease, rheumatic syphilitic aortic, xxi. 388

ulcerative, xv. 121 Endocarditis lenta: see Endocarditis, infective (chronic)

Endocardium and syphilitic infection, xv. 30 progressive ulceration, xv. 121

Endocrine diseases, serum calcium in, xix.

Endocrine glands, basal metabolism in unstable conditions (Gardiner-Hill, H.), xv. 331-47

Endothelium in intimal proliferation, xvi. 40

Engelkes, H. The specific oxygen capacity of the blood-colouring matter in pathological conditions, xxii. 507-17

England and Wales, annual mortality from aneurysm, xx. 333

changes in diabetic mortality at different ages since 1911-14, xx. 88

distribution of thyroid enlargement at age 12, xxi. 258a

geographical distribution of goitre and thyroid enlargement amongst school children, xxi. 224

incidence and mortality from dysentery, xxiii. 246

incidence of diabetes in, xx. 91

incidence of disseminated sclerosis in, xxiii. 344

England and Wales (cont.):

mortality from diabetes during the last 40 years, changes in, xx. 88

recorded mortality from diabetes in, some observations, with special reference to the introduction of insulin (Young, M., and Russell, W. T.), xx. 87–100.

**Enterica** in actiology of liver atrophy, xvii.

Enterogenous cyanosis, autotoxic, blood examination in, xix. 258

autotoxic, case reports, xix. 257

hydrogen-ion concentration and some other properties of the blood from two cases of (Barcroft, J., Dryerre, H., Meakins, J. G., Parsons, T. R., and Parsons, W.), xix. 257-72 methods of investigation, xix. 260

Enteroptosis: see Visceroptosis

Eosinophilic leukaemia, acute: see Leukaemia, acute eosinophilic

Eosinophils in liver treatment of pernicious anaemia, xxiii. 215

Ependymoma, xxiv. 596

Epidemic encephalitis: see Encephalitis lethargica

Epilepsy, considered from the Mendelian standpoint, xix. 308

distribution of cases in affected families, xix. 301

evidence for predisposition as an aetiological factor, xix. 306

heredity in relation to sex, and age of onset, xix. 302

incidence of, among the offspring of epileptics, xix. 304

among relatives of epileptics, xix. 299 in relation to place in family, xix. 304 of insanity among relatives of epileptics, xix. 306

inheritance of (Brain, W. R.), xix. 299-

inherited, and infantile convulsions, xix. 303

serum calcium in, xix. 244

Epileptic insanity, sugar content of cerebrospinal fluid, xv. 4

Epileptiform fits, generalized, as an initial symptom of intracranial tumour, xxiv. 615

Epiphyseal fusion in pituitary obesity, xviii. 315

Ergosterol, effect of, on tetany, xxiii. 208 irradiated, xxiv. 420

effects of overdosage, xxiv. 421 method of irradiation, xxiv. 421 Eriometer, clinical (Emmons, W. F.), xxi.

83-90 Erythema and variola minor, differential

diagnosis, xxiv. 495
Erythema pernio, calcium therapy in, xxiv.

Erythraemia, intense, associated with diffuse infiltration of the lungs, in a case of malignant change developing in a tumour of the recto-genital pouch Erythraemia (cont.):

(Barnes, S., Thomson, A. P., and Lamb, F. W. M.), xix. 151-7

Erythrocyte count in chronic cases of gas poisoning, xiii. 197

Erythrocytes, agglutination, xxii. 150 eriometer in measurement of (Emmons, W. F.), xxi. 83-90

in infantile diarrhoea, chloride content of, xxiii. 173

percentage distribution of, according to strength of saline needed to produce haemolysis, xix. 344

sedimentation-rate of, agglutination, xxii. 150

cholesterol and, xviii. 413

in certain tropical diseases (Newham, H. B.), xx. 371-82

further notes (Newham, H. B., and Martin, P. H.), xxii. 145–52 technique, xx. 372

haevulose tolerance tests, xxii. 147 method of numerical comparison of sedimentation-rates, xxii. 146

theories of the phenomenon, xx 372

size of, xxii. 149

some changes in, in acholuric jaundice, xix. 342

specific gravity of, xxii. 148

Erythrodermia, lymphoblastic (Sequeira,
J. H., and Panton, P. N.), xviii. 250-

60 lymphoblastic, case histories, xviii. 250 differential diagnosis of, xviii. 257

Erythroedema polyneuritis (Paterson, D., and Greenfield, J. G.), xvii. 6-18

aetiology of, xvii. 8 anorexia in, xvii. 7 blood in, xvii. 8

case histories, xvii. 13 clinical picture and mode of onset, xvii. 6

diagnosis, xvii. 12 dislike of light in, xvii. 7

hair in, xvii. 8 historical, xvii. 11 insomnia in, xvii. 7 mental upset in, xvii. 6 morbid anatomy of xvii

morbid anatomy of, xvii. 9 muscle hypotonia in, xvii. 7 nails in, xvii. 8

nervous system in, xvii. 8 perspiration in, xvii. 7 prognosis, xvii. 12

rash in, xvii. 7 respiratory system in, xvii. 8

smell in, xvii. 8 teeth in, xvii. 7

temperature in, xvii. 8 treatment, xvii. 12 urine in, xvii. 8

Erythro-leukaemia, eosinophilic, and acute eosinophilic leukaemia (Hay, J., and Evans, W. H.), xxii. 167–89 case history and morbid histology, xxii. 178

Ethyl iodide method of determining the circulation rate in man (Davies, H. W., and Gilchrist, A. R.), xx. 245-64 effect of exercise, xx. 253

modifications in the apparatus, xx. 247 technique employed, xx. 248

Ethyl oleate, effect on gastric secretion and motility, xxiv. 135

Evans, Geoffrey. Arterio-sclerosis in children, xvi. 33-44

A contribution to the study of arteriosclerosis, with special reference to its relation to chronic renal disease, xiv. 215–82

— and Garrod, Sir A. E. Arthropathia psoriatica, xvii. 171–8

Evans, William, and Thompson, Theodore.
Paradoxical embolism, xxiii. 135-50

Evans, William Howel, and Fordyce, A. Dingwall. Suprarenal virilism; with a report of two cases, xxii. 557-65

 and Hay, John. Acute eosinophilic leukaemia and eosinophilic erythroleukaemia, xxii. 167–89

Exanthemata, tonsils and, xxii. 115

Exercise, after-effects of, immediate and remote, xxii. 470

alterations in respiratory exchange during, due to lactic acid acidosis, xx. 416 and increase in hypoglycaemic effect of insulin, xx. 69

and rise in body temperature, xxii. 472 and training, certain phenomena associated with, xxii. 463

blood circulation rate during, xvi. 154 blood-pressure and, xxii. 471

body-weight in training, xxii. 465 carbon dioxide output during and after, xx. 155

depth and rate of respiration in, xxii. 470 during normal pregnancy, response to, and blood-pressure and pulse-rate in, with some observations after confinement (Hare, D. C., and Karn, M. N.), xxii. 381-404

effect of emotional stress upon, xxii. 464 effect of oxygen intake on circulation of blood, xvi. 154

effect of, on basal metabolic rate, xxii. 463 on blood-sugar in diabetics, xx. 69

on the circulation rate in man, xx. 253 on the pulmonary ventilation and rate and depth of breathing in chronic bronchitis (Campbell, J. M. H., and Poulton, E. P.), xx. 27–48

on the respiratory exchange in chronic bronchitis (Campbell, J. M. H., and Poulton, E. P.), xx. 49-68

efficiency and speed of recovery process, xvi. 140

fatigue after, xxii. 465

graduated, effect on premature ventricular beats, xx. 234

hydrogen-ion concentration in, xvi. 144, 160 importance of tissue buffers in, xvi. 159 Exercise (cont.):

influence of previous muscular activity and other factors on the basal metabolism (Wishart, G. M.), xx. 199–204

lactic acid and oxygen debt in, xvi. 142 lactic acid and the supply and utilization of oxygen (Hill, A. V., and Lupton, H.), xvi. 135–71

lactic acid in moderate and severe, xvi. 141

limit of, and lactic acid maximum, xvi.

maximum oxygen intake, xvi. 152

muscular, enlargement of the heart due to, xxii. 471

lactic acid, and the supply and utilization of oxygen (Hill, A. V., and Lupton, H.), xvi. 135–71

metabolic rate after, xxii. 472 possibility of permanent harmful effect after, xxii. 473

some clinical aspects (Law, F. W.), xxii. 461-75 assessment of physical fitness, xxii.

output of carbon dioxide during and after, xx. 54

oxidative factor in muscular fitness, xvi. 166

oxidative recovery in, xvi. 143

oxygen consumption per minute during and after, xx. 52

pulse-rate after, xx. 37 pulse-rate and, xxii. 470

rate of oxidative recovery from, xvi.

reaction of premature ventricular beats to, xx. 230

relation between speed and oxygen consumption in running, xvi. 155

relation between speed and oxygen requirement in running, xvi. 159

respiratory exchange and respiratory quotient during and after, xx. 155 respiratory quotient in, xvi. 141, 162

rise in blood-sugar as result of, xx. 72 rise in percentage of carbon dioxide in expired air with, xx. 149

expired air with, xx. 149 'second wind', xxii. 464 'steady state' in, xvi. 148

oxygen requirement in, xvi. 151

supply and utilization of oxygen and lactic acid (Hill, A. V., and Lupton, H.), xvi. 135–71

tests in pregnancy, xxii. 392

total oxygen consumption during and after, in chronic bronchitis, xx. 50 type of respiration during and after, in

chronic bronchitis, xx. 30
see also Muscular effort; Pregnancy;
Pulse-rate

Exophthalmic goitre, actiology, xv. 58

age distribution in, xv. 58 amenorrhoea in, xv. 56; xxii. 227 amino-nitrogen in, xxii. 487

and the birth-rate, xviii. 211

Exophthalmic goitre (cont.): auricular fibrillation in (Dunhill, T. P., Fraser, F. R., and Stott, A. W.), xvii. 326 - 38auricular fibrillation in, xxii. 239 case reports, xvii. 334 basal metabolism estimations in, xv. 336; xviii. 137 blood-sugar curves in, xviii. 327 bones in, radiographic studies, xxiv. 419 circulation-rate in, xxi. 285 classification, age and sex incidence, xxii. 221 diarrhoea in, xv. 56 distribution in England and Wales, xv. 63 see also under in the British Isles duration of illness, xv. 57 effect of iodine on, xviii. 6 on the incidence of adenoid goitre in, xxii. 25 family history in, xv. 59 heart enlargement in, xxiv. 500 in the British Isles, age and sex incidence, xviii. 195 annual incidence, xviii. 195 distribution of, xviii. 196 east coast of England, xviii. 200 endemic goitre in England, xviii. 204 incidence of goitre in boys and girls of all school ages, xviii. 207 Ireland, xviii. 201 Midlands, xviii. 200 north of England, xviii. 197 relationship of endemic and ex-ophthalmic goitre, xviii. 210 results of school medical inspections, xviii. 206 Scotland, xviii. 201 south of England, xviii. 197 statistical data, xviii. 192 summary of distribution of endemic goitre, xviii. 209 towns of England and Wales, xviii. 202 Wales, xviii. 200 west of England, xviii. 200 geographical distribution of (Campbell, J. M. H.), xviii. 191-223; 196 in relation to actiology of paroxysmal auricular fibrillation, xxiv. 71 incidence of chorea in actiology of, xv. 59 of diphtheria in actiology of, xv. 60 of mitral stenosis in aetiology of, xv. 59 of rheumatic fever in aetiology of, xv 59 of tonsillitis in aetiology of, xv. 60 iodized group, results, xxii. 25 menstruation and, xviii. 136 mental characteristics, xv. 57 methods of treatment, xxii. 22 mortality in England and Wales, xv. 64 non-iodized group, results, xxii. 23 osteoporosis in, xxiv. 420 pregnancy and, xv. 59

prevention of, xviii. 209

primary, aetiological study of, extrinsic

exciting factors, xxii. 222

Exophthalmic goitre (cont.): historical, xxii. 218 relationship of the climacteric to the onset, xxii. 229 relationship of the events of pregnancy and the puerperium to the onset, xxii. 227 relationship of puberty to onset, xxii. 224 with special reference to the significance of the sex events of the female (Gardiner-Hill, H.), xxii. 217-36 prognosis, xv. 60 pulmonary are in, xxiv. 519 pulse-rate, xxiv. 521 pyrexia in, xv. 56 quinidine in the treatment of auricular fibrillation associated with, xvi. 222 size and shape of the heart in (Parkinson, J., and Cookson, H.), xxiv. 499-532 some aspects of (Campbell, J. M. H.), xv. 55-68 symptoms, xv. 55 of hypothyroidism in, xv. 56 terminology of, xxii. 219 therapeutics of, evidence drawn therefrom of two functions in the thyroid physiology (Williamson, G. S., and Pearse, I. H.), xxii. 21–31 thymus enlargement in, xv. 66 thyroidectomy in, xv. 67 transient auricular fibrillation in, xvii. 327 see also Hyperthyroidism; Thyroid gland Extra-systoles in quinidine treatment of auricular fibrillation, xvi. 216 ventricular: see Ventricular beats Eye complications in encephalitis lethargica, xv. 133 conditions in gonorrhoeal infection of the nervous system, xv. 73 effects on, in mustard gas poisoning, xiii. symptoms in disseminated sclerosis, xxiii. 372

in spirochaetal jaundice, xiv. 154

Facial paresis in encephalitis lethargica, xv. 133 Faeces and calcium soaps, relation between, xvi. 53 calcium excreted by, methods of estimating, xiv. 374 excessive loss of mineral salts in active rickets, xx. 20 excretion of calcium by, control of diet, xiv. 375 fat in: see Steatorrhoea fatty derivatives in, xx. 1 in acute ileocolitis in children, xviii. 341 results of bacteriological investigation, xviii. 343

lime in, in healthy children, xx. 1 nature of abnormal pigments in, in congenital porphyrinuria, xix. 358

Faeces (cont.):

normal dried, analyses of, xvi. 46

relationship of calcium output to weight of, xiv. 364

relationship of weight to diet, xvi. 47 relative amount of calcium excreted by, at different ages, xiv. 369

soap in, xiii. 288

stercoporphyrin in, in hydroa aestivale, xv. 323

streptococci and coliform bacilli in cultures from, incidence of predominance of, xx, 278

streptococci in, and gastric secretion, association of in arthritis, xx. 271

Fairley, N. Hamilton. Researches on the complement fixation reaction in hydatid disease, xv. 244-67

Falconer, A. W. Pulmonary manifestations in malaria, xiii. 25-34

Fat, absorption of, in healthy and marasmic children, xvii. 342

absorption of, in marasmus, xvii. 341, 342

and carbohydrate metabolism, relation of, xx. 77

and lecithin, relationship of, to cholesterol, xviii. 398

blood: see Blood-fat

cause of defective absorption of, xiv.

-deficient diet, incidence of rickets on, xvi. 325, 327

diet, analyses of, xiv. 4

fat absorption and excretion following, xiv. 4, 7

digestion and absorption of, in infantile atrophy, xiii. 278

in rickets and tetany, xiii. 287 effect of, on absorption of carbohydrate (Brown, M. J.), xviii. 175-90

excretion, relation of phosphorus to, xvi.

faecal, composition of, xiii. 288

in the diet in infantile rickets, influence of, xx. 22

in the diet, influence of, on mineral absorption (infantile rickets) (Telfer, S. V.), xx. 7-25

in faecal solids, xvi. 57

in faeces: see Steatorrhoea

intake in healthy infants, xx. 3

standard of, xvi. 322 metabolism in health and disease, with special reference to infancy and childhood (Hutchison, H. S.), xiii. 277 - 92

method of investigation, xiii. 277

method of estimation, xiv. 6 neutral, action of, on the acidity of the gastric contents (Roberts, W. M.), xix. 74-85

-sufficient diet, incidence of rickets on, xvi. 324, 327

transformed into carbohydrate, evidence of, xx. 78

Fat-splitting in congenital steatorrhoea, xiv. 5, 7

in infantile atrophy, xiii. 278 Fatigue after exercise, xxii. 465

localized within the nervous system, xx.386 a physico-chemical change, xx. 417

Fatty acids, free, in intestine, facilitate absorption of phosphorus, xx. 2

free, influence of, in the intestine on the absorption and excretion of the mineral elements (Telfer, S. V.), xx. 1-6

higher, inhibitory efficiency on gastric secretion and motility, xxiv. 135

Fatty derivatives in faecal solids, xx. 1 Febrile albuminuria: see Albuminuria

Femur, fracture of, creatinuria following, influence of thyroid feeding on, xxii. 154

Ferguson, Fergus, R., and Lovell, Reginald. An investigation of primary lobar pneumonia in Manchester, 1925-7, xxii. 73-90

Fever in mustard gas poisoning, xiii. 230

Fevers, acute, associated with intracranial haemorrhage in infancy and childhood, xx. 363

relation of pulse-rate to temperature in (Lyon, D. M.), xx. 205-18

Fibrositis as a symptom of gastro-intestinal disturbance, xxiii. 29

gastric function in (Miller, S., and Smith, F. B.), xx. 271-83

Findlay, Leonard, Paton, D. Noël, and Sharpe, J. S. Studies in the metabolism of rickets, xiv. 352-97

and Sharpe, J. S. Adult tetany and methylguanidin; a metabolic study, xiii. 433-6

Fingers, clubbing of, in bronchial carcinoma, xxiv. 39

clubbing of, in chronic infective endocarditis, xvi. 264

Finley, F. G., and Rabinowitch, I. M. Renal glycosuria: a clinical and metabolic study, xvii. 260-73 Fistula bile: see Bile, fistula

Flatulence as a symptom in gastro-intestinal disturbances, xxiii. 28

Fleming, G. B. An investigation into the metabolism in infantile atrophy, with special reference to the respiratory exchange, xiv. 171-86

Respiratory exchange in cretinism and

mongolian idiocy, xvi. 11-21 and Hutchison, H. S. A study of the metabolism in the under-nourished infant, xvii. 339-57

Fleming, John, Burton, J. A. G., and Cowan, John. Generalized myositis fibrosa (condition ten years after onset), xxiv. 369-70

Flexner dysentery: see Dysentery, bacillary Focal sepsis, elimination of, in the treat-ment of parathyroid tetany (Linder, G. C., Harris, C. F., and Fraser, F. R.), xxiv. 469-79

see also Dental sepsis

- Foetus, injury to, by maternal irradiation, xxiv. 106
- Foramen ovale, blood-clot lodged in, in a case of paradoxical embolism (Barnard, W. G.), xxiii. 305-7
  - incidence and degree of patency, xxiii.
- Fordyce, A. Dingwall, and Evans, W. Howel. Suprarenal virilism; with a report of two cases, xxii. 557-65
- Forest-Smith, J.: see Smith, J. Forest
  Fox, F. W. The composition of human bile
  and its bearing upon sterol metabolism,
- xxi. 107-21
  Fractional test meal: see Gastric contents;
- Gastric juice

  Fractures of bones, creatinuria as a sequel,
  and the influence of thyroid feeding
  upon it (Hirst, M., and Imrie, C. G.),
  xxii. 153-65
  - occurrence of creatinuria following, xxii.
  - influence of thyroid feeding on, xxii. 154
    see also under special bones
- Fragilitas ossium: see Bones, brittle
- Frankau, C. H. S. Notes on cystoscopic findings in a series of cases of haematuria of unusual origin (Bennett, T. I.), xiii. 105-20
- Fraser, A. M., and Smith, J. Endemic bacillary dysentery in Aberdeen, xxiii. 245-59
- Fraser, Francis R., Dunhill, T. P., and Stott, A. W. Auricular fibrillation in thyrotoxic conditions, xvii. 326-38
- —, Harris, C. F., Hilton, R., and Linder, G. C.
  Arterial carbon dioxide pressure in
  cardiac dyspnoea, xxii. 1–20
- and Ledingham, J. C. G. Tularaemia in man from laboratory infection, xvii. 365-83
- —, Linder, G. C., and Harris, C. F. The elimination of focal sepsis in the treatment of parathyroid tetany, xxiv. 469-79
- —, Ross, J. P., and Dreyer, N. B. Reaction of the blood in relation to dyspnoea, xv. 195-206
- Fröhlich's syndrome: see Pituitary
- Fuller, C. J. Familial polycystic disease of the kidneys, xxii. 567-74

## 0

- Gainsborough, Hugh. A study of so-called lipoid nephrosis, xxiii. 101-27
- and Gardner, John Addyman. Blood cholesterol studies in biliary and hepatic disease, xxiii. 465–83
- Galbraith, Douglas. Clinical investigation into the relationship of the fat-soluble 'A' vitamin to the aetiology of rickets, xvi. 321-40
- Gall-bladder, bilirubin content of, xvi. 409 cholesterol in the blood in various pathological conditions, xviii. 128

- Gall-bladder (cont.):
- concentrating power for total solids, cholesterol and bile salts, xxi. 114 diseases of, gastric juice in, xvi. 125 iron content of, in haemochromatosis xxi. 129
- Gall-stones, aetiology of, xviii. 123 cholesterol in the blood in, xviii. 404 cholesterol in the blood in cases of (Campbell, J. M. H.), xviii. 123–31 methods of investigation, xviii. 126
- van den Bergh's test in, xviii. 21
  Gangrene from mustard gas poisoning, xiii.
- Gardiner-Hill, H. An aetiological study of primary Graves' disease; with special reference to the significance of the sex events of the female, xxii. 217–36
- An investigation of the basal metabolism in unstable conditions of certain endocrine glands, xv. 331-47
- —, Brett, P. C., and Smith, J. Forest. Carbohydrate tolerance in myxoedema, xviii. 327–34
- —, Brett, P. C., and Smith, J. Forest. Some factors of significance in adolescent goitre, xviii. 133–42
- —, Goldblatt, M. W., and Smith, J. Forest. A clinical and metabolic study in obesity, xxi. 325-43
- -, Jones, I., and Smith, J. Forest. Pituitary obesity in adolescence, xviii. 309-26
- Gardner, John Addyman, and Gainsborough, Hugh. Blood cholestero! studies in biliary and hepatic disease, xxiii. 465-83
- Garrod, Sir A. E., and Evans, Geoffrey. Arthropathia psoriatica, xvii. 171-8
- and Mackey, Leonard. On congenital porphyrinuria, associated with hydroa aestivale and pink teeth, xv. 319-30
- and Mackey, Leonard. A further contribution to the study of congenital porphyrinuria (haematoporphyria congenita), xix. 357-73
- Garrod, Lawrence P. On sulphaemoglobinaemia, xix. 86-94
- Gas poisoning, acidosis in, xiii. 179, 180 disordered action of the heart in, xiii. 179 dyspnoea in, xiii. 190
- polycythaemia in, xiii. 179, 180, 181 treatment of chronic cases by continuous oxygen administration in chambers (Barcroft, J., Hunt, G. H., and Dufton, D.), xiii. 179–200
- see also Mustard gas; Phosgene; Chlorine, &c.
- Gaseous metabolism and renal glycosuria,
- Gaskell, J. F., and Millar, W. L. Studies on malignant malaria in Macedonia, xiii. 381-426
- Gastric acidity and secretion in health (Butcher, T. A.), xix. 455-78
- Gastrie carcinoma, achlorhydria in, xxiii.

Gastrie eareinoma (cont.):

gastric juice in, xvi. 118

hydrochloric acid in, xxiii. 175

presence of lactic acid in diagnosis of, xxiii. 176

Gastric contents, acidity of, xxiii. 1

acidity of, and secretion in health (Butcher, T. A.), xix. 455-78

action of atropin on, xix. 76

action of belladonna and neutral fats on (Roberts, W. M.), xix. 74-85 method of determination, xix. 75

at pyloric and cardiac parts of the stomach, xxii. 576

in chronic arthritis (Miller, S., and Smith, F. B.), xx. 271-83

relationship to positive urine cultures, xx. 281

in health (Butcher, T. A.), xix. 455-78 psychic inhibition, xix. 457 psychic stimulation, xix. 458 technique, xix. 457

percentage incidence of rates of emptying of stomach in, xx. 278

response to histamine, xxiv. 11

streptococci and coliform bacilli in faecal cultures in cases with varying degrees, xx. 279

total, xxii. 33

variations in different parts of the stomach, xix. 474

see also Achlorhydria; Hypochlorhydria, &c.

analysis of, in chronic arthritis, method, xx. 273

in hypochlorhydria of asthma in childhood, xxiv. 183

summary of 200 analyses, xxiv. 184 in normal children, xxiv. 189

see also Hypochlorhydria; Achlorhydria, &c.

average acidity of pyloric and cardiac parts of the stomach, xxii. 577

average total chloride at the pyloric and cardiac parts of the stomach, xxii. 578 chlorides in, action of histamine on (Duthie, R. J.), xxiii. 447-9

examination: see Gastric juice

fasting, xvii. 218

fractional analysis of: a preliminary note on the variation of the free hydrochloric acid and total chlorides in the stomach (Duthie, R. J.), xx. 265-9

fractional test meals for, xvii. 216 clinical application of total chloride estimation in; with an analysis of a series in fifty normal children (Copeman, W. S. C., and Hill, N. G.), xxii.

comparison between various, xvii. 219 Einhorn's stomach tube in, xvi. 96 importance of radiological examination in, xxii. 575

the study of gastric disorders (Hunter, D.), xvi. 95-134 technique, xvi. 96

Gastric contents (cont.):

urinary secretion during, xix. 475 see also Gastric juice, fractional test meal

hydrogen-ion concentration of, xix. 75

incomplete mixing of, xxi. 17

isolation and investigation of lactic acid from, xxiii. 182

origin and occurrence of lactic acid in, with special reference to malignant non-malignant conditions (Dodds, E. C., and Robertson, J. D.), xxiii. 175-93

historical, xxiii. 175

qualitative analysis for presence of lactic acid, xxiii. 179

quantitative analysis for presence of lactic acid, xxiii. 180

results of test meals on 73 patients, xxiii. 186

technique, xxiii. 178

test meals: see under Gastric contents, fractional test meal

variation of free hydrochloric acid and total chloride in the upper and lower parts of the stomach (Duthie, R. J.), xxii. 575-9

Gastric disorders, fractional test meal in the study of (Hunter, D.), xvi. 95-134 technique, xvi. 96

Gastrie juice, acidity of, in chronic arthritis (Miller, S., and Smith, F.B.), xx. 271-83 acidity of, in chronic arthritis, percentage

incidence of, xx. 276 percentage incidence of rates of emptying of stomach in, xx. 278

relationship of, to positive urine

cultures, xx. 281 streptococci and coliform bacilli in faecal cultures in cases with differing degrees, xx. 279

therapeutic use of olive oil to reduce, xxiv. 133

see also Gastric contents, acidity action of atropin, xix. 461; xxi. 8

action of, on blood, xix. 473

'after secretion' following test meal, xxi.

and gruel, stimulation of gastric juice by, xxiv. 139

and motility, effect of oils on (Roberts, W. M.), xxiv. 133-52 effect of oils on, comparison of the

inhibitory efficiency of different oils and of related substances, xxiv. 133 effect of oil in the presence of differ-

ent secretory stimuli, xxiv. 138 effect of oil on the component gastric secretions, xxiv. 141

inhibitory efficiency of higher fatty acids, xxiv. 135

inhibitory efficiency of liquid paraffin, xxiv. 137

variations in effect of oil due to different methods of administration, xxiv. 144

Gastric juice (cont.):

in pyloric ulcer, xvi. 101

in visceroptosis, xvi. 122

post-operative, xvi. 112 in skin diseases, xvi. 131

Gastric juice (cont.): and streptococci in faeces, association in arthritis, xx. 271 chemical effect of oil on, xxiv. 141 chlorides of, xxi. 12 effect of caffeine on, xxi. 10 effect of water on, xxi. 10 failing, stages in, xxiv. 462 fasting, xvii. 218; xxi. 7 in achlorhydria, xxi. 11 in man (Roberts, W. M.), xxi. 7-19 fractional test meal in the study of disorders of the gastro-intestinal tract (Hunter, D.), xvi. 95–134 technique, xvi. 96 hydrochloric acid in, in chronic duodenal ulcer, xvi. 99 in achylia, xxiv. 461 in carcinoma arising in chronic gastric ulcer, xvi. 121 in chronic appendicitis, xvi. 122 in chronic duodenal ulcer, xvi. 99 post-operative, xvi. 111 in chronic gastric ulcer, xvi. 105 in diseases of the gall-bladder, xvi. 125 in diseases of the pancreas, xvi. 125 in functional disorders, xvi. 127 in gastric carcinoma, xvi. 118 in gastric ulcer, post-operative, xvi. 113 in gastro-jejunal ulcer, xvi. 117 in health (Butcher, T. A.), xix. 455–78 bacteriology of the fasting juice, xix. effect of posture, xix. 469 estimation of pepsin, xix. 476 fasting juice, xix. 469 gastric secretion during a fast, xix. 469 investigations on the secretion of pepsin, xix. 475 psychic inhibition, xix. 457 psychic stimulation, xix. 458 secretory response of the stomach to albumin water, xix. 462 secretory response of the stomach to meat extracts, xix. 467 secretory response of the stomach to milk, xix. 464 secretory response of the stomach to oil, xix. 467 secretory response of the stomach to tea, xix. 467 secretory response of the stomach to

> water, xix. 462 technique, xix. 457

> > xxiv. 9

xxiv. 8

in hepatic cirrhosis, xvi. 129

in hour-glass stomach, xvi. 110

in myeloid leukaemia, xvi. 130

in old age, blood-findings, xxiv. 7

normal, xvi. 97 of a hundred normal persons over the age of 60 (Davies, D. T., and James, T. G. I.), xxiv. 1-14 methods, xxiv. 2 results, xxiv. 3 of the normal individual, variations in (Bell, J. R., and MacAdam, W.), xvii. 215-24 application of statistical methods, xvii. 218 discussion of results obtained, xvii. 216 hydrochloric curve, xvii. 216, 217 method of procedure, xvii. 216 type of acid curve, xvii. 217 psychical, effect of oil on, xxiv. 144 stimulation by caffein solution, xxiv. 139 by gruel and gastric juice, xxiv. 139 by gruel and histamine, xxiv. 139 by gruel and hydrochloric acid, xxiv. by meat extract, xxiv. 139 by sodium bicarbonate, xxiv. 138 total acidity of, and free hydrochloric acid, in gastro-intestinal disorders, xvi. 95 - 134variation of the free hydrochloric acid and total chlorides in (Duthie, R. J.), xx. 265-9 volume of, response to histamine, xxiv. 11 see also Gastric contents Gastric motility and secretion, effect of oils on (Roberts, W. M.), xxiv. 133-52 effect of oils on, comparison of inhibitory efficiency of different oils and of related substances, xxiv. 133 effect of oil in the presence of different secretory stimuli, xxiv. 138 effect of oil on the component gastric secretions, xxiv. 141 inhibitory efficiency of higher fatty acids, xxiv. 135 inhibitory efficiency of liquid paraffin, xxiv. 137 variations in effect of oil due to different methods of administration, xxiv. Gastric response to various articles of diet, xix. 462 Gastric secretion: see Gastric juice Gastric ulcer, carcinoma arising in, gastric juice in, xvi. 121 chronic, achlorhydria in, xvi. 107 high secretion of hydrochloric acid, gastric juice in, xvi. 105 common round, relation of syphilis to, low secretion of hydrochloric acid, xxiv. xv. 218 gastric juice in, influence of pyloric spasm normal secretion of hydrochloric acid, on, xvi. 108 post-operative, xvi. 113 in pernicious anaemia, xvi. 130; xxiv. 451 Gastrin, xxi. 10

Gastro-intestinal tract, disorders of, fractional test meal in study of (Hunter, D.), xvi. 95-134

in mustard gas poisoning, xiii. 220

innervation of, xxii. 645

malfunction of, body-build in, xxiii. 32 constitutional factor, xxiii. 41 diagnosis, xxiii. 36 psychological factor, xxiii. 44

radiological examination of, xxiii. 32 secretory activity of the stomach,

xxiii. 33 social factor, xxiii. 43

treatment, xxiii. 41 diet, xxiii. 48

drugs, xxiii. 49 exercise, xxiii. 47

rest, xxiii. 46

physical findings, xxiii. 32

relationship between physical symptoms, mental reaction, and constitutional make-up, xxiii. 16

susceptibility to catarrhal infections, xxiii. 30

symptom of abdominal discomfort, xxiii.

of constipation, xxiii. 28

of fibrositis, myalgia and muscular rheumatism, xxiii. 29

of flatulence, xxiii. 28

of general weakness, xxiii. 25

see also Intestines

Gastro-jejunal ulcer, gastric juice in, xvi.

Gastro-oesophageal anti-regurgitation reflex, xvii. 61

Gastroptosis, aetiology, xv. 149

complications, xv. 148

incidence, age and sex, xv. 149

build, xv. 150 childbirth, xv. 149 general, xv. 149

heredity, xv. 150 radiographic examination results, xv. 154

symptoms, xv. 151 treatment, xv. 159

see also Visceroptosis; Stomach

General paralysis of the insane, sugar content of the cerebrospinal fluid in, xv. 4 see also Neuro-syphilis

Genito-urinary disease, hyperalgesic areas in, xiii. 251

Genu valgum: see Renal dwarfism

Geographical distribution of exophthalmic goitre in the British Isles (Campbell, J. M. H.), xviii. 191-223

Gibbs, Owen S. A clinical blood coagulometer, xvii. 312-18

Gibson, Alexander George. Experiments on the actiology of chronic infection of the spleen, xvii. 191-209

Gilchrist, A. Rae, and Davies, H. Whitridge. Observations upon the circulation rate in man by the ethyl iodide method, xx. 245-64

Gilchrist, A. Rae, and Ritchie, W. T. The ventricular complexes in myocardial infarction and fibrosis, xxiii. 273-92

Glands in acute rheumatism, xiii. 365 Glial cells in disseminated sclerosis, xxiii. 353

Glioblastoma, xxiv. 595, 597

Glioma, clinical correlation, xxiv. 596 group of tumours, xxiv. 589 of the optic chiasma, xxiv. 603 tissue reaction to the presence of, xxiv. 596

Gliomata, classification of, xxiv. 592

Glossitis in liver treatment of pernicious anaemia, xxiii. 218

Glucose, insulin forms glycogen from, xx. 76

rectal absorption of (Tallerman, K. H.), xiii. 356-62

rectal injections of, blood-sugar content, xiii. 357 method adopted, xiii. 356

tolerance test: see Dextrose tolerance

see also Glycolysis; Glycosuria, &c.

'Glycerophosphate test' of renal efficiency
(Brain, R. T., and Kay, H. D.), xxii. 203 - 16

Glycine, amino-nitrogen curve after ingestion of, xxii. 481

blood-urea after doses of, xxii. 482 see also Diabetes mellitus; Urea

Glycogen balance in marathon runners, xxiv. 333

formation, action of insulin in, and its therapeutic application (Lawrence, R. D.), xx. 69-86

description of experiments, xx. 71 insulin forms from glucose, xx. 76 reversion of lactic acid to, xvi. 138

store, importance of condition of, xx.

transformation of, into lactic acid, xvi.

Glycolysis in the cerebrospinal fluid, and hydrogen-ion concentration, relationship between, xxi. 100

in the cerebrospinal fluid and its clinical significance (Chevassut, K.), xxi. 91-106

in the cerebrospinal fluid, effect of temperature, xxi. 94

experimental investigations, xxi. 92 specificity of the enzyme causing, xxi.

Glycosuria after administration of adrenalin, xvii. 30

and creatinuria in myasthenia gravis (Williams, B. W., and Dyke, S. C.), xv. 269-78

methods employed, xv. 269

diagnostic value of dextrose tolerance curves in, xx. 462

during pregnancy: see Blood-sugar renal, age incidence, xvii. 262

blood-sugar time curves, xvii. 264 case reports, xvii. 260

Glycosuria (cont.):

a clinical and metabolic study (Finley, F. G., and Rabinowitch, I. M.), xvii. 260-73

260-73
effect of diet, xvii. 265
family history in, xvii. 262
gaseous metabolism, xvii. 266
glycuresis and, xvii. 267
incidence of, xvii. 262
renal efficiency and, xvii. 265
sex incidence, xvii. 262
symptoms in, xvii. 262
symptoms in, xvii. 262
symptoms in, xvii. 262

variations in the threshold in (Graham, G.), xvi. 236-44
see also Diabetes mellitus

see also Blood-sugar; Dextrose, &c.
Glycuresis and renal glycosuria, xvii. 267
Glynn, Ernest E. Histological report on
Dr. Gordon Holmes' case of virilism
associated with suprarenal tumour,

Goat, respiration and circulation in (Barcroft, J., Boycott, A. E., Dunn, J. S., and Peters, R. A.), xiii. 35-45

Goitre, adenoid, incidence of, xxii. 23 adolescent, basal metabolism estimations in, xv. 337; xviii. 137

carbohydrate tolerance tests in, xviii.

classification of cases, xviii. 134 comparison of physical measurements with normal standards, xviii. 134

relation of onset to onset of menstruation, xviii. 137

review of pathology, xviii. 133 some factors of significance in (Gardiner-Hill, H., Brett, P.C., and Smith, J.F.), xviii. 133-42

actiology of, importance of heredity in, xx. 312

colloid, iodine and, xviii. 1 menstruation and, xviii. 136

percentage number of cases differing from normal standards of height, xviii. 135

percentage number of cases differing from normal standards of weight, xviii. 135

effect of locality on form of frequency distribution, xxi. 233

endemic, and exophthalmic goitre, relationship of, xviii. 210

in England, distribution of, xviii. 204 distribution of, results of school medical inspections, xviii. 206

incidence in boys and girls of all school ages, xviii. 207 prevention of, xviii. 209

summary of distribution, xviii. 209 evidence for the existence of hereditary

predisposition, xx. 305 exophthalmic: see Exophthalmic goitre

geographical distribution amongst school children of England and Wales, xxi. 224

heart enlargement in, xxiv. 500

Goitre (cont.):

in aetiology of paroxysmal auricular fibrillation, xxiv. 71

in the English school child (Stocks, P.), xxi. 223-75

assessment of personal factor in survey, xxi. 225

incidence in school children in Somersetshire and Devonshire, xxi. 228 incidence of, influence of geological forma-

tion, xxi. 272
measurement of thyroid in, xxi. 225

parenchymatous: see Parenchymatous

puberty: see Goitre, adolescent

pulmonary and aortic changes in, correlation of, xxiv. 521

pulmonary are in, xxiv. 519

pulse-rate in, xxiv. 521

rates, effect of personal equation on, xxi. 237

relationship of onset to onset of menstruation, xviii. 137

relationship of predisposition and environment, xx. 307

relationship to altitude and geological formation, xxi. 269

sex difference in incidence and transmission, xx. 308

simple, and congenital deaf-mutism, association of, xx. 309

and Mendelian laws of inheritance, xx. 310

heredity in (Brain, W. R.), xx. 303-19 family histories, xx. 313-19

size and shape of the heart in (Parkinson, J., and Cookson, H.), xxiv. 499-532 clinical series, xxiv. 508

post-mortem series, xxiv. 500

relation between enlargement, and the age, duration of symptoms, and rhythm, xxiv. 512

see also Thyroid enlargement Goldblatt, M. W., Smith, J. Forest, and Gardiner-Hill, H. A clinical and metabolic study on obesity, xxi. 325-43

Golla, F. L., and Antonovitch, S. A clinical method for the continuous registration of blood-pressure, xxiii. 167-70

Gonorrhoea and cerebrospinal meningitis, xv. 75

and meningo-myelitis, xv. 78

and peripheral neuritis, xv. 88 and trophoneurosis, xv. 95

nervous complications, statistics of, xv. 96

skin complications in, xv. 95
Gonorrhoeal infection, neurasthenia in, xv.

71
of the central nervous system, xv. 72

eye conditions in, xv. 73 mental states in, xv. 70

psychopathy, xv. 70 results of (O'Connor, E.), xv. 69–102 see also Neuro-syphilis

Gonorrhoeal keratosis, xv. 95

Gonorrhoeal neuralgia, xv. 91 Gonorrhoeal neuritis, xv. 91

Gonorrhoeal polyneuritis, xv. 88

Gonorrhoeal sciatica, xv. 92 Goodall, Alexander, and Alexander, W. A. Acute myelocythaemia and chloroma, xvii. 113-128

Gordon, J., and Science, J. A study of the protective action of the serum against haemolysin in cases of diphtheria, xxi. 345 - 58

Gosse, A. Hope, Parkinson, John, and Gunson, E. B. The heart and its rhythm in acute rheumatism, xiii. 363 - 79

Gout and uric acid, xiv. 11

Gow, A. E. Certain effects of peptone injections in septicaemia, xiv. 187-

Note on certain phenomena associated with the protein shock reaction and intravenous vaccine therapy, xiii. 82-

Graham, George. The relation of infection to diabetic coma, xviii. 294-9 The source of the uric acid excreted in

the urine after atophan, xiv. 10-18 Variations in the threshold in renal glycosuria, xvi. 236-44

and Linder, G. C. The use of synthalin in the treatment of diabetes mellitus, xxi. 509-21

Graham, Stanley, and Anderson, Grace, H. Some factors concerned in the aetiology of tetany in children, xviii. 62-76

Graves' disease: see Exophthalmic goitre Gray, A. M. H. Haematoporphyrinuria congenita, with hydroa vacciniforme and

hirsuties, xix. 381-92 Green, F. H. K. 'Congenital' aneurysm of the cerebral arteries, xxi. 419-32

 and Carmichael, E. Arnold. Parkinsonian rigidity; a clinical and instrumental study of the effect of stramonium, hyoscine, and other alkaloids, xxii. 51 - 64

Greenfield, J. Godwin, and Paterson, Donald. Erythroedema polyneuritis (so-called 'Pink disease'), xvii. 6–18

—, Poynton, F. J., and Walshe, F. M. R. On progressive lenticular degeneration (hepato-lenticular degeneration), xvii. 385-403

Gruel and gastric juice, stimulation of gastric juice by, xxiv. 139

and histamine, stimulation of gastric juice by, xxiv. 139

and hydrochloric acid, stimulation of

gastric juice by, xxiv. 139
Guanidin and adult tetany (Findlay, L., and Sharpe, J. S.), xiii. 433-6 methods, xiii. 436

and blood-sugar, xxi. 509 Gulland, G. Lovell, and Christie, Ronald V. The treatment of haemophilia, xx. 499-510

Gunn, J. A. Action of chlorine, &c., on the bronchi: report to Chemical Warfare Committee, xiii. 121-7 Gunson, E. B., Parkinson, John, and Gosse,

A. Hope. The heart and its rhythm in acute rheumatism, xiii. 363-79

Guy, R. A. Observations on the percentage of sugar in the blood of atrophic infants, xv. 9-17

Hadfield, Geoffrey, and Clarke, Cecil. Congenital pancreatic disease with infantilism, xvii. 358-64 -, Clarke, R. C., Coombs, C. F., and Todd,

A. T. On certain abnormalities, congenital and acquired, of the pulmonary artery, xxi. 51-69

Haemangioblastomata, xxiv. 604, 605 Haematinaemia, xxii. 511

Haematocrit, definition of, xvi. 245 history of the use of, xvi. 245 volume-colour index (Rossdale, G.), xvi.

245 - 62Haematogenous myelomatosis: see Myelo-

matosis Haematoidin, van den Bergh's test in, xviii.

Haematoporphyria congenita: see Porphyrinuria, congenital

Haematoporphyrinuria: see Porphyrinuria Haematuria, clinical pathology of urine, xiii. 106

general description, xiii. 106 relationship to trench fever, xiii. 110 relationship to war nephritis, xiii. 107 series of cases of unusual origin (Bennett, T. I.); with cystoscopic findings

(Frankau, C. H. S.), xiii. 105-20 Haemochromatosis, alimentary canal in,

xxi. 125 ascites in, xxi. 123

case report, xxi. 123 iron content of the blood in, xxi. 127 iron content of the bone and muscle in, xxi. 129

iron content of the brain in,

(a) chemical analysis, xxi. 130 (b) macroscopical investigation, xxi. 132

(c) microscopical investigation, xxi. 132

iron content of the central nervous system in, xxi. 130

iron content of the gall-bladder in, xxi.

iron content of the pancreas in, xxi. 129 iron content of the tissues in, with special reference to the brain (Sheldon, J. H), xxi. 123-37

kidneys in, xxi. 125 liver in, xxi. 125 lymph glands in, xxi. 126 pancreas in, xxi. 125 pituitary gland in, xxi. 126 skin in, xxi. 123, 126

Haemochromatosis (cont.):

spleen in, xxi. 125

thyroid gland in, xxi. 126

urine in, xxi. 124

Haemoglobin, determination of relation of red cell volume to its content of, in diseased states (Rossdale, G.), xvi. 245-62

percentage in basal metabolism, xvi. 377 specific oxygen capacity in anaemias, xxii. 511

specific oxygen capacity of, in pathological conditions (Engelkes, H.), xxii. 507-17

method of procedure, xxii. 508

Haemolysin, protective action of serum against, in cases of diphtheria (Gordon, J., and Science, J.), xxi. 345-58

Haemolysis, arseniuretted hydrogen producing, xvi. 405

of the red cells, cholesterol and, xviii. 411 percentage distribution of red corpuscles according to strength of saline needed to produce, xix. 344

percentage of red corpuscles undergoing, at various strengths of NaCl, xix. 344

see also Lysis

Haemolytic jaundice: see Jaundice, haemolytic

Haemophilia, acid-base balance of the blood, xx. 486

anaphylaxis in treatment of (Vines, H. W. C.), xiii. 257–76 and blood coagulation studies:

I. Blood coagulation in haemorrhagic diseases, by R. V. Christie, xx. 471–80

II. Observations on haemic functions in haemophilia, by R. V. Christie, H. W. Davies, and C. P. Stewart, xx. 481-98

III. The treatment of haemophilia, by R. V. Christie and G. Lovell Gulland, xx. 499-510

associated with intracranial haemorrhage in infancy and childhood, xx. 362

blood coagulation in, xx. 476 effect of lysis on, xx. 494

localization of coagulation defect, xx.
485

blood transfusion in, xiii. 266

haemic functions in (Christie, R. V., Davies, H. W., and Stewart, C. P.), xx. 481-98

introduction of normal prothrombin in, by blood transfusion

(a) by direct method, xx. 500(b) by citration method, xx. 500

(c) by defibrinated blood, xx. 502

(d) by intravenous fresh human serum, xx. 502

(e) by introduction of sheep serum, xx, 504

(f) by introduction of horse serum, xx.

Haemophilia (cont.):

treatment of (Christie, R. V., and Gulland, G. L.), xx. 499-510

administration of haemostatic serum in, xx. 505

administration of peptone in, xx. 507 administration of thymus extract in, xx. 507

administration of 'tissue fibrinogen' in, xx. 506

introduction of calcium in, xx. 504 introduction of sodium citrate in, xx. 506

protein shock in, xx. 507

stimulation of coagulation, xx. 506

Haemophilic blood, distribution of electrolytes in (Christie, R. V., Sendroy, J., and van Slyke, D. D.), xxii. 65-71

Haemoptysis, calcium treatment of, xx. 441

in primary carcinoma of the lung, xxii.

serum calcium in, xx. 441

Haemorrhage, intracranial: see Intracranial haemorrhage

subarachnoid: see Subarachnoid haemorrhage

Haemorrhagic diseases, blood coagulation in (Christie, R. V.), xx. 471-80

Haemorrhoids, constipation due to, xxiii. 13
 Haemosiderin, deposits of, in acute myelocythaemia, xvii. 125

in brain: see Iron

Hale-White, R.. and Payne, W. W. The
dextrose tolerance curve in health, xix.
393-410

 and Payne, W. W. The diagnostic value of dextrose tolerance curves, xx. 457-69
 Hall, Arthur J., and Douglas, J. S. C. On

relapsing pyrexia in lymphadenoma, with an account of a case, xvi. 22–32

Halliday, James L. The spinal fluid sugar in encephalitis, xviii. 300-8

Hare, D. C., and Karn, M. Noel. An investigation of blood-pressure, pulse-rate, and the response to exercise during normal pregnancy, and some observations after confinement, xxii. 381-404

Harris, Charles F., Fraser, F. R., Hilton, R., and Linder, G. C. Arterial carbon dioxide pressure in cardiac dyspnoea, xxii. 1-20

and Linder, G. C. Calcium and phosphorus metabolism in chronic diarrhoea with tetany, xxiii. 195-212

—, Linder, G. C., and Fraser, F. R. The elimination of focal sepsis in the treatment of parathyroid tetany, xxiv. 469-79

Harris, H. A. The histological and radiographic appearance of infantile scurvy (Barlow's disease), xxi. 499–508

Harris, I. Influence of digitalis on the different phases of the heart-beat, particularly as regards the intracardiac pressure, xiii. 63–70

Harris, I., and McLoughlin, G. Viscosity of the blood in high blood-pressure, xxiii. 451-64

Harris, Kenneth E. Urticaria; some observations upon the vascular reactions in the skin, xxiv. 347-68
 Harrison, G. A. Can insulin produce even a

Harrison, G. A. Can insulin produce even a partial cure in human diabetes mellitus? xix. 223–34

Insulin by inunction a failure, xx. 187-92
Hatlehol, Rolf, and Höst, H. F. Investigations on the concentration of the nitrogenous metabolic products in the blood
under physiological and pathological
conditions, xv. 43-54

Hay, John. Quinidine sulphate in cardiac disease, xv. 313-18

 and Evans, W. Howel. Acute eosinophilic leukaemia and eosinophilic erythroleukaemia, xxii. 167–89

leukaemia, xxii. 167–89

—, Jones, H. Wallace, and Ince, Phoebe.
Action of digitalis in cardiac failure
with normal rhythm, xxi. 153–76

Heart, action of adenosine upon (Honey, R. M., Ritchie, W. T., and Thomson, W. A. R.), xxiii. 485-9

effects on the heart beating with normal rhythm, xxiii. 486

effects on the heart presenting auricular fibrillation, xxiii. 487

action of adrenalin chloride on (Hume, W. E.), xxi. 459-62

electrocardiographic records, xxi. 462 anastomosis and age change, xxiv. 203 anatomical changes, xxiv. 204

and its rhythm in acute rheumatism (Parkinson, J., Gosse, A. P., and Gunson, E. B.), xiii. 363-79

blood-supply to the neuromuscular tissue, xxiv. 202

to the valves, xxiv. 201 diameter of, transverse, xxiv. 510

disordered action, and chronic cases of gas poisoning, xiii. 179

effect of diaphragmatic paralysis on, xxi.
466

effect of syphilitic infection on (Stobie, W.), xv. 26-42

electrical axis of, as an indicator of changes in ventricular predominance (Jones, H. W., and Roberts, R. E.), xxiii. 67-76

baby group, xxiii. 74

effect of respiration and posture on, xxiii. 68

fixed apex group, xxiii. 70 transposition group, xxiii. 73 fibrosis of: see Bundle branch block

freeing of: see Cardiolysis histological changes in malignant malaria, xiii. 420

hypertrophy of: see Heart enlargement in diffuse hyperplastic sclerosis, histology,

in fatal case of malignant malaria, xiii. 388, 398, 411, 412, 414

Heart (cont.):

in spirochaetal jaundice, xiv. 151 lesions of, following inoculation of animals with streptococci, xv. 127

normal, effect of respiration and posture on the electrical axis, xxiii. 68

pathological condition of, relationship to successful quinidine treatment of auricular fibrillation, xvi. 208

right or left side predominance, electrocardiogram indications, xxiii. 67 rupture of: see Cardiac rupture

Serbian, xiii. 413

size and shape in goitre (Parkinson, J., and Cookson, H.), xxiv. 499–532 clinical series, xxiv. 508

post-mortem series, xxiv. 500

pulmonary arc, xxiv. 519 relation between enlargement, a

relation between enlargement, and the age, duration of symptoms, and rhythm, xxiv. 512

size of, in acute rheumatism, xiii. 365 in Olympic athletes, xxiv. 336

stereoscopic radiography of the coronary system (Campbell, J. S.), xxii. 247-67 technique, xxii. 247

technique, xxii. 247 streptococcal infections (Coombs, C. F.), xv. 114-30

syphilis of (Stobie, W.), xv. 26–42 historical, xv. 27 pathology, xv. 30

symptoms, xv. 32 see also Cardiovascular syphilis transposition of: see Dextrocardia weight in man, xxiv. 338

see also Cardiac; Coronary; Septa; Septal Heart-beat, in acute rheumatism, xiii. 366 influence of digitalis on the different phases (Harris I.) xiii. 63-70.

phases (Harris, I.), xiii. 63-70 premature: see Ventricular beats

Heart-block, acute, and acute myocarditis in acute rheumatism, xiii. 371 and acute rheumatism, xiii. 369 and auricular fibrillation, xxiii. 314 arising from poisons, xiv. 350 as a result of raised conduction rate, xiv. 345

auriculo-ventricular, in acute rheumatism, xiii. 369

by compression, xiv. 350 circulation rate in, xxi. 280

complete, and auricular fibrillation, cases, xxiii. 316

auricular flutter with, xxi. 33 drugs and, in acute rheumatism, xiii. 370

vascular basis of, xxiv. 213 see also Bundle branch block

Heart conductivity, altered conduction, xiv.

effect of digitalis on, xxi. 154 heart-block as a result of raised rate, xiv.

in the mammalian heart, its special reference to the law of the cardiac muscle (Lewis, Sir T.), xiv. 339-51 Heart conductivity (cont.): paths of conduction, xiv. 339 rates of conduction, xiv. 341 rate of conduction in the auricle, xiv. 341 rate of conduction in the a.-v. node, xiv. 341 rate of conduction in the ventricle, xiv. 341 sino-auricular node in, xiv. 339 Heart disease associated with intracranial haemorrhage, xx. 364 blood-sugar content in, xxiv. 265 hyperalgesic areas in, xiii. 249 quinidine sulphate in (Hay, J.), xv. 313-18 rheumatic, xv. 114-20 acute, main branches of the coronary arteries in (Perry, C. B.), xxiii. 241-4main branches of the coronary arteries in, adventitia, xxiii. 242 intima, xxiii. 242 media, xxiii. 242 auricular flutter in, xxi. 28 freedom from symptoms of coronary disease, xxiii. 235 in aetiology of paroxysmal auricular fibrillation, xxiv. 70 pulse-rate in, xxii. 524 van den Bergh's test in, xviii. 27 Heart enlargement and diffuse hyperplastic sclerosis, xiv. 241, 242 auricular flutter in, xxi. 29 due to exercise, xxii. 471 in athletes, incidence of very large hearts, xxiv. 337 in chronic infective endocarditis, xvi. 265 in goitre, xxiv. 500 criteria of enlargement, xxiv. 509 relation between enlargement, and the age, duration of symptoms, and rhythm, xxiv. 512 in marathon runners, xxiv. 335 in mustard gas poisoning, xiii. 227 in relation to chronic renal disease, xiv. 245 in relation to raised blood-pressure, xiv. in relation to syphilis, xiv. 249 see also Ventricular predominance Heart failure and auricular flutter, xxi. 22 and reserve force, xx. 385 cause of, in cardiovascular syphilis, xix. 117 circulation rate in, xxi. 280 clinical history of, in relation to adherent pericardium, xvii. 181 heart rate in, xxi. 280 limitation of muscular effort and its relation to (Clark-Kennedy, A. E., and Owen, T.), xx. 383-430 description of experiments, xx. 395 experimental methods, xx. 389 mechanism of heart failure, xx. 420 limitation of voluntary effort, xx. 416 respiratory exchange, xx. 392

mechanism of, xx. 420

Heart failure (cont.): paroxysmal auricular fibrillation in the course of, xxiv. 80 relation of bundle branch block to, xxiv. relation of premature ventricular beats to, xx. 220 with normal rhythm (Parkinson, J., and Clark-Kennedy, A. E.), xix. 113-50 action of digitalis in (Hay, J., Jones, H. W., and Ince, P.), xxi. 153-76 material and method of investigation, xxi. 157 cardiovascular syphilis and, xix. 115 chronic pulmonary disease and, xix. 128 high blood-pressure in, xix. 121 method of investigation, xix. 113 primary myocardial failure and, xix. 132 prognosis in, xix. 145 relation between high blood-pressure and failure, xix. 122 rheumatic endocarditis and, xix. 137 rhythm in cardiovascular disease, xix. secondary to high blood-pressure, xix. 136 Heart muscle, effect of digitalis on, xxi. 154 fibrosis of: see Bundle branch block in progressive lenticular degeneration, xvii. 392 law of, with special reference to conduction in the mammalian heart (Lewis, Sir T.), xiv. 339-51 Heart-rate after administration of adrenalin, xvii. 25 apparatus and technique employed, xxi. 277 before and after digitalis, xxi. 282 during exercise, xvi. 154 effect of digitalis on, xxi. 281 effect of warm immersion baths on, xxiii. 331 in anaemias, xxi. 283 in aortic incompetence and mitral stenosis, xxi 278 in arrhythmias, xxi. 279 in auricular fibrillation, xxi. 279 in complete heart-block, xxi. 280 in exophthalmic goitre, xxi. 285 in heart failure, xxi. 280 in hyperthyroidism and myxoedema, xxi. 285 in man, observations on, by the ethyl iodide method (Davies, H. W., and Gilchrist, A. R.), xx. 245-64 effect of exercise, xx. 253 modifications in the apparatus, xx. 247 technique employed, xx. 248 in some pathological states, with observations on the effect of digitalis (Kininmonth, J. G.), xxi. 277-96 case histories, xxi. 286 see also Pulse-rate

Heart ratio in animals, high and low, xxiv.

Heart rhythm: see Cardiac rhythm Heart sounds and murmurs, in acute rheuma-

tism, xiii. 366 in athletes, xxiv. 343

mitral ventriculo-diastolic murmurs in auricular fibrillation treated with quinidine, xvi. 227

Heat production in muscle xvi. 139

Height, cases of adolescent goitre differing from normal standards, xviii. 135

Helleborein, effect on pulse-rate, xiii. 66 Helminthic antigen, chemical nature of, xv.

Hemingway, A., McSwiney, B. A., and Allison, P. R. The extensibility of human arteries, xxi. 489-98

Hemiplegia in chronic infective endocarditis, xvi. 266

Henderson, P. S. Tetany and the administration of alkalis, xiii. 427-32

Hepatic disease: see Liver

Hepato-lenticular degeneration: see Lenticular degeneration, progressive

Heredity in acholuric jaundice (Campbell, J. M. H., and Warner, E. C.), xix. 333-55

in ataxia, mode of inheritance (Brain, W.R.), xviii. 351-8.

in epilepsy (Brain, W. R.), xix. 299-310 in polycystic disease of the kidneys (Cairns, H. W. B.), xviii. 359-92

in relation to sex, and age of onset in epilepsy, xix. 302

in simple goitre (Brain, W. R.), xx. 303-19 see also Acholuric jaundice; Epilepsy; Kidneys, familial polycystic

Hiccough, epidemic of, associated with encephalitis lethargica, xviii. 155

Hill, A. V., and Lupton, Hartley. Muscular exercise, lactic acid, and the supply and utilization of oxygen, xvi. 135-7

Hill, H. Gardiner -: see Gardiner-Hill Hill, Ian G. W. Bundle branch block: a clinical and histological study, xxiv.

Hill, L. C. Febrile albuminuria, with special

reference to pneumonia, xxii. 305-19 Hill, N. Gray, and Copeman, W. S. C. The clinical application of total chloride estimation in the fractional test-meal; with an analysis of a series in fifty normal children, xxii. 33-41

Hilton, R., Fraser, F. R., Harris, C. F., and Linder, G. C. Arterial carbon dioxide pressure in cardiac dyspnoea, xxii. 1-20

Hilum, tumour of, xxiv. 50

Hirst, Marion, and Imrie, C. G. Creatine and rigidity, xxi. 401-18

- and Imrie, C. G. On creatinuria as a sequel to fractures of bones, and the influence of thyroid feeding upon it and upon creatinuria of post-encephalitic

rigidity, xxii. 153-65 - and Imrie, C. G. Nitrogenous metabolism in post-encephalitic rigidity, xxi. 139-51 Hirsuties in congenital porphyrinuria, xix.

Histamine, action on the chloride content of the stomach (Duthie, R.J.), xxiii. 447-9 and gruel, stimulation of gastric juice by, xxiv. 139

value in distinguishing between true and apparent achlorhydria, xxiv. 11

volume of gastric juice and acid response to, xxiv. 11

Hobson, Frederick G. Comparative study of basal metabolism in normal men, xvi. 363-89

Hodgkin's disease (lymphadenoma), associated with intracranial haemorrhage in a child, xx. 362

a case of, autopsy findings, alimentary system, xvi. 25

autopsy findings, circulatory system, xvi.

lymphatic system, xvi. 25 microscopic examination, xvi. 26 respiratory tract, xvi. 25 urinary tract, xvi. 26

liver treatment in, xxiii. 222

paraplegia and cauda equina symptoms in (Weber, F. P.), xvii. 1-5

relapsing pyrexia in (Hall, A. J., and Douglas, J. S. C.), xvi. 22–32 periodicity, xvi. 27

van den Bergh's test in, xviii. 29

Höst, H. F., and Hatlehol, Rolf. Investigations on the concentration of the nitrogenous metabolic products in the blood under physiological and pathological conditions, xv. 43-54

Holmes, Geoffrey, and Davies, H. Whitridge. Some effects of warm immersion baths upon the circulation, xxiii. 327-41

Holmes, Gordon. A case of virilism associated with a suprarenal tumour:

recovery after its removal, xviii. 143–52 Honey, R. M., Ritchie, W. T., and Thomson, W. A. R. Action of adenosine upon the human heart, xxiii. 485-9

Hoyle, J. Clifford. The treatment of experimental tuberculosis by calcium administration, xxii. 451-9

Hume, W. E. The action of adrenalin chloride on the human heart, xxi. 459-62

and Nattrass, F. J. The late effects of war nephritis, xxi. 1-6

-, Nattrass, F. J., and Shaw, A. F. B. Twenty cases of encephalitis lethargica, xv. 131-43

Hunt, G. H., Barcroft, J., and Dufton, Dorothy. Treatment of chronic cases of gas poisoning by continuous oxygen administration in chambers, xiii. 179-200

- and Dufton, D. A numerical measurement of dyspnoea, xiii. 165-77

Hunter, Donald. The fractional test-meal in the study of disorders of the gastrointestinal tract (an analysis of 174 verified cases), xvi. 95-134

Hunter, Donald (cont.):

The metabolism of calcium and phosphorus and the parathyroids in health

and disease, xxiv. 393-446

- and Aub, Joseph C. Lead studies, xv. The effect of the parathyroid hormone on the excretion of lead and of calcium in patients suffering from lead poisoning, xx. 123-40

Hurley, L. E., and Cameron, G. R. Multiple nodular hyperplasia of the liver, xx.

Hurst, Arthur F., and Knott, F. A. Intestinal carbohydrate dyspepsia, xxiv. 171 - 9

and Rake, Geoffrey W. Achalasia of the cardia (so-called cardiospasm), xxiii. 491-508

Hutchison, H. S. Fat metabolism in health and disease with special reference to infancy and childhood, xiii. 277-92

and Fleming, G. B. A study of the metabolism in the under-nourished infant, xvii. 339-57

- and Shah, S. J. Actiology of rickets, early and late, xv. 167-94

Hydatid antigen, comparison of relative values of human and sheep fluid as, xv. 250

factors modifying absorption, xv. 254 preparation of various, and relative value, xv. 251

site and mode of production, xv. 248

Hydatid cysts, significance of persistent serological reactions after operation on, xv.

Hydatid disease, complement fixation rereaction in (Fairley, N. H.), xv. 244-67 complement fixation reaction in, basis of, xv. 245

diagnostic value, xv. 261 technique, xv. 246

distribution of antibody, xv. 245

Hydraemia in nephritis, xvi. 352 Hydroa aestivale and pink teeth, associated with congenital porphyrinuria (Mackey L., and Garrod, Sir A. E.), xv. 319-30 stercoporphyrin in faeces, xv. 324

Hydroa vacciniforme, xix. 387 in congenital porphyrinuria, xix. 378,

381 Hydrocephalus, internal, in disseminated

sclerosis, xxiii. 353 sugar content of the cerebrospinal fluid, xv. 4

Hydrochloric acid and gruel, stimulation of gastric juice by, xxiv. 139

free, xxii. 33

and total chlorides in the stomach, variation of (Duthie, R. J.), xx.

variation of, and total chloride in the upper and lower parts of the stomach (Duthie, R. J.), xxii. 575-9

high secretion of, in old age, xxiv. 9 in gastric carcinoma, xxiii. 175

Hydrochloric acid (cont.):

in gastric juice of chronic duodenal ulcer, xvi. 99

in normal gastric secretion, xvii. 216, 217 low secretion of, in old age, xxiv. 8

normal secretion of, in old age, xxiv. 8 therapy and achlorhydria in Addison's (pernicious) anaemia (Shaw, M. E.), xvii. 319-25

see also Hypochlorhydria

'Hydrogen acceptor' in muscle, xvi. 169 Hydrogen-ion concentration and some other properties of the blood from two cases of autotoxic enterogenous cyanosis (Barcroft, J., Dryerre, H., Meakins, J. C., Parsons, T. R., and Parsons, W.), xix. 257-72

methods of investigation, xix. 260

in muscle, xvi. 160

of the cerebrospinal fluid, xxi. 100

of the gastric contents, xix. 75

of serum of infants with tetany, xiii. 427

Hyoscine and stramonium in Parkinsonian rigidity, comparison of therapeutic effects, xxii. 59

effect of, subcutaneously and by mouth, in Parkinsonian rigidity, xxii. 57

in elicitation of localizing signs in intracranial tumours, xxiv. 632

Hyperalgesic areas in cardiac disease, xiii. 249

in nephritis, xiii. 251

in orchitis, xiii. 251

in otitis media, xiii. 248

in parotitis, xiii. 248

in rhinitis, xiii. 247

in tonsillitis and pharyngitis, xiii. 248 (segmental) in visceral lesions (Jones, D. W. C.), xiii. 241-55

Hyperchlorhydria, streptococci in urine found in chronic arthritis, xx. 281

Hypercholesterolaemia, sedimentation rate in, xx. 373

in biliary and hepatic disease, xxiii. 472 see also Cholesterol

Hyperglycaemia, adrenalin, xvii. 28 in anaesthesia, xviii. 263

in diabetes, xiv. 19

see also Blood-sugar

Hyperkinesis in encephalitis lethargica, xviii. 159

Hypernephroma, adrenal, sex changes in, xxii. 563

adrenal; with report of two cases (Fordyce, A. D., and Evans, W. H.), xxii. 557-65

associated with virilism (Holmes, G.), xviii. 143-52

histology of, xviii. 146 Hyperparathyroidism, xxiv. 411

Hyperplastic sclerosis, diffuse, cardiac hypertrophy, xiv. 241

diffuse, clinical aspects, xiv. 241 distribution of the lesion within an organ, xiv. 222

Hyperplastic sclerosis (cont.):

distribution of the sclerosis in the several organs, xiv. 223

histology, alimentary tract, xiv. 225 and incidence of, xiv. 219

brain, xiv. 224 heart, xiv. 226 kidney, xiv. 223 liver, xiv. 225 lung, xiv. 226

pancreas, xiv. 225 spleen, xiv. 223 suprarenals, xiv. 226

in relation to acute interstitial nephritis, xiv. 262

in relation to acute nephritis, xiv. 260

in relation to acute parenchymatous nephritis, xiv. 260

in relation to acute suppurative nephritis, xiv. 261

in relation to cerebral haemorrhage, xiv. 252 in relation to chronic interstitial ne-

phritis, xiv. 270 in relation to chronic parenchymatous

nephritis, xiv. 264 in relation to chronic renal disease, xiv.

256 in relation to contracted white kidney, xiv. 266

in relation to focal embolic nephritis, xiv. 261

in relation to senile arterio-sclerosis, xiv. 239

incidence of, xiv. 219

infection as cause of, xiv. 276 pathology of, xiv. 218-40

material and method of its examination, xiv. 218

in children and adults, xvi. 40 part played by endothelium, xvi. 40 local, and unit processes in arterial disease, xiv. 228

see also Arterio-sclerosis

Hypertension: see Blood-pressure, high Hyperthyroidism after administration of adrenalin, xvii. 30

amino-nitrogen in, xxii. 488

and hyperplasia of the thyroid gland, xviii. 2 auricular flutter in, xxi. 28

basal metabolism in, xv. 336 circulation rate in, xxi. 285

(in man) effect of iodine on (Cowell, S. J.,

and Mellanby, E.), xviii. 1-18 case reports, xviii. 6 discussion of results, xviii. 15

methods of investigation, xviii. 5 see also Exophthalmic goitre; Goitre, adolescent; Thyroid gland

Hypertonic salt solutions for temporary relief of increased intracranial pressure, xxiv. 636

Hypochlorhydria and allergy, relationship between, xxiv. 193

Hypochlorhydria (cont.):

in chronic arthritis, xx. 276 of asthma in childhood (Bray, G. W.), xxiv. 181-97

summarized results of 200 gastric analyses, xxiv. 184 technique, xxiv. 183

Hypoglossal nerve in encephalitis lethargica, xv. 134

Hypoglycaemia and fall in blood-sugar level, xx. 71

in marathon runners, xxiv. 333

relation of, to muscular fatigue and exhaustion, xx. 467 see also Blood-sugar

Hypoparathyroidism, spontaneous, xxiv. 406

Hypophyseal duct tumours, xxiv. 602 Hypopituitarism, basal metabolism in, xv.

Hypothyroidism after administration of adrenalin, xvii. 30 symptoms of, in exophthalmic goitre, xv.

Hysteria, gonorrhoeal, xv. 71, 100 sugar content of cerebrospinal fluid in xv. 7

## T

Icterus: see Jaundice Ileal stasis, xxii. 639

56

Heocaecal regurgitation, xxii. 640

Ileocolitis, acute, in children (Cruickshank, R.), xviii. 339-50

actiological relationship of Bacillus dysenteriae to ileocolitis, xviii. 348

age incidence, xviii. 341 blood count, xviii. 342

diagnosis, xviii. 342

faeces, xviii. 341

fermentation reactions in faeces, xviii.

isolation of organisms other than true dysentery bacilli, xviii. 346

prognosis, xviii. 342

results of agglutination with antidysentery serum, xviii. 345

results of bacteriological investigation of faeces, xviii. 343

symptomatology, xviii. 341 treatment, xviii. 342

urine, xviii. 341

Widal reaction, xviii. 342 Ileum, diverticula of, xix. 10

Imbecility, sugar content of the cerebrospinal fluid, xv. 4

Immunity and cholesterol, xviii. 415 Imrie, C. G., and Hirst, Marion. Creatine and rigidity, xxi. 401-18

- and Hirst, Marion. On creatinuria as a sequel to fractures of bones, and the influence of thyroid feeding upon it and upon the creatinuria of post-encephalitic rigidity, xxii. 153-65

- and Hirst, Marion. Nitrogenous metabolism in post-encephalitic rigidity, xxi.

Ince, Phoebe, Hay, John, and Jones, H. Wallace. Action of digitalis in cardiac failure with normal rhythm, xxi. 153-76

Infancy, fat metabolism in (Hutchison, H. S.), xiii. 277-92

Infantile atrophy, absorption of fat in, xvii. 341, 342

absorption of food in, xvii. 341 blood-sugar content (Guy, R. A.), xv.

9-17 blood-sugar content in, and the effect of fat on the absorption of carbohydrate

(Brown, M. J), xviii. 175–90 blood-sugar content compared with weight trends, xv. 14

blood-sugar tolerance in, xviii. 182 caloric intake and output in, xvii. 347 carbohydrate absorption in, xvii. 347 defective oxidation of food in, xvii. 349 digestion and absorption of fats in, xiii.

excessive combustion of absorbed food in, xvii. 350

fasting blood-sugar content in, xviii. 179 metabolism in, carbohydrate absorption, xiv. 184

carbohydrate tolerance, xiv. 183 control experiments with alcohol, xiv.

heat production, xiv. 178

method of carrying out an experiment, xiv. 174

method of determining respiratory exchange, xiv. 172

respiratory exchange in children, xiv. 175

respiratory quotients, xiv. 178
with special reference to the respiratory
exchange (Fleming, G. B.), xiv. 171-

nitrogen assimilation in, xvii. 344 nitrogen output in, xvii. 346 nitrogen retention in, xvii. 345

percentage of sugar in the blood in (Guy, R. A.), xv. 9-17

study of metabolism in (Fleming, G. B., and Hutchison, H. S.), xvii. 339-57

treatment of, with atmospheres enriched by oxygen and carbon dioxide (McCrea, E. F. W., and Raper, H. S.), xxii. 269–79

methods and results, xxii. 270 utilization of food in, xvii. 349

Infantile rickets: see Rickets

Infantile scurvy, clinical history of a case, xxi. 500

histological and radiographic appearance of (Harris, H. A.), xxi. 499–508 histology, xxi. 502

line of arrested growth and line of healing rickets, xxi. 504

morbid anatomy, xxi. 500 radiography, xxi. 501

vegetative proliferation and differentiation for function, xxi. 505 Infantilism with congenital pancreatic disease (Clarke, C., and Hadfield, G.), xvii. 358-64

Infants, diarrhoea of, alkalaemia in (Maizels, M., and McArthur, C. B.), xxiii. 171–4 diarrhoea of, chloride content of erythrocytes in, xxiii. 173

diarrhoea and vomiting of, acidaemia and alkalaemia in (Maizels, M., and Mc-Arthur, C. B.), xxii. 581–610 methods, xxii. 581

alkalaemia and acid urines in, xxii. 588 cases with acidosis, xxii. 585

chloride content of the cerebrospinal fluid in, xxii. 597

fat intake in, xx. 3

fat metabolism in (Hutchison, H. S.), xiii. 277-92

intracranial haemorrhage in: see Intracranial haemorrhage

normal percentage of sugar in the blood of, xv. 11 see also Children

Infection and diabetic coma, relation of (Graham, G.), xviii. 294-9

Influenza, aetiology of, xiv. 125

as an aetiological factor in carcinoma of the lung, xxii. 436

fatal bronchiolitis and broncho-pneumonia caused by Bacillus influenzae of Pfeiffer during an inter-pandemic period (Malloch, A., and Rhea, L. J.), xiv. 125–38

incidence of infections with Pfeiffer's bacillus before, during, and after the 1918 epidemic (McLeod, J. W., Ritchie, A. G., and Dottridge, C. A.), xiv. 327– 38

intravenous vaccine therapy in, xiii. 89 observations on the carrier rate at the height of the early summer epidemic of 1918, xiv. 331

observations on the summer epidemic of 1918, xiv, 330

period of the autumn epidemic of 1918, xiv. 332

Inheritance of epilepsy (Brain, W. R.), xix. 299-310

of hereditary ataxia, mode of (Brain, W. R.), xviii. 351-8
see also Heredity

Insanity and spontaneous cardiac rupture, frequent association, xxiv. 56 incidence among relatives of epileptics,

xix. 306 [191 Insulin absorption through intact skin, xx. action in glycogen formation, summary

of, xx. 77 [175 and blood-fat in diabetes mellitus, xix. and carbohydrate tolerance in diabetes (Rabinowitch, I. M.), xxi. 211-21

criteria of altered tolerance, xxi. 214 influence of different diets, xxi. 215 variations in the dose in first few days of insulin treatment on a fixed diet, xix. 230

Insulin (cont.):

and human diabetes mellitus, can it produce even a partial cure? (Harrison, G. A.), xix. 223-34

difficulties of investigation, xix. 228 methods of investigation, xix. 223 results, xix. 224

and the recorded mortality from diabetes in recent years in England and Wales, some observations (Young, M., and Russell, W. T.), xx. 87-100 and urea, xviii. 247

by inunction a failure (Harrison, G. A.), xx. 187-92

does not increase metabolism, xx. 75

foetal, improvement of diabetes in a pregnant woman due to (Lawrence, R. D.) xxii. 191–202

history of the case and course of the pregnancy, xxii. 191

improvement in tolerance and relapse after labour, xxii. 197

forms glycogen from glucose, xx. 76 high, and high diets, xx. 84

in glycogen formation, action of, and its therapeutic application (Lawrence, R. D.), xx. 69-86

description of experiments, xx. 71 increased hypoglycaemic effect of, and exercise, xx. 69

regulation of total metabolism, xx. 81 -resistant diabetic (Lawrence, R. D.), xxi. 359 - 69

blood-sugar studies in, xxi. 361

case history, xxi. 359 effect of insulin on fasting blood-sugar, xxi. 362

lack of coenzyme necessary to insulin action, xxi. 365

low fasting blood-sugar and rise after food in spite of insulin, xxi. 361

organic defect in liver or muscles as cause, xxi. 364

prolonged comparison between, and ordinary diabetic, xxi. 363 recovery of carbohydrate tolerance

after omission of insulin, xxi. 365 therapeutic application in diabetes, xx. 81 variation in strength of different batches, xix. 228, 229

Intercostal nerve, electrical stimulation (in massive collapse), xiii. 299

Intestinal carbohydrate dyspepsia: see Dyspepsia, intestinal carbohydrate

Intestinal disturbances, relationship between physical symptoms, mental reaction, and constitutional make-up, xxiii. 16

Intestinal diverticula (Spriggs, E. I., and Marxer, O. A.), xix 1-34 Intestinal invalid, chronic: see Gastro-

intestinal tract Intestinal mucosa, phosphatase in, xxiv. 401

Intestinal obstruction caused by secondary deposits due to carcinoma of the lung (Barnard, W. G., and Elliott, T. R.), xxiii. 407-10

Intestinal stasis, xxii. 639

Intestinal toxaemias and constipation, xxiii.

Intestinal tract in mustard gas poisoning, xiii. 220

Intestine, free fatty acids in, influence on absorption and excretion of the mineral elements (Telfer, S. V.), xx. 1-6

large, diverticula of (Spriggs, E. I., and Marxer, O. A.), xix. 16-31 1st stage: prediverticular stage, xix. 20 2nd stage: developed diverticula, xix.

3rd stage: inflammation and thickening of the wall of the bowel, xix. 23

aetiology, xix. 24 association with other diseases, xix. 25

diagnosis, xix. 29 distribution, xix. 19 diverticulitis, xix. 23

historical, xix. 16

incidence, xix. 18 method of examination, xix. 19

morbid anatomy, xix. 19 prognosis, xix. 29

residues in developed diverticula, xix. 22 symptoms, xix. 28

treatment, xix. 30 small, diverticula of (Spriggs, E. I., and Marxer, O. A.), xix. 2-16

aetiology, xix. 6 appendix, xix. 11

developing diverticula, xix. 7

first part of duodenum, xix. 9 historical, xix. 2

ileum, xix. 10 incidence, xix. 4

jejunum, xix. 10

method of examination, xix. 5

outer border of duodenum, xix. 9 results, xix. 15

second, third, and fourth parts of duodenum, xix. 10

small shadows, xix. 9 symptoms, xix. 11 treatment, xix. 14

Intestines, autointoxication and constipation, xxiii. 2

Intra-abdominal tension in relation to renal support, xvi. 298

Intracranial haemorrhage, age incidence, xx. 354

arising after the natal period, xx. 358 in infancy and childhood (Sheldon, W. P. H.), xx. 353-70

age incidence, xx. 354

arising after the natal period, xx. 358 associated with acute fevers, xx. 363

with acute lymphoid leukaemia, xx. 361

with anaemia, xx. 361 with chicken-pox, xx. 363

with chronic nephritis, xx. 360 with diseases of the blood, xx. 361

with haemophilia, xx. 362 with heart disease, xx. 364 Intracranial haemorrhage (cont.):

with lymphadenoma, xx. 362 with malignant endocarditis, xx. 364 with purpura haemorrhagica, xx. 361 with scurvy, xx. 362

with splenic anaemia, xx. 361

with whooping-cough, xx. 363 diagnosis, xx. 369 distribution of, xx. 354

frequency at necropsy, xx. 353 produced during or immediately after birth, xx. 356 secondary to thrombosis, xx. 365

Intracranial pressure, normal, xxiv. 610 raised, in intracranial tumours, xxiv. 612 production of, xxiv. 610

(a) normal intracranial pressure, xxiv. 610

(b) cerebrospinal fluid, xxiv. 611

(c) dural sac, xxiv. 612

(d) raised intracranial pressure, xxiv. 612

(e) signs and symptoms of increased intracranial pressure, xxiv. 613 signs and symptoms, xxiv. 613 temporary relief by hypertonic solu-

temporary rener by hypertonic solutions, xxiv. 636

Intracranial tumours, actiology of, trauma,

xxiv. 607
and cerebral cysts as cause of subarach-

and cerebral cysts as cause of subarachnoid haemorrhage, xviii. 113 classification, xxiv. 588

(a) glioma group of tumours: histogenesis of the interstitial cells of the nervous system, xxiv. 589

(b) gliomata, classification of, astrocytoma fibrillare, xxiv. 595 astroblastoma, xxiv. 595 (clinical correlation), xxiv. 592 ependymoma, xxiv. 596 glioblastoma, xxiv. 595 medulloblastoma, xxiv. 595 oligodendroglioma, xxiv. 596 pinealoma, xxiv. 596

(c) meningioma, xxiv. 597

(d) auditory nerve tumour, xxiv. 599(e) tumours of the pituitary region,

xxiv. 600

(f) metastatic carcinoma of the brain (carcinomatoses of the meninges), xxiv. 603

(g) blood-vessel tumours of the brain, xxiv. 604

(h) other varieties of tumour, xxiv. 605

critical review (Walshe, F. M. R.), xxiv. 587-640

diagnosis of, xxiv. 632

diagnostic applications of radiography, xxiv. 633

encephalography, xxiv. 634

examination of scalp and skull, xxiv. 634

use of hyoscine for elicitation of localizing signs, xxiv. 632 ventriculography, xxiv. 633 Intracranial tumours (cont.):

raised intracranial pressure in, xxiv. 612 symptomatology of, xxiv. 608

cerebrospinal fluid, xxiv. 611 cranial nerve palsies, xxiv. 616

false localizing signs, xxiv. 616 generalized epileptiform fits as an initial symptom of tumour, xxiv. 615 onlythelmoscopic, appearances

ophthalmoscopic appearances, xxiv. 620

production of raised intracranial pressure, xxiv. 610 sixth and third nerve palsies, xxiv.

616

some localizing symptom-complexes, xxiv. 618

treatment of, xxiv. 634

medicinal treatment, xxiv. 636

temporary relief of increased intracranial pressure by hypertonic solutions, xxiv. 636

X-ray and radium therapy, xxiv. 635 Intradermal tuberculin reaction: see Tuberculosis, tuberculin reaction

Intraglobular sulphaemoglobinaemia: see Sulphaemoglobinaemia

Intrathoracic disease, diaphragmatic paralysis as a therapeutic measure in (Campbell, A. J.), xxi. 463–87

Intrathoracic tumours: see Bronchi, carcinoma of

Intravenous injections: see Calcium; Pulmonary tuberculosis, &c.

Invalidism, chronic: see Visceroptosis; Abdominal conditions

Iodide of potassium: see Iodine Iodine and colloid goitre, xviii. I

and hyperplasia of the thyroid gland, xviii. 1

effect of, on hyperthyroidism in man (Cowell, S. J., and Mellanby, E.), xviii. 1-18

> case reports, xviii. 6 discussion of results, xviii. 15 methods of investigation, xviii. 5

excretion of, in disease, xv. 231 in the urine in health and disease; its use as a test of renal function (Linder, G. C.), xv. 227-43

method of investigation, xv. 228 value of, as a test of renal function, xv. 242

Iron in malaria, xiii. 22

storage of, following its oral and subcutaneous administration (Polson, C. J.), xxiii. 77–84 chemical findings, xxiii. 78 dosage and technique, xxiii. 78 histological observations, xxiii. 79

Iron content of the blood in haemochromatosis xxi. 127

of the body (total), xxi. 135

of the bone and muscle in haemochromatosis, xxi. 129

of the brain in haemochromatosis, (a) chemical analysis, xxi. 130 · Iron content (cont.):

(b) macroscopical investigation, xxi. 132

(c) microscopical investigation, xxi. 132

of the central nervous system in haemochromatosis, xxi. 130

of the gall-bladder in haemochromatosis, xxi. 129

of the pancreas in haemochromatosis, xxi. 129

of the tissues in haemochromatosis, with special reference to the brain (Sheldon, J. H.), xxi. 123-37

Irradiation: see X-rays; Radium

James, T. G. Illtyd, and Davies, Daniel T. An investigation into the gastric secretion of a hundred normal persons over the age of sixty, xxiv. 1-14

Jaundice, acholuric: see Acholuric jaundice blood cholesterol picture in, xviii. 404; xxiii. 472

blood coagulation in, xx. 475

catarrhal, van den Bergh's test in, xviii. 25 cholesterol in the blood in, xviii. 404; xxiii. 472

classical theories of, xvi. 394

critical review of recent work (McNee, J. W.), xvi. 390-420

dissociated, xvi. 413 haemolytic, xvi. 403

bilirubin in, xvi. 410

cholesterol content of the blood after splenectomy, xvi. 197 van den Bergh's test in, xvi. 410;

xviii. 23

in the new-born, van den Bergh's test in, xviii. 24

infective hepatic, xvi. 402 van den Bergh's test in, xvi. 411

latent, and pernicious anaemia, xvi. 410 van den Bergh's test in, xvi. 410

new theory (McNee, J. W.), xvi. 392 obstructive hepatic, xvi. 400

bilirubin in, xvi. 409 van den Bergh's test in, xvi. 409; xviii. 21

spirochaetal, alimentary system in, xiv. 150

blood in, xiv. 155

circulatory system in, xiv. 151 clinical analysis of 55 cases (Ryle, J. A.), xiv. 139-70

comparison in man and the experimental animal, xiv. 164

comparison with existing accounts, xiv. 165

differential diagnosis,

1. in early stages and non-ieteric cases, xiv. 165

2. in the icteric cases, xiv. 168 epidemiological and aetiological features, xiv. 140

Jaundice (cont.):

excretory system in, xiv. 152

eyes in, xiv. 154 fatal cases and cause of death, xiv.

fever in, xiv. 149

incidence of ten important manifestations, xiv. 144

nervous system in, xiv. 153

onset of, xiv. 149

period of incubation and the group incidence, xiv. 148

prognosis in, xiv. 156

pyrexia, xiv. 146

respiratory system in, xiv. 152 significance of certain symptoms, xiv. 160

skin in, xiv. 155

spleen and lymphatics in, xiv. 154

therapeutics, xiv. 159

variations in type and severity, xiv.

toxic hepatic, xvi. 402 van den Bergh's test in, xvi. 411; xviii. 26

van den Bergh's test in (Andrewes, C. H.), xviii. 19-35

van den Bergh's test in, xvi. 397 biphasic reactions, xvi. 398 results, xviii. 20, 21

varieties of, xvi. 399.

Jejunum, diverticula of, xix. 10

pain in, xvii. 69 Joints, psoriasis of: see Arthropathia psoriatica

Jones, D. W. Carmalt. Observations on segmental hyperalgesia in visceral lesions, xiii. 241-55

Jones, E. Wyn. A radiographic study of the coronary arteries in health and disease, xxiv. 199-217

Jones, H. Wallace, Hay, John, and Ince, Phoebe. Action of digitalis in cardiac failure with normal rhythm, xxi. 153 - 76

- and Roberts, R. E. The electrical axis of the heart as an indicator of changes in ventricular predominance, xxiii. 67-76

Jones, I., Gardiner-Hill, H., and Smith, J. Forest. Pituitary obesity in adolescence, xviii. 309-26

Junctional contractions, premature, in acute rheumatism, xiii. 369

Kala-azar, blood sedimentation-rate in, xx. 378

Karn, M. Noel, and Hare, D. C. An investigation of blood-pressure, pulse-rate, and the response to exercise during normal pregnancy, and some observations after confinement, xxii. 381-404

Kay, H. D., and Brain, R. T. A new test of renal function, xxii. 203-16

Kay, J. Hunter, Burton, J. A. G., Cowan, John, Marshall, A. J., Rennie, J. K., Ramage, J. H., and Teacher, J. H. Four cases of fibrosis of the myocardium with electrocardiographic and postmortem examinations, xxiii. 293–303

Kennaway, E. L. The proteins of the serum in cancer, xvii. 302-11

Kennedy, A. E. Clark-: see Clark-Kennedy Keratosis, gonorrhoeal, xv. 95

**Ketonuria**, relation to blood-sugar and renal threshold, xiv. 25

Kharsivan in treatment of malaria, xiii. 22 Kidney disease, amino-nitrogen curve in, xxii. 485

as cause of arterio-sclerosis in children, xvi. 42

(chronic), in relation to cardiac hypertrophy, xiv. 245

in relation to diffuse hyperplastic sclerosis, xiv. 256

with special reference to its relation to arterio-sclerosis (Evans, G.), xiv. 215-82

histology and incidence of diffuse hyperplastic sclerosis, xiv. 219 familial polycystic (Fuller, C. J.), xxii.

absence of symptoms, xxii. 573 case reports, xxii. 568 transmission, xxii. 574

urinary findings, xxii. 573
phosphorus and calcium of the blood in
(Wesselow, O. L. V. de), xvi. 341–62
polycystic, and myopia, relationship be-

tween, xviii. 370 heredity in (Cairns, H. W. B.), xviii.

359–92 associated hereditary anomalies, xviii. 387

urea tolerance in, xviii. 278; xxii. 485 see also Nephritis; Nephrosis; Pyelitis; Renal, &c.

Kidneys, accessory arteries of, xvi. 288 cardiovascular contracted, xvi. 7 cholesterol in, in lipoid nephrosis, xxiii. 105

chronic interstitial inflammation of, in relation to arterio-sclerosis, xiv. 258 comparative anatomy of, xvi. 289

contracted, preliminary report of some cases (Dyke, S. C.), xvi. 1–9 histological reports, xvi. 1–5

post-mortem findings, xvi. 1–5 contracted white, in relation to diffuse hyperplastic sclerosis, xiv. 266

development and comparative anatomy of, xvi. 287

diastase excretion, variations in the rate of, in the same normal individual, xvii. 156

efficiency of: see Renal efficiency excretion of bilirubin through, xviii. 33 excretion of chlorides by the healthy and

diseased kidney (Wesselow, O. L. V. de), xix. 53-73

Kidneys (cont.):

azotaemic nephritis without oedema, xix. 62

experimental, xix. 56 methods employed, xix. 53 nephritis with oedema, xix. 65

excretion of creatinine, xxiv. 569 in health and in nephritis (Cope, C. L.),

xxiv. 567-85 creatinine excretion in normal sub-

ject, xxiv. 573

methods, xxiv. 570 relation between creatinine and urea

excretion, xxiv. 575

see also Renal function in nephritis, xxiv. 578

familial polycystic disease of (Fuller, C. J.), xxii. 567-74

absence of symptoms, xxii. 573 case reports, xxii. 568 transmission, xxii. 574

urinary findings, xxii. 573 fixation of (Southam, A. H.), xvi. 283-308

historical introduction, xvi. 284 'floating', xvi. 289

function tests: see Renal efficiency functional capacity of, diastase determinations in urine and blood as a method for the measurement of (Stafford, D. D., and Addis, T.), xvii. 151-61

glomeruli, xix. 273 gross anatomy of, xvi. 285

histological changes in malignant malaria, xiii. 419

hyperplasia of intima of arterioles, xvi. 6 in chronic infection of the spleen, xvii. 197 in congenital pancreatic disease, xvii. 362 in diffuse hyperplastic sclerosis, xiv. 219 et seq.

in fatal case of malignant malaria, xiii. 389, 401, 411, 412, 415

in haemochromatosis, xxi. 125 in mustard gas poisoning, xiii. 224 mobility of (normal), xvi. 300

movable, aetiology of, xvi. 301 aetiology of, loss of muscle tonus in relation to, xvi. 304

pregnancy in relation to, xvi. 303 renal fossae in relation to, xvi. 302 tight lacing in relation to, xvi. 303 trauma in relation to, xvi. 303 tumours of kidney in relation to, xvi. 303

pararenal fat of, xvi. 295 perirenal fascia of, xvi. 291

phosphatase in, xxiv. 401 polycystic disease of, and myopia, relationship between, xviii. 370

polycystic disease of, heredity in (Cairns, H. W. B.), xviii. 359–92 associated hereditary anomalies, xviii.

387 hereditary myopia associated with, xviii. 387

history of East London family, xviii.

Kidneys (cont.):

literature, xviii. 371

modes of transmission, xviii. 385

two symptomless cases, xviii. 389 variations in 'intensity' and 'anticipation', xviii. 386

right, displacement of, xvi. 305

supports, xvi. 296

intra-abdominal tension in relation to, xvi. 298

perirenal fascia in relation to, xvi. 296 perirenal fat in relation to, xvi. 297 peritoneal attachments in relation to,

xvi. 299 suprarenal gland in relation to, xvi.

vascular pedicle in relation to, xvi. 297 tubules, xix. 273

tumours of, in relation to aetiology of movable kidney, xvi. 303

see also Renal
Kininmonth, J. G. The circulation rate in
some pathological states, with observations on the effect of digitalis, xxi.

Knott, F. A., and Hurst, Arthur F. Intestinal carbohydrate dyspepsia, xxiv. 171-9

Krestin, David. Latent tuberculous lesions in the lungs as determined by Roent-genological and pathological investigation, xxii. 531-56

The seborrhoeic facies as a manifestation of post-encephalitic Parkinsonism and allied disorders, xxi. 177–86

Kupffer cells and arseniuretted hydrogen, xvi. 406

T.

Labour, effect of diaphragmatic paralysis on, xxi. 466

Lactic acid acidosis, alterations in respiratory exchange during exercise due to, xx. 416

and muscular effort, xx. 384 and oxygen debt, xvi. 142

in diagnosis of gastric carcinoma, xxiii.

in human gastric contents, origin and occurrence of, with special reference to malignant and non-malignant conditions (Dodds, E. C., and Robertson, J. D.), xxiii. 175–93

historical, xxiii. 175

qualitative analysis for presence of lactic acid, xxiii. 179

quantitative analysis for presence of lactic acid, xxiii. 180

results of test-meals on 73 patients, xxiii. 186

technique, xxiii. 178

in moderate exercise, xvi. 141

in severe exercise, xvi. 141

in urine after severe exercise, xvi. 141 isolation and investigation of, from gas-

tric contents, xxiii. 182

Lactic acid (cont.):

maximum and limit of muscular exertion, xvi. 144

muscular exercise, and the supply and utilization of oxygen (Hill, A. V., and Lupton, H.), xvi. 135-71

production in cerebrospinal fluid, xxi. 97 production of, in man, xvi. 141

reversion to glycogen, xvi. 138 role of, in the muscle, xvi. 139

transformation of glycogen into, xvi. 139 Lactose-fermenting organisms in dysentery, xxiii. 245, 247

Laevulose test for liver efficiency, analysis of cases, xvii. 43

for liver efficiency, method, xvii. 40 and an investigation of the hepatic condition in pregnancy (Tallerman, K. H.), xvii. 37-52

in blood sedimentation-rate, xxii. 147

Lamb, F. W. M., Barnes, Stanley, and Thomson, A. P. Case of malignant change developing in a tumour of the rectogenital pouch associated with diffuse infiltration of the lungs and intense erythraemia, xix. 151-7

Laryngeal complications in mustard gas poisoning, xiii. 208

Larynx, paralysis of, in bronchial carcinoma, xxiv. 41

Laslett, E. E. Notes on four cases of paroxysmal tachycardia, xv. 18-25

Law, Frank W. Some clinical aspects of muscular exercise, xxii. 461-75

Lawrence, R. D. The action of insulin in glycogen formation and its therapeutic application, xx. 69-86

Improvement of diabetes in a pregnant woman due to foetal insulin, xxii. 191– 202

Studies of an insulin-resistant diabetic, xxi. 359–69

Lead and calcium metabolism, parallelism between, xx. 124

excretion of, during and after colic, xx.

138

effect of ammonium chloride on, xxiv.

436
effect of parathyroid extract on, xx

effect of parathyroid extract on, xx.

effect of the parathyroid hormone on, in cases of lead poisoning (Hunter, D., and Aub, J. C.), xx. 123-40 storage and excretion of, xxiv. 435

Lead colle, calcium in treatment of, xxiv. 439
Lead poisoning, calcium in treatment of,
xxiv. 438

effect of parathyroid extract in, xxiv. 436 effect of parathyroid extract on the blood in, xx. 133

effect of parathyroid extract on calcium

excretion, xx. 136
effect of the parathyroid hormone on lead
excretion in cases of lead poisoning
(Hunter, D., and Aub, J. C.), xx.
123-40

Lead poisoning (cont.):

laboratory methods, xx. 126

ward methods, xx. 125 effects of parathyroid extract on lead secretion, xx. 136

excretion of lead during and after colic, xx. 138

parathyroid overdosage in, xx. 134 therapeutic significance of parathyroid extract in, xx. 138

Lecithin and fat, relationship of, to cholesterol, xviii. 398

Ledingham, J. C. G., and Fraser, F. R. Tularaemia in man from laboratory infection, xvii. 365-83

Lenticular degeneration, progressive (Greenfield, J. G., Poynton, F. J., and Walshe, F. M. R.), xvii. 385–403

age of onset, xvii. 387 clinical case report, xvii. 389

comparison of pathological findings in other cases, xvii. 398

post-mortem findings, xvii. 392

cornea, xvii. 392 heart-muscle, xvii. 392

liver, xvii. 392 nervous system, xvii. 393 pituitary, xvii. 392

spleen, xvii. 392 signs and symptoms, xvii. 387

Leprosy, sedimentation-rate in, xx. 374 Leucocyte counts after intravenous injection

of B. coli vaccine, xiii. 102-4 polynuclear (Cooke) and Schilling, significance of (Piney, A.), xxii. 405-11 see also Blood-count

Leucocytes in peptone injections in septicaemia, xiv. 190

Leucocytosis, accelerated sedimentationrate in, xx. 374

as symptom in chronic infective endocarditis, xvi. 264

in carcinoma of the lung, xxii. 424 polycythaemia with, xxii. 182

Leukaemia, acute eosinophilic, aetiological and clinical, xxii. 176

acute eosinophilie, blood pieture, xxii.
177

and eosinophilic erythro-leukaemia (Hay, J., and Evans, W. H.), xxii. 167–89

case history and post-mortem findings, xxii. 168

case histories and post-mortem findings in the literature, xxii. 171-6 morbid histology, xxii. 177

acute lymphoid, associated with intracranial haemorrhage in a child, xx. 361

cranial haemorrhage in a child, xx. 361 amino-nitrogen in, xxii. 487 eosinophilic erythro-, case history and

morbid histology, xxii. 178
in X-ray and radium workers, xxiv. 115
intermediate stage between chloroma
and, xvii. 117

irradiation-induced, xxiv. 117 liver treatment, xxiii. 221

Leukaemia (cont.):

myeloid: see Myeloid leukaemia polycythaemic cases developing, xxii. 183 showing a polycythaemic stage, xxii. 184

Lewis, Sir Thomas. The law of cardiac muscle, with special reference to conduction in the mammalian heart, xiv. 339-51

Lime and plaster workers, immunity from pulmonary tuberculosis, xx. 432

in faecal solids in healthy children, xx. 1 workers and immunity to tuberculosis, xxii. 452

Linder, Geoffrey C. The effect of mineral acid on acid-base regulation in health and in nephritis, xx. 285-302

Excretion of potassium iodide in the urine in health and disease: its use as a test of renal function, xv. 227-43

—, Fraser, F. R., Harris, C. F., and Hilton, R. Arterial carbon dioxide pressure in cardiac dyspnoea, xxii. 1-20

— and Graham, George. The use of synthalin in the treatment of diabetes mellitus, xxi. 509-21

— and Harris, Charles F. Calcium and phosphorus metabolism in chronic diarrhoea with tetany, xxiii. 195–212

diarrhoea with tetany, xxiii. 195-212

—, Harris, C. F., and Fraser, F. R. The elimination of focal sepsis in the treatment of parathyroid tetany, xxiv. 469-79

Lipaemia, alimentary, blood lipoids in, factors influencing, xix. 160 and cholesterol, xviii. 399

diabetic, xix. 161

in diabetes mellitus, xviii. 408

Lipodystrophy, progressive (Watson, W. N. B., and Ritchie, W. T.), xviii. 224–39 progressive, actiology of, xviii. 235

age incidence, xviii. 231 bone in, xviii. 234

cardiovascular system in, xviii. 234 circumferential measurements, xviii. 232

muscles in, xviii. 234 sex incidence, xviii. 229

skin in, xviii. 233

thickness of fold of skin and subcutaneous tissue, xv iii. 233

Lipoid content of the blood, xviii. 400 nephrosis: see Nephrosis, lipoid

Lipoids, blood, in alimentary lipaemia, factors influencing, xix. 160
Liquid paraffin: see Paraffin

Liver, acute yellow atrophy, amino-acids in, xxii. 488

administration of, influence on modification of blood-platelet count, xxiv. 308 atrophy (Miller, J., and Rutherford, A.),

xvii. 81–102 aetiology of, xvii. 93 'enterica', xvii. 93 scarlet fever, xvii. 93 syphilis, xvii. 93 tuberculosis, xvii. 93 Liver (cont.):

associated conditions, xvii. 99

cases (acute), xvii. 84

(intermediate), xvii. 85

(sub-acute), xvii. 87

complications, xvii. 99

historical, xvii. 81

morbid anatomical relationships, xvii. morbid anatomy, acute, xvii. 91

multiple nodular hyperplasia, xvii. 91

subacute, xvii. 91

nature and sequence of liver changes in early acute stages, xvii. 95

nodular hyperplasia, xvii. 92

reaction and regeneration, xvii. 96 sub-acute: see Liver, multiple nodular hyperplasia

termination, xvii. 99

cirrhosis of: see Cirrhosis

diseases of, blood cholesterol in biliary and hepatic disease (Gardner, J. A., and Gainsborough, H.), xxiii. 465-83

fasting amino-nitrogen in, xxii. 479 urea formation in, xxii. 484

diverticulum, embryology of, xx. 455

efficiency, bromsulphalein test of (Bulmer, E.), xx. 101-14

bromsulphalein test of, clinical findings, xx. 103

criticism, xx. 107

history of test, xx. 101

technique, xx..102, 104

laevulose test for, and an investigation of the hepatic condition in pregnancy (Tallerman, K. H.), xvii. 37-

analysis of cases, xvii. 43 method, xvii. 40

enlargement of, in congenital porphyrinuria, xix. 364

function: see Liver, efficiency

histological changes in malignant malaria,

in chronic infection of the spleen, xvii. 196 in congenital pancreatic disease, xvii. 361 in diffuse hyperplastic sclerosis, hist-

ology, xiv. 225 in fatal case of malignant malaria, xiii. 388, 400, 411, 412, 415

in haemochromatosis, xxi. 125

in pregnancy, laevulose test in, xvii. 46

in progressive lenticular degeneration, xvii. 392

local infections of, van den Bergh's test in, xviii. 28

multiple nodular hyperplasia of (Hurley, L. E., and Cameron, G. R.), xx. 449-56 aetiology, xx. 452

case reports, xx. 450

microscopic sections, xx. 453

necrosis of, acute, calcium therapy in, xxiv. 439

new growth of, van den Bergh's test in, xviii. 22

organic defect in, as possible cause of insulin-resistance in diabetic, xxi. 364

Liver (cont.):

principal site of iron storage following oral administration, xxiii. 80

shrinkage of, in sprue, xxiii. 421

subacute atrophy: see Liver, multiple

nodular hyperplasia treatment: see Anaemias; Pernicious anaemia; Sprue, &c.

treatment of anaemias; critical review (Vaughan, J. M.), xxiii. 213-32 mode of action of active liver principle, xxiii. 226

see also Jaundice

Loewi adrenalin mydriasis test in the diagnosis of diseases of the pancreas, xiv.

London, changes in mortality from diabetes in, during the last 40 years, xx. 88

Lordosis and orthostatic albuminuria, xvi. 80, 82, 85, 90

Lovell, Reginald, and Ferguson, Fergus R. An investigation of primary lobar pneumonia in Manchester, 1925–7, xxii. 73–90

Low, G. Carmichael. Sprue: an analysis of 150 cases, xxi. 523-34

Lumbar puncture, effects of, on the course of disseminated sclerosis, xxiii. 370 repeated, and phosphorus content of the

cerebrospinal fluid, xvii. 296 in encephalitis lethargica, xv. 136

Luminous paint poisoning: see Radium poisoning

Lungs, abscess of, and hydatid disease, phrenic evulsion in, xxi. 471

carcinoma of, causing intestinal obstruction by secondary deposits (Barnard, W. G., and Elliott, T. R.), xxiii. 407-10

incidence of secondary metastases in, xxiii. 407

primary (Simpson, S. L.), xxii. 413-49 actiology, irritation by inhalation, xxii. 437

silicosis and other occupational causes, xxii. 437

age incidence, xxii. 417

and tuberculosis, xxii. 439 blood count, xxii. 424

diagnosis and differential diagnosis, xxii. 424

differential diagnosis from aneurysm, xxii. 428

from cerebral group, xxii. 427 from spinal group, xxii. 427

in pulmonary group, xxii. 425 duration, xxii. 417

errors of diagnosis, xxii. 425

incidence, alleged increase in, xxii. 430

is increased incidence apparent or real? xxii. 435

influenza as an aetiological factor, xxii. 436

leucocytosis in, xxii. 424 metastases, xxii. 415

Lungs (cont.):

mode of onset, xxii. 417
pathological complications, xxii. 416
pathology, xxii. 413
physical signs in the chest, xxii. 421
pleural effusions, xxii. 423

sex incidence, xxii. 417

statistics of main symptoms and signs, xxii. 417

symptoms, clubbing of fingers, xxii.
421

cough in, xxii. 418
cyanosis, xxii. 420
dilated veins, xxii. 420
dyspnoea, xxii. 419
haemoptysis, xxii. 419
oedema, xxii. 420
pain, xxii. 419
pressure effects, xxii. 421

pyrexia, xxii. 420 sputum, xxii. 418 tachycardia, xxii. 420

wasting, xxii. 419 syphilis and, xxii. 440

treatment, xxii. 430 value of radiological examination in diagnosis, xxii. 422

see also Bronchi, carcinoma of collapse of: see Artificial pneumothorax collapse of, diaphragmatic paralysis as a therapeutic measure in intrathoracic disease (Campbell, A. J.), xxi. 463–87 condition of, in lesions of the spinal cord, xiii. 299

contralateral disease of, in pneumothorax therapy, case reports, with details of intrapleural pressures, xix. 191

deflation of lobes, xiii. 299

diffuse infiltration of, and intense erythraemia, in case of malignant change developing in a tumour of the rectogenital pouch (Barnes, S., Thomson, A. P., and Lamb, F. W. M.), xix. 151–7 diseases of, and heart failure, xix. 128

seases of, and heart failure, xix. 128 collapse therapy: see Artificial pneumo-

thorax contralateral, development of, in artificial pneumothorax therapy (Davidson, M.), xix. 179–201

effect of diaphragmatic paralysis on, xxi. 465

effects of paresis, on, xiii. 299

expanison of, device for recording, xiii.

fibrosis of, phrenic evulsion in, xxi. 471 in chronic infection of the spleen, xvii. 196

in diffuse hyperplastic sclerosis, histology, xiv. 226

in post-diphtheritic paralysis, xiii. 293 inflammation of, in malaria, xiii. 25 massive collapse of, and malaria, xiii. 27,

(post-operative), mechanism of (Briscoe, J. C.), xiii. 293–335 section of phrenic nerve in, xiii. 297 Lungs (cont.):

tuberculous lesions, latent, apical lesions, xxii. 540

latent, as determined by Roentgenological and pathological investigation (Krestin, D.), xxii. 531-56 method employed, xxii. 532

latent, lesions as seen in radiograms of excised lungs, xxii. 533

lesions seen in radiograms of thorax taken after death, xxii. 537 peripheral focal lesions, xxii. 539 pleural lesions, xxii. 538 tuberculosis of tracheobronchial lymph nodes, xxii. 541

see also Pulmonary; Artificial pneumothorax, &c.

Lupton, Hartley, and Hill, A. V. Muscular exercise, lactic acid, and the supply and utilization of oxygen, xvi. 135–71

Lyall, Alexander. On the effect of protein in the diet of patients suffering from diabetes mellitus, xx. 115-22

Lymphadenoma: see Hodgkin's disease Lymphatics in spirochaetal jaundice, xiv. 154 Lymphoblastic erythrodermia: see Erythrodermia, lymphoblastic

Lymphocytes in peptone injections in septicaemia, xiv. 192

Lymphocytosis in radium workers, xxiv. 116 sepsis as cause of (Tidy, H. L.), xvii. 210-14

Lymphogranulomatosis maligna: see Hodgkin's disease

Lyon, D. Murray. Blood viscosity and blood-pressure, xiv. 398–408

Reaction to adrenalin in man, xvii. 19–36 The relation of pulse-rate to temperature in febrile conditions, xx. 205–18

Lysis, effect of, on coagulation time in haemophilia, xx. 494

see also Haemolysis

## M

MacAdam, William, and Bell, James R. Variations in gastric secretion of the normal individual, xvii. 215-24

 and Shiskin, Cecilia. Cholesterol content of the blood in anaemia, and its relation to splenic function, xvi. 193-203

McArthur, Catharine B., and Maizels, Montague. Acidaemia and alkalaemia in the diarrhoea and vomiting of infants, xxii. 581-610

 and Maizels, Montague. Alkalaemia in the diarrhoea of infants, xxiii. 171-4

McCance, Robert Alexander, and Watchorn, Elsie. Inorganic constituents of cerebrospinal fluid: 1. calcium and magnesium, xxiv. 371-9

McCrea, Edith F. W., and Raper, H. S. The treatment of certain forms of infantile atrophy with atmospheres enriched by oxygen and carbon dioxide, xxii. 269-

McDermott, E. N. Rat-bite fever: a study of the experimental disease, with a critical review of the literature, xxi. 433-58

Macedonia, malignant malaria in (Gaskell, J. F., and Millar, W. L.), xiii. 381-426 Mackay, W. The blood-platelet: its clinical significance, xxiv. 285-328

Mackey, Leonard, and Garrod, Sir A. E. On congenital porphyrinuria associated with hydroa aestivale and pink teeth, xv. 319-30

and Garrod, Sir A. E. A further contribution to the study of congenital porphyrinuria (Haematoporphyria congenita), xix. 357-73

Mackintosh, J. M., and Wilson, C. M.

Mustard gas poisoning, xiii. 201-40
MacLean, H., and Wesselow, O. L. V. de. The estimation of sugar tolerance, xiv.

McLeod, J. W., Ritchie, A. G., and Dottridge, C. A. Incidence of infections with Pfeiffer's bacillus before, during, and after the 1918 epidemic, xiv. 327-38

McLoughlin, G., and Harris, I. Viscosity of the blood in high blood-pressure, xxiii. 451 - 64

McMichael, John, and Sutherland, G. A. The pulse-rate and range in health and disease during childhood, xxii. 519-29

McNee, J. W. Clinical syndrome of thrombosis of the coronary arteries, xix. 44-52 Jaundice: a review of recent work; critical review, xvi. 390-420

Syphilis of the stomach, xv. 215–26 McSweeney, Chris. J. The clinical and epidemiological characteristics of variola minor and its differential diagnosis, xxiv. 487-97

McSwiney, B. A., Hemingway, A., and Allison, P. R. The extensibility of human arteries, xxi. 489-98

Madder experiments on growth of bones, xxiv. 408

on source of available calcium, xxiv. 409 Magnesium and calcium content of the cerebrospinal fluid (McCance, R. A.,

and Watchorn, E.), xxiv. 371-9 experimental results, xxiv. 374

historical, xxiv. 371 methods, xxiv. 373

source of cases and material, xxiv. 374 and calcium in some pathological sera

(Watchorn, E.), xviii. 288-93 and chlorine in the cerebrospinal fluid, xx. 178

content of the cerebrospinal fluid, xxiv. 372

of the cerebrospinal fluid after death,

of the cerebrospinal fluid, and serum magnesium, relation between, xxiv. 376

of the cerebrospinal and other body fluids (Cohen, H.), xx. 173-86 method employed, xx. 173

Magnesium (cont.):

of the cerebrospinal fluid, effect of increasing the magnesium content of the serum on, xx. 181

historical, xx. 173 in meningitis, xx. 177

of effusions, xx. 177

of human tissues, xx. 181

of the serum, xx. 175; xxiv. 372, 374 and cerebrospinal fluid magnesium, relation between, xxiv. 376

effect of increasing, on the magnesium content of the cerebrospinal fluid, xx. 181

normals, xviii. 290

of the ultrafiltrates, xxiv. 378 oxalate, solubility in water, xx. 175

salts, purgative action of (Cohen, H.), xix. 249 - 56

experimental results, xix. 251 sulphate, effect of intramuscular injection on magnesium content of serum, xix.

effect of oral administration on magnesium content of serum, xix. 251 urinary output of, xx. 2

Maizels, Montague, and McArthur, Catharine B. Acidaemia and alkalaemia in the diarrhoea and vomiting of infants, xxii. 581-610

-, and McArthur, Catharine B. Alkalaemia in the diarrhoea of infants, xxiii. 171-4 Malaria and pneumonia, concurrent, xiii.

27, 33 malignant, action of quinine on distribution of parasites, xiii. 405

agonal increase of parasites, xiii. 419 asexual forms of parasite, xiii. 396 blood counts in, xiii. 420

brain in fatal case, xiii. 385, 396, 410, 412

'cardiac' type, xiii. 409, 413 cases of recovery, xiii. 406

changes in blood cells in, xiii. 420

classification, xiii. 382

distribution of parasites in various organs, xiii. 390

evolution of crescent in brain of the cerebral type, xiii. 422 heart in fatal case, xiii. 388, 398, 411,

412, 414 histological changes in brain, xiii. 418

in heart, xiii. 420 in kidney, xiii. 419 in liver, xiii. 419

in spleen, xiii. 419

in stomach, xiii. 420 in Macedonia (Gaskell, J. F., and Millar, W. L.), xiii. 381-426 seasonal prevalence, xiii. 381 severity of the disease, xiii. 381

methods of investigation, xiii. 383 kidneys in fatal case, xiii. 389, 401, 411,

412, 415 liver in fatal case, xiii. 388, 400, 411, 412, 415

Malaria (cont.):

Malpighian bodies in, xiii. 398 occurrence of myelocytes in, xiii. 420 rate of disappearance of parasites under intravenous quinine treatment, xiii. 407

'septicaemic' type, xiii. 394 Serbian heart in, xiii. 413 spleen in fatal case, xiii. 387, 397, 410, 412, 414

stomach in fatal case, xiii. 390 'true cerebral' type, xiii. 382, 384 parasites in blood, quantitative analysis, xiii. 2

hiding places in the body, xiii. 421 predisposing cause in sprue, xxiii. 415 pulmonary manifestations in (Falconer, A. W.), xiii. 25-34

quinine as prophylactic in, xiii. 4 relapsing, xiii. 11

sedimentation-rate in, xx. 380 treatment of (Cowan, J., and Strong, R. H.), xiii. 1-24

treatment of disseminated sclerosis, xxiii.
379

Malignant disease: see Carcinoma Malignant growths: see Tumours

Malloch, Archibald. A study of pneumonias and types of pneumococci, xv. 103-13

— and Rhea, Lawrence J. Fatal bronchiolitis and broncho-pneumonia caused by B. influenzae of Pfeiffer during an interpandemic period, xiv. 125-38

Malpîghian bodies in malignant malaria, xiii. 398

Manchester, primary lobar pneumonia in, 1925-7 (Ferguson, F. R., and Lovell, R.), xxii. 73-90

Mania, sugar content of the cerebrospinal fluid, xv. 4

Manson-Bahr, Philip, and Willoughby, Hugh. Studies on sprue with special reference to treatment, xxiii. 411-42

Mantoux intradermal tuberculin reaction: see Tuberculosis, tuberculin reaction

Marasmus: see Infantile atrophy Marathon runners, blood-pressure in, xxiv.

cardiac enlargement in, xxiv. 335
circulatory mechanism in (Bramwell,
J. C., and Ellis, R.), xxiv. 329-46
electrocardiographic findings, xxiv. 342
glycogen balance, xxiv. 333
heart sounds in, xxiv. 343
oxygen debt, xxiv. 331
oxygen requirements, xxiv. 331
physical characteristics, xxiv. 329
see also Exercise

Marshall, A. J., Burton, J. A. G., Cowan, J., Kay, J. H., Rennie, J. K., Ramage, J. H., and Teacher, J. H. Four cases of fibrosis of the myocardium with electrocardiographic and post-mortem examinations, xxiii. 293–303 Marshall, F. W. The sugar-content of the

Marshall, F. W. The sugar-content of the blood in elderly people, xxiv. 257-84 Martin, J. P. The spasm of tetany considered as a disturbance of the physiology of muscle, xix. 311-21

Martin, P. H., and Newham, H. B. Further notes on the sedimentation-rate of erythrocytes, xxii. 145-52

Marxer, O. A., and Spriggs, E. I. Intestinal diverticula, xix. 1-34

Massage in treatment of rickets, xvi. 329
Maxwell, James. The blood cholesterol in
nephritis, xxi. 297-324

- and Nicholson, W. A. A clinical study of bronchial carcinoma, xxiv. 29-53

Mayrs, E. B. Functional pathology of nephritis, xix. 273-98

Meakins, J. C., Barcroft, J., Dryerre, H., Parsons, T. R., and Parsons, W. On the hydrogen-ion concentration and some other properties of the blood from two cases of autotoxic enterogenous cyanosis, xix. 257-72

Meat extract, effect on gastric juice, xxiv.

effect on gastric juice with oil given previously, xxiv. 139 secretory response of the stomach to, xix. 467

Media: see Coronary arteries; Heart disease, rheumatic

Mediastinal glands, relation of lung focus in pulmonary tuberculosis in children to, xiii. 72

tuberculosis of, xiii. 80

Medulloblastoma, xxiv. 595 frequent absence of nystagmus in, xxiv. 627

Megakaryocyte, xxiv. 289, 290, 291 Megaloblastic hyperplasia associated with

anaemia, xxiii. 226
Mellanby, E., and Cowell, S. J. The effect of

iodine on hyperthyroidism in man, xviii. 1-18

Membrane formation in trachea in mustard

gas poisoning, xiii. 208

Mandalian inharitanca in various diseases

Mendelian inheritance in various diseases, xix. 341

Mendelian laws of inheritance and simple goitre, xx. 310

Mendelian principles involved in the mode of inheritance of hereditary ataxia (Brain, W. R.), xviii. 351–8

Meninges, carcinomatosis of, xxiv. 603 inflammatory changes in, in disseminated sclerosis, xxiii. 352

Meningioma, clinical characteristics, xxiv. 599
histogenesis, xxiv. 597
localization of meningiomata, xxiv. 598
origin of the dural endothelioma, xxiv.

598

suprasellar, xxiv. 603

Meningitis, acute, sugar content of the cerebrospinal fluid, xv. 7

cerebrospinal: see Cerebrospinal meningitis

magnesium content of cerebrospinal fluid in, xx. 177

Meningitis (cont.):

meningococcal: see Meningococcal meningitis

pneumococcal: see Pneumococcal meningitis

pneumococci found in, xv. 112

syphilitic: see Syphilitic meningitis tuberculous: see Tuberculous meningitis

Meningococcal meningitis, sugar content of cerebrospinal fluid, xv. 4

Meningomyelitis of gonorrhoeal origin, xv. 78

Menopause, relationship to the onset of Graves' disease, xxii. 229

Menstruation in adolescent goitre, xviii. 136 in pituitary obesity in adolescence, age of onset, xviii. 317

onset of, relation of onset of goitre to, xviii. 137

relationship of, to the onset of Graves' disease, xxii. 225

Mental characteristics in exophthalmic goitre, xv. 57

Mental states in gonorrhoeal infection of the nervous system, xv. 70

Mercury, perchloride of, in malaria, xiii. 23 Mesenteric glands, tuberculous, xiii. 80

Mesopotamian force, beri-beri in (Sprawson, C. A.), xiii. 337–55

Metabolic responses after administration of adrenalin, xvii. 25, 26

Metabolism after administration of adrenalin, xvii. 25, 28

basal: see Basal metabolism

bed, xvi. 64

calcium: see Calcium metabolism

calcium and phosphorus, and the parathyroids in health and disease; critical review (Hunter, D.), xxiv. 393–446

calcium and phosphorus (Telfer, S. V.):
part 4: The influence of free fatty acids
in the intestine on the absorption
and excretion of the mineral elements, xx. 1-6

part 5: Infantile rickets. The excretion and absorption of the mineral elements and the influence of fats in the diet on mineral absorption, xx. 7-25

endogenous, relation of the basal metabolic rate to, xx. 203

fat and carbohydrate, relation of, xx. 77 gaseous, and renal glycosuria, xvii. 266 in infantile atrophy, carbohydrate absorption, xiv. 184

carbohydrate tolerance, xiv. 183 control experiments with alcohol, xiv.

heat production, xiv. 178

method of carrying out an experiment, xiv. 174

method of determining respiratory exchange, xiv. 172

respiratory exchange in children, xiv. 175

respiratory quotients, xiv. 178

Metabolism (cont.):

with special reference to the respiratory exchange (Fleming, G. B.), xiv. 171– 86

in pituitary obesity in adolescence, xviii. 317

in tetany (Findlay, L., and Sharpe, J. S.), xiii. 433-6

methods, xiii. 436

in the under-nourished infant (Fleming, G. B., and Hutchison, H. S.), xvii. 339-57

insulin does not increase, xx. 75

lead and calcium, parallelism between, xx. 124

phosphorus: see Phosphorus metabolism total, insulin regulation of, xx. 81 see also Carbohydrate

Methylguanidin and adult tetany: metabolic study (Findlay, L., and Sharpe, J. S), xiii. 433-6

method of investigation, xiii. 436

Microglia, xxiv. 590

Milk, secretory response of the stomach to, xix. 464

Milk fever of cows, calcium therapy in, xxiv.

Millar, W. L., and Gaskell, J. F. Studies on malignant malaria in Macedonia, xiii. 381-426

Miller, Hugh, Burton, J. A. G., and Cowan, John. Generalized myositis fibrosa, with the report of a case, xvii. 103– 11

Miller, James, and Rutherford, Andrew. Liver atrophy, xvii. 81-102

Miller, Reginald, and Perkins, Herbert. Congenital steatorrhoea, xiv. 1-9

Miller, S., and Smith, F. B. An investigation of gastric function in chronic arthritis and fibrositis, xx. 271-83

Mineral elements, absorption and secretion of, influence of free fatty acids in the intestine on (Telfer, S. V.), xx. 1-6

excretion and absorption of, and the influence of fats in the diet on mineral absorption (Telfer, S. V.), xx. 7-25

Mitral stenosis and syphilis, xv. 37

arterial carbon dioxide pressure in, xxii. 6

as complication of acute rheumatism, xiii. 365

circulation rate in, xxi. 278

incidence of, in aetiology of exophthalmic goitre, xv. 59

relative incidence of embolism in, with and without auricular fibrillation, xxiii. 314

Mitral valves in chronic infective endocarditis, xvi. 274

Mitral ventriculo-diastolic murmurs in auricular fibrillation treated with quinidine, xvi. 227

Moncrieff, Alan. The clinical interpretation of the intradermal tuberculin reaction, xxiv. 153-70

Mongolian idiocy and cretinism, respiratory exchange in (Fleming, G. B.), xvi. 11-21 basal metabolism compared, xvi. 17 basal metabolism in mongolism, xvi. 15 as an index of nutrition, xvi. 18 effect of thyroid treatment, xvi. 17

Morbus cordis : see Heart disease Morphine, action of, on the bronchi, xiii. 126 Mouse method in determining type of or-

ganism in pneumonia (lobar), xv. 105 Mouth in congenital porphyrinuria, xix. 383

Mucous membranes, neurofibromatosis of, xxiii. 155

Mucus, alkali content of, xxi. 13 chloride content of, xxi. 14

Murmurs: see Heart sounds and murmurs Muscle, calcium content of, in experimental

rickets in dogs, xiv. 352, 356, 359 chemical physiology of, xix. 314 contraction, xix. 315 recovery, xix. 316

relaxation, xix. 315 iron content of, in haemochromatosis, xxi.

physiology of, spasm of tetany considered as a disturbance of (Martin, J. P.), xix. 311 - 21

tonus, loss of, in relation to aetiology of movable kidney, xvi. 304

Muscles, anaerobic mechanism of discharge, xvi. 140

heat production in, xvi. 139 hydrogen acceptor in, xvi. 169 inflammatory affections of, classification of, xvii. 106

oxidative mechanism of recovery, xvi.

oxygen requirements of, xvi. 137 in progressive lipodystrophy, xviii. 234 role of lactic acid in, xvi. 137

voluntary, disorders involving, diagnostic value of dextrose-tolerance curves in, xx. 466

see also Abdominal muscles Muscular activity: see Exercise

Muscular effort, associated with auricular

fibrillation, xxii. 241 limitation of, and its relation to cardiac failure (Clark-Kennedy, A. E., and Owen, T.), xx. 383-430

and its relation to cardiac failure, alterations in respiratory exchange during exercise due to lactic acid acidosis, xx. 416

alterations in the respiratory exchange during exercise with increase and decrease of the oxygen pressure, xx.

description of experiments, xx. 395 experimental methods, xx. 389 lactic acid and muscular effort, xx. 384 limitation of voluntary effort, xx. 416 mechanism of heart failure, xx. 420 reserve force, xx. 385 respiratory exchange, xx. 392

Muscular effort (cont.):

respiratory exchange at increasing rates of work, xx. 401, 408 respiratory exchange at the same rate of work, xx. 403 see also Exercise

Muscular exercise: see Exercise

Muscular fatigue and exhaustion, relation of hypoglycaemia to, xx. 467 Muscular rheumatism as symptom of gastro-

intestinal disturbance, xxiii. 29 Muscular rigidity and creatine (Hirst, M., and Imrie, C. G.), xxi. 401-18

in encephalitis lethargica, xviii. 161 (Parkinsonian) and creatinuria, xxi. 402 a clinical and instrumental study of the effect of stramonium, hyoscine, and other alkaloids (Carmichael, E. A., and Green, F. H. K.), xxii. 51 - 64

comparison of therapeutic effects of hyoscine and stramonium, xxii. 59 comparison of therapeutic effects of stramonium and its individual alkaloids, xxii. 62

creatinuria of, influence of thyroid feeding on (Hirst, M., and Imrie, C. G.), xxii. 153-65 effect of thyroid administration on,

xxii. 157

dosage and toxic effects of stramonium, xxii. 60 effect of hyoscine injected subcut-

aneously, xxii. 57 effect of hyoscine by mouth, xxii. 57 effect of stramonium on, xxii. 57

post-encephalitic, and creatinuria, .xxi.

creatine output in, xxi. 140 nitrogenous metabolism in (Hirst, M., and Imrie, C. G.), xxi. 139-51 uric acid excretion in, xxi. 140

see also Encephalitis lethargica

Muscular wasting in disseminated sclerosis. xxiii. 376

Mustard gas poisoning, abscess formation and necrosis in, xiii. 211 analgesia, hysterical, in, xiii. 207

aphonia, functional, following, xiii. 204 bacteriology, xiii. 216 blood in, xiii. 223

blood-pressure in, xiii. 223 bronchiectasis in, xiii. 213

bronchitis and broncho-pneumonia in, xiii. 209

burns in, xiii. 226 case histories, xiii. 182-8, 190-4 'effort syndrome' in, xiii. 227 eye conditions in, xiii. 205

eye effects in, xiii. 220 false membrane formation in, xiii. 208

fever in, xiii. 230 functional nervous disease associated with, xiii. 202 gangrene from, xiii. 212

gastro-intestinal tract in, xiii. 220

Mustard gas poisoning (cont.):
heart enlargement, xiii. 227
kidneys in, xiii. 224
laryngeal complications, xiii. 208
mortality from, xiii. 236
necrosis formation in, xiii, 211
organic effects, xiii. 208
period of invalidism in, xiii. 236
photophobia following, xiii. 204, 205, 206
pleurisy in, xiii. 211
pulmonary apoplexy in, xiii. 215
respiratory tract complications, xiii, 208
sequelae of, xiii. 237

temperature charts in, xiii. 214–19 toxaemia in, xiii. 232 vomiting in, xiii. 220

Myalgia as a symptom of gastro-intestinal disturbance, xxiii. 29

Myasthenia gravis, carbohydrate metabolism in, xv. 274 creatinuria and glycosuria in (Williams, B. W., and Dyke, S. C.), xv. 269-

B. W., and Dyke, S. C.), xv. 269-78 method employed, xv. 269

diagnostic value of dextrose-tolerance curves in, xx. 466 Myelitis, acute, associated with acute optic

neuritis, xxiii. 382 gonorrhoeal, xv. 78 Myeloblastic leukaemia, acute, changes in

blood-platelet picture in, xxiv. 297

Myelocytes in peptone injections in septi-

caemia, xiv. 192 occurrence of, in malignant malaria, xiii.

420 Myelocythaemia, acute, and chloroma (Goodall, A., and Alexander, W. A.),

xvii. 113–28
acute, blood changes in, xvii. 125
case reports, xvii. 113–24
deposits of haemosiderin in, xvii. 125
incidence of, xvii. 124

Myeloid leukaemia, chronic, changes in blood-platelet picture in, xxiv. 297 gastric juice in, xvi. 130

Myelomatosis, haematogenous, xxiv. 415 haematogenous, with parathyroid hyperfunction, xxiv. 416

Myocardial disease in relation to aetiology of paroxysmal auricular fibrillation, xxiv. 71

Myocardial failure, primary, and heart failure with normal rhythm, xix. 132 high blood-pressure and, xix. 133

Myocardial infarction and fibrosis, ventricular complexes in (Gilchrist, A. R., and Ritchie, W. T.), xxiii. 273-92

anatomical evidence with 2 case reports, xxiii. 285

R-T deviation, xxiii. 274 T wave, xxiii. 276, 293-303

Q deflexion, xxiii. 282

Myocarditis, acute, and acute heart-block in acute rheumatism, xiii. 371

Myocardium and syphilitic infection, xv. 30 fibrosis of, four cases: with electrocardiographic and post-mortem examinations (Burton, J. A. G., Cowan, J., et al.), xxiii. 293-303

in aneurysmal dilatation of left auricle, xxi. 201

in acute rheumatism, xiii. 363

toxic action of quinidine on, xvi. 213

Myoclonus in encephalitis lethargica, xv. 134; xviii. 160

Myokymia in encephalitis lethargica, xviii. 160

Myopia and polycystic disease of the kidneys, relationship between, xviii. 370

hereditary, associated with polycystic disease of the kidneys, xviii. 387

Myositis, classification of, xvii. 106
Myositis fibrosa, generalized (Burton,
J. A. G., Cowan, J., and Miller, H.),
xvii. 103-11

generalized (condition ten years after onset) (Burton, J. A. G., Cowan, J., and Fleming, J.), xxiv. 369-70

generalized form, xvii. 108 histological appearances, xvii. 110 localized form, xvii. 107

Myotonia, tetany closely related to, xix. 312 Myxoedema, basal metabolism in, xv. 337; xviii. 329

blood-sugar curves in, xviii. 328 blood-sugar curves in treated cases, xviii.

carbohydrate tolerance in (Gardiner-Hill, H., Brett, P. C., and Smith, J. F.), xviii. 327–34

circulation rate in, xxi. 285

#### N

Nasopharynx, inflammation of, simple, in the adenoid child, xvii. 167

Nattrass, F. J., and Hume, W. E. The late effects of war nephritis, xxi. 1-6

—, Hume, W. E., and Shaw, A. F. B. Twenty cases of encephalitis lethargica, xv. 131–43

Necrosis formation in mustard gas poisoning, xiii. 211

Nephritis, acute, blood cholesterol in, xxi.

acute, in relation to diffuse hyperplastic sclerosis, xiv. 260

interstitial, in relation to diffuse hyperplastic sclerosis, xiv. 262

late effects of war nephritis (Hume, W. E., and Nattrass, F. J.), xxi. 1-6

parenchymatous, in relation to diffuse hyperplastic sclerosis, xiv. 260 suppurative, in relation to diffuse hyper-

plastic sclerosis, xiv. 261 see also Nephrosis, lipoid

and nephrosis, discussion of separate entity, xxiii. 114

Nephritis (cont.):

associated with oedema, pathology of (Dyke, S. C.), xviii. 77-92

azotaemic (chronic interstitial), functional pathology, xix. 289

without oedema, excretion of chlorides, xix. 62

basal metabolism in, xxiii. 113 blood cholesterol in (Maxwell, J.), xxi. 297–324; xviii. 405

effect of uraemia in, xxi. 315 blood-pressure, raised, and, xvi. 357 blood-sugar curve in, xiv. 317; xv. 46 blood-urea in, xvi. 344, 345

calcium and phosphorus in the blood in (Wesselow, O. L. V. de), xvi. 341-62 cholesterol metabolism of, xxiii. 110

chronic, associated with intracranial haemorrhage in infancy and childhood, xx. 360

auricular flutter in, xxi. 29 blood-pressure in, xxi. 6

interstitial, blood cholesterol in, xxi. 317 in relation to diffuse hyperplastic sclerosis, xiv. 270

parenchymatous and chronic, blood cholesterol in, xxi. 306

in relation to diffuse hyperplastic sclerosis, xiv. 264

classification of, xix. 274
creatinin estimations in the blood in, xv.
46

diastase estimations in urine and blood in, xvii. 154, 158

effect of high protein diet on albuminuria and blood urea in (Wordley, E.), xiv. 88–101

method used, xiv. 89

effect of mineral acid on acid-base regulation in health and, (Linder, G. C.), xx. 285–302

methods and materials, xx. 287 excretion of creatinine in, xxiv. 578

excretion of creatinine by the human kidney in health and (Cope, C. L), xxiv. 567-85

methods, xxiv. 570

focal embolic, in relation to diffuse hyperplastic sclerosis, xiv. 261

functional pathology of (Mayrs, E. B.), xix. 273-98

hydraemia in, xvi. 352

hydraemic, causation of albuminuria in, xix. 287

(chronic parenchymatous), albuminuria in, xix. 275

functional pathology of, xix. 275 oedema in, xix. 276

reduction in volume of urine, xix. 285

retention of chloride in, xix. 286 colloid osmotic pressure in, xix. 284 hyperalgesic areas in, xiii. 251 interstitial (in children): see also Renal

dwarfism

liver treatment in, xxiii. 223

Nephritis (cont.):

non-protein nitrogen estimations in the blood, xv. 46

osmotic pressure of the blood proteins in (Cope, C. L.), xxii. 91–105 method and clinical material, xxii. 92

parenchymatous, evidence of, in a diabetic pregnant woman, xxii. 195 phosphate content of the blood in, xvi. 346

phosphate retention in, xvi. 354

phosphorus and calcium of the blood in (Wesselow, O. L. V. de), xvi. 341-62 methods of estimation, xvi. 343, 344

renal function tests in: excretion of potassium iodide in the urine, xv. 227 method of investigation, xv. 228 see also Renal efficiency

serum calcium content, xvi. 349, 356; xix. 241

solids, xvi. 344

sub-acute, and orthostatic albuminuria, xvi. 84

sub-acute parenchymatous: see also Nephrosis, lipoid

treatment, xvi. 358

uraemia in, xvi. 352

urea nitrogen estimations in the blood,

xv. 46
uric acid estimations in the blood in, xv.
46

war, inquiry into the more remote prognosis (Dyke, S. C.), xv. 207-14 mortality, xv. 207

relationship of haematuria to, xiii. 107 with oedema, excretion of chlorides, xix. 65 see also Kidney disease; Kidneys, &c.

Nephropexy: see Kidney, fixation of Nephrosis and nephritis, discussion of separate entity, xxiii. 114

biochemical commentary,

1. Urine

(a) volume, xxiv. 251

(b) urea, xxiv. 252

(c) protein content, xxiv. 252

(d) blood, xxiv. 252
 (e) lipoids, xxiv. 252

2. Blood

(a) nitrogen content, xxiv. 252

(b) chlorides, phosphorus, calcium, xxiv. 252

(c) cholesterol, xxiv. 252
(d) plasma proteins, xxiv. 252
3. Oedema fluid, xxiv. 253

4. Basal metabolic rate, xxiv. 253 case histories of three fatal cases, xxiv. 241-51

clinical commentary, xxiv. 251

conception of: observations on three fatal cases (Bennett, T. I., Dodds, E. C., and Robertson, J. D.), xxiv. 239–55

fate of thyroxin in the treatment of (Platt, R.), xxiii. 129-33 description of cases, xxiii. 131 details of experiments, xxiii. 133 Nephrosis (cont.):

histological commentary, xxiv. 253 lipoid, albuminuria and plasma protein

changes, xxiii. 103 anaemia, xxiii. 113

blood cholesterol in, xxiii. 106

disturbance of cholesterol metabolism and distribution, xxiii. 105

oedema in, xxiii. 113

study of (Gainsborough, H.), xxiii. 101–27

urine cholesterol in, xxiii. 109

post-mortem findings in three fatal cases, xxiv. 242, 247, 249

Nerve irritation and aortic lesions: experimental study (Shaw, R. C.), xix. 203-22

results of depressor irritation, xix. 218 results of previous investigations, xix. 204 results of sympathetic irritation, xix. 216 results of vagal irritation, xix. 213

Nerve-roots, cranial and spinal, pathological changes in disseminated sclerosis, xxiii.

Nerve trunks, neurofibromatosis of, xxiii. 154

Nervous system, central, in gonorrhoeal infection, xv. 72

central, iron content of, in haemochromatosis, xxi. 130

diseases of, sugar content of cerebrospinal fluid, xv. 7

gonorrhoeal complications of, statistics, xv. 96

gonorrhoeal infection of, eye conditions in, xv. 73

psychopathy, xv. 70

in encephalitis lethargica, xv. 133 interstitial cells of, histogenesis, xxiv. 589 results of gonorrhoeal infection of (O'Connor, E.), xv. 69–102

syphilis of: see Neuro-syphilis Neuralgia, gonorrhoeal, xv. 91

Neurasthenia and gonorrhoeal infection, xv.

Neuritis, gonorrhoeal, xv. 91 peripheral: see Peripheral neuritis

Neuroblastoma, xxiv. 606

Neurofibromatosis of the mucous membranes, viscera, and sympathetic and parasympathetic nerves, xxiii. 155 of the nerve trunks, xxiii. 154

osseous and periosteal, manifestations of, xxiii. 155

periosteal, bibliographical references and notes, xxiii. 161

case history, xxiii. 156

cutaneous fibromata in, xxiii. 152 cutaneous pigmentation in, xxiii. 152 with a short consideration of the whole subject of neurofibromatosis (Weber,

F. P.), xxiii. 151-65 Neuroma, plexiform, xxiii. 154

Neuromyelitis optica, xxiii. 382 and disseminated sclerosis, differential diagnosis, xxiii. 383

Neuro-syphilis, serological diagnosis of; a critical analysis of certain laboratory methods applied to the cerebrospinal fluid in (Watson, H. F.), xix. 431-53

results, xix. 437

serological diagnosis of, cytology, xix.
435

foam test, xix. 435

globulin tests, xix. 432 Lange reaction, xix. 433

Wassermann reaction, xix. 437

Wassermann reaction with cerebrospinal fluid, xix. 431

Newham, H. B. The sedimentation-rate of erythrocytes in certain tropical diseases, xx. 371-82

- and Martin, P. H. Further notes on the sedimentation-rate of erythrocytes, xxii. 145-52

Nicholson, W. A., and Maxwell, James. A clinical study of bronchial carcinoma, xxiv. 29-53

Nitrogen absorption in healthy and marasmic children, xvii. 344

equilibrium, attainment of, xx. 119

excretion and metabolic rate, relation between, xx. 203

effect of thyroid administration on, xxii. 158

non-protein, estimations of, in the blood, xv. 44

output in marasmus, xvii. 346 retention in marasmus, xvii. 345

Nitrogenous balance in a diabetic pregnant woman, xxii. 197

Nitrogenous metabolic products in the blood under physiological and pathological conditions (Höst, H. F., and Hatlehol, R.), xv. 43-54

Nitrogenous metabolism in post-encephalitic rigidity (Hirst, M., and Imrie, C. G.), xxi. 139-51

Nitroso-bacillus in sulphaemoglobinaemia, xix. 87

Nocturnal enuresis, basal metabolism in, xv. 342

Nodal rhythm in acute rheumatism, xiii. 372

Nutrition, basal metabolism as an index of, xvi. 18

Nystagmus in encephalitis lethargica, xv. 133

0

Obesity, blood-sugar curve in, xxi. 332 carbohydrate metabolism in, xxi. 330

clinical and metabolic study in (Goldblatt, M. W., Smith, J. F., and Gardiner-Hill, H.), xxi. 325-43 classification of cases, xxi. 328

endogenous, xxi. 329 carbohydrate metabolism in, xxi.

respiratory quotient in, xxi. 336

Obesity (cont.):

exogenous, blood-sugar curve in, xxi. 333

historical, xxi. 325

of suspected pituitary origin, diagnostic value of dextrose-tolerance curve in, xx. 463

pituitary, in adolescence (Gardiner-Hill, H., Jones, I., and Smith, J. F.), xviii. 309-26 actiology and age of onset of obesity,

xviii. 311

bone development and epiphyseal fusion, xviii. 315

comparison of height with average standards, xviii. 314

comparison of weight with normal standards, xviii. 311

general development and genital function, xviii. 316

growth, xviii. 313

metabolism, basal and carbohydrate, xviii. 317, 318

ophthalmic findings, xviii. 313

presence or absence of pituitary tumour, xviii. 312 respiratory quotient, xviii. 320

review of experimental evidence, xviii. 309

treatment and results, xviii. 322 type and distribution of obesity, xviii. 310

respiratory quotient in, xxi. 331 Occipital lobe, tumours of, xxiv. 629

Occupation in relation to aetiology of bronchial carcinoma, xxiv. 32

O'Connor, E. Results of gonorrhoeal infection of the nervous system: critical review, xv. 69-102

Oedema and inflammatory exudates, effect of calcium therapy, xxiv. 440

associated with nephritis, pathology of (Dyke, S. C.), xviii. 77-92

in bronchial carcinoma, xxiv. 40

in hydraemic (chronic parenchymatous) nephritis, xix. 276

in nephrosis, xxiii. 113

in primary carcinoma of the lung, xxii. 421 renal, blood cholesterol in, xxi. 319

Oesophagus, abnormalities of, xvii. 62 anti-regurgitation reflex of, xvii. 61 effect of diaphragmatic paralysis on, xxi. 466

hypertrophy and dilatation: see also Achalasia of the cardia

in achalasia of the cardia, xxiii. 497 nerve supply, xxiii. 494

pain in, xvii. 62

pain in, in sprue, xxiii. 419

methods of experiments, xvii. 58

Oil, effect on gastric secretion and motility
(Roberts, W. M.), xxiv. 133-52

effect on gastric secretion and motility, comparison of the inhibitory efficiency of different oils and of related substances, xxiv. 133 Oil (cont.):

effect of oil in cases of achlorhydria, xxiv. 145

effect of oil in the presence of different secretory stimuli, xxiv. 138

effect of oil on the component gastric secretions, xxiv. 141 inhibitory efficiency of higher fatty

acids, xxiv. 135 inhibitory efficiency of liquid paraffin,

xxiv. 137 variations in effect of oil due to differ-

ent methods of administration, xxiv. 144

relative inhibitory efficiency of, in gastric secretion and motility, xxiv. 134 secretory response of the stomach to, xix.

Oil-test breakfast in diagnosis of diseases of the pancreas, xiv. 64

Oligodendroglia, xxiv. 590

Oligodendroglioma, xxiv. 596, 597

Oilve oil, therapeutic use to reduce gastric acidity, xxiv. 133

Ophthalmoplegia as a symptom of encephalitis lethargica, xiv. 295

Ophthalmoscopic appearances in pituitary tumours, xxiv. 620

Optic chiasma, glioma of (primary), xxiv. 603, 622

Optic neuritis, acute, associated with acute myelitis, xxiii. 382

in encephalitis lethargica, xv. 133 Orchitis, hyperalgesic areas in, xiii. 251

Osler's nodules in chronic infective endocarditis, xvi. 267

Osman, A. Arnold, and Close, Harold G. Acidosis and debility; a contribution to the study of the state of the 'soil' disposing to disease, xxiii. 393-405

Osmotic pressure, colloid, xix. 277
of the blood proteins in nephritis (Cope,
C. L.), xxii. 91-105
method and clinical material, xxii. 92
protein, xix. 277

Ossification, physico-chemical mechanism of, xxiv. 399

Osteitis deformans, xxiv. 433 Osteitis fibrosa, focal, xxiv. 415

generalized, xxiv. 409 pathogenesis of, xxiv. 413

pathogenesis of, xxiv. 413 hyperparathyroidism, in, xxiv, 411

Osteogenesis imperfecta, xxiv. 434 Osteomalacia, xxiv. 425

clinical features, xxiv. 425 economic factors responsible for, xxiv. 426 pathogenesis of, xxiv. 425

Osteopathy, hunger, xxiv. 428

Osteoporosis in exophthalmic goitre, xxiv.

Otitis media, hyperalgesic areas in, xiii. 248 Otorrhoea and the tonsil-adenoid operation, xxii. 112

Otosclerosis, xxiv. 435

Ovarian extract producing fall in serum calcium, xxiv. 476

Owen, Trevor, and Clark-Kennedy, A. E.

The limitation of muscular effort and
its relation to cardiac failure, xx. 383430

Oxidation in the body, function of, xvi. 136 Oxidative factor in muscular fitness, xvi. 166

Oxygen administration, continuous, in treatment of chronic cases of gas poisoning (Barcroft, J., Hunt, G. H., and Dufton, D.), xiii. 179–200

and carbon dioxide enriched atmospheres in the treatment of certain forms of infantile atrophy (McCrea, E. F. W., and Raper, H. S.), xxii. 269–79

methods and results, xxii. 270 capacity of the blood-colouring matter in pathological conditions (Engelkes, H.), xxii. 507-17

chamber at Guy's Hospital, description of, xx. 170

chamber, effect on breathless subjects of residence in (Campbell, J. M. H., and Poulton, E. P.), xx. 141–72

consumption after administration of adrenalin, xvii. 25

and pulmonary ventilation in pulmonary tuberculosis, and the effect of the respiratory quotient on the relation between pulmonary ventilation and oxygen consumption (Williamson, R.), xxi. 371–82

per minute during and after exercise, xx. 52

(total) during and after exercise in chronic bronchitis, xx. 50

debt and lactic acid, xvi. 147

in marathon runners, xxiv. 331 effect of breathing oxygen on respiration in various diseases, xx. 143

influence on the pulse-rate, xx. 164 intake and speed, relation between, in

running, xvi. 155 maximum intake in muscular activity, xvi. 152

percentage of inspired air absorbed in the form of, xx. 59

requirement and speed, relation between, in running, xvi. 159

requirements in marathon runners, xxiv. 331

requirement of work, xx. 385

supply and utilization of, muscular exercise, lactic acid and (Hill, A. V., and Lupton, H.), xvi. 135-71

treatment in chronic bronchitis, respiration with and without, xx. 154 type of respiration during, xx. 150

#### P

Pachydermatocele, xxiii. 154, 159
Pain as a symptom in paroxysmal auricular fibrillation, xxiv. 77
in cardia, methods of experiment, xvii. 59
in disseminated solerosis, xxiii. 375

Pain (cont.):

in duodenum and jejunum, xvii. 69 in oesophagus, methods of experiment, xvii. 57

in stomach, methods of experiment, xvii. 66

in symptomatology of bronchial carcinoma, xxiv. 36

visceral, in upper alimentary tract (Payne, W. W., and Poulton, E. P.), xvii. 53-80

Pallor as symptom in chronic infective endocarditis, xvi. 264

Palpation in bronchial carcinoma, xxiv. 43
Palpitation as a symptom of paroxysmal
auricular fibrillation, xxiv. 76

Pancreas, carcinoma of head of, van den Bergh's test in, xviii. 22

diagnosis of diseases of, azotorrhoea and creatorrhoea in, xiv. 61 Cammidge 'pancreatic' reaction in, xiv.

67
clinical features, xiv. 59
diastese content of urine in xiv. 64

diastase content of urine in, xiv. 64 diastase in, xiv. 63 diet in, xiv. 61

glucose tolerance test in, xiv. 68 Loewi adrenalin mydriasis test in, xiv. 68

oil-test breakfast in, xiv. 64 steatorrhoea in, xiv. 62 summary of cases, xiv. 81

value of methods used in selected cases, xiv. 69

with special reference to diastase in the urine (Wallis, R. L. M.), xiv. 57-87

diseases of, gastric juice in, xvi. 125 congenital, histopathology of pancreas in, xvii. 362

histopathology of liver in, xvii. 363 post-mortem examination, xvii. 360 with infantilism (Clarke, C., and Hadfield, G.), xvii. 358-64

functional activity of, methods used for testing, xiv. 60

histopathology of, in congenital pancreatic disease, xvii. 362

in diffuse hyperplastic sclerosis, histology, xiv. 225

in haemochromatosis, xxi. 125 iron content of, xxi. 129

in sprue, xxiii. 424

physiology and biochemistry of, xiv. 57 (post-mortem) in congenital pancreatic disease, xvii. 360

Panton, Philip N., and Sequeira, James H. Lymphoblastic erythrodermia, xviii. 250-60

Papilloedema a sign of increased intracranial pressure, xxiv. 614

Paradoxical embolism (Thompson, T., and Evans, W.), xxiii. 135-50

and pulmonary embolism, relationship between, xxiii. 145 diagnosis, xxiii. 148 Paradoxical embolism (cont.): infective or septic embolus, xxiii. 142 site, xxiii. 143

thrombosis as cause, xxiii. 137 tumour embolus, xxiii. 140

types of, xxiii. 137
with blood-clot lodged in foramen ovale:
a case (Barnard, W. G.), xxiii. 305-7

Paraesthesiae in disseminated sclerosis, xxiii. 375

Paraffin, liquid, inhibitory efficiency on gastric secretion and motility, xxiv. 137

Paralysis, diaphragmatic: see Diaphragmatic paralysis
post-diphtheritic, xiii. 293
see also Paresis

Paranoid dementia, sugar content of the cerebrospinal fluid, xv. 5

Paraplegia and cauda equina symptoms in lymphogranulomatosis maligna (Hodgkin's disease) (Weber, F. P.), xvii. 1-5 high, abdominal muscles in, xiii. 311

Pararenal fat, xvi. 295
Parasites in the blood in malignant malaria,

quantitative analysis, xiii. 2
Parasympathetic nerves, neurofibromatosis

of, xxiii. 155

Parathyroid, administration of, effect on the serum calcium (Stewart, C. P., and

Percival, G. H.), xx. 349-52

Parathyroid extract, effect in lead poisoning, xxiv. 436

effects of, xxiv. 401

on the blood, xx. 133; xxiv. 402

on the bones, xxiv. 407

on calcium excretion, xx. 136; xxiv. 402

on lead excretion, xx. 136

on phosphorus metabolism, xxiv. 403 overdosage with, xxiv. 404

in lead poisoning, therapeutic significance, xx. 138 overdosage, xx. 134

in treatment of parathyroid tetany, xxiv. 470

see also Parathyroid hormone

Parathyroid feeding, effect of, in pathological variations in the serum calcium, xix. 237

Parathyroid glands and calcium excretion, xx. 124

and thyroid gland, action contrasted, xxiv. 418

in health and disease, metabolism of calcium and phosphorus and (Hunter, D.), xxiv. 393–446

Parathyroid hormone, effect of, on the excretion of lead and of calcium in lead poisoning (Hunter, D., and Aub, J. C.), xx. 123-40

laboratory methods, xx. 126 ward methods, xx. 125

Parathyroid tetany: see Tetany, parathyroid Parathyroid tumour, relation to changes in bone, xxiv. 410 Parathyroidism: see also Hyper- and Hypoparathyroidism

Parenchymatous goitre, basal metabolism in, xv. 336

Paresis, effects of, on lung, xiii. 299 see also Paralysis

Parietal type of breathing, xiii. 318, 319
Parkinson, John, and Bedford, D. Evan.
The course and treatment of auricular flutter, xxi. 21-50

and Campbell, Maurice. Quinidine treatment of auricular fibrillation, xxii. 281–303

 and Campbell, Maurice. Paroxysmal auricular fibrillation: a record of 200 patients, xxiv. 67-100

— and Clark-Kennedy, A. E. Heart failure with normal rhythm, xix. 113-50

 and Cookson, Harold. The size and shape of the heart in goitre, xxiv. 499– 532

-, Gosse A. Hope, and Gunson, E. B. The heart and its rhythm in acute rheumatism, xiii. 363-79

Parkinsonian rigidity: see Muscular rigidity
Parkinsonian syndrome: see Post-encephalitic

Parotitis, hyperalgesic areas in, xiii. 248 Paroxysmal auricular fibrillation, xv. 18 aetiology, xxiv. 70

drugs and chemical agents, xxiv. 73 goitre, xxiv. 71 high blood-pressure, xxiv. 71

myocardial disease, xxiv. 71 no heart disease, xxiv. 71

of 122 cases collected from the literature, xxiv. 72

rheumatic heart disease, xxiv. 70 syphilitic aortitis, xxiv. 71 tobacco and alcohol, xxiv. 73 toxic and infective causes, xxiv. 72

age and sex incidence, xxiv. 75
appendix of illustrative cases, xxiv. 92–100
association with other irregular rhythms.

association with other irregular rhythms, xxiv. 81 classification of paroxysms, xxiv. 79

classification of paroxysms, xxiv. 79 coronary thrombosis and angina pectoris in relation to, xxiv. 80

duration of paroxysms, xxiv. 78 duration of paroxysms and their classification, xxiv. 76

fibrillation interrupted by normal rhythm, xxiv. 79 in the course of heart failure, xxiv. 80

paroxysmal tachycardia and, xxiv. 81 prognosis, xxiv. 82 frequency of attacks, xxiv. 83

liability to established fibrillation, xxiv. 84

record of 200 patients (Parkinson, J., and Campbell, M.), xxiv. 67–100 symptomatology, xxiv. 76

faintness, loss of consciousness, and giddiness, xxiv. 77
pain, xxiv. 77
palpitation, xxiv. 76

Paroxysmal auricular fibrillation (cont.):

treatment, xxiv. 85

digitalis, xxiv. 87

digitalis producing fibrillation or paroxysms, xxiv. 86 quinidine, xxiv. 86

Paroxysmal tachycardia and paroxysmal auricular fibrillation, xxiv. 81

associated with marked arterio-sclerosis of the coronary vessels, xxiv. 209

caused by tobacco, xv. 18

in acute rheumatism, xiii. 372

notes on four cases (Laslett, E. E.), xv. 18–25

Parsons, T. R., and Shearer, C. Reaction of the spinal fluid during cerebrospinal fever, xiv. 120-4

—, Barcroft, J., Dryerre, H., Meakins, J. C., and Parsons, W. On the hydrogen-ion concentration and some other properties of the blood from two eases of autotoxic enterogenous cyanosis, xix. 257-72

Parsons, W., Barcroft, J., Dryerre, H., Meakins, J. C., and Parsons, T. R. On the hydrogen-ion concentration and some other properties of the blood from two cases of autotoxic enterogenous cyanosis, xix. 257-72

Paterson, Donald, and Greenfield, J. G. Erythroedema polyneuritis (so-called

'Pink disease'), xvii. 6-18

Paton, D. Noël, Findlay, L., and Sharpe, J. S.

Studies in the metabolism of rickets, xiv. 352-97

Paton, J. H. P. The tonsil-adenoid operation and some of its results, xxii. 107-19

Payne, W. W., and Hale-White, R. The dextrose tolerance curve in health, xix. 393-410

- and Hale-White, R. The diagnostic value of dextrose tolerance curves, xx. 457-69

— and Poulton, E. P. Visceral pain in the upper alimentary tract, xvii. 53-80

Pearse, Innes H., and Williamson, G. S. Evidence, drawn from a study of the therapeutics of Graves' disease, of two functions in the thyroid physiology, xxii. 21-31

Pelvic colon, looped, xxii. 642 Pepsin, estimation of, xix. 476

Mett's process for, xix. 475 estimation in pernicious anaemia

estimation in pernicious anaemia, xxiv.
451

secretion of, xix. 475

Peptone, administration of, in treatment of

haemophilia, xx. 507 injections in septicaemia (Gow, A. E.),

xiv. 187–204 changes in pulse frequency and bloodpressure, xiv. 189

coagulation of the blood, xiv. 193 dosage of peptone, xiv. 188

leucocytes, xiv. 190 lymphocytes, xiv. 192 myelocytes, xiv. 192 Peptone (cont.):

preparation of the peptone solution, xiv. 187

technique of injection, xiv. 188

Perchloride of mercury in malaria, xiii. 23 Percival, G. H., and Stewart, C. P. The effect of administration of parathyroid on the serum calcium, xx. 349-52

serum calcium, xx. 349-52

— and Stewart, C. P. Pathological variations in the serum calcium, xix. 235-48

Percussion in bronchial carcinoma, xxiv. 43

Perdrau, J., see Weber, F. Parkes (Neuro-

fibromatosis)
Pericarditis, acute, clinical history in rela-

tion to adherent pericardium, xvii.

as complication of acute rheumatism, xiii. 365 associated with aneurysmal dilatation of

left auricle, xxi. 199 Pericardium, adherent, clinical history, xvii.

adherent, diagnosis of, xvii. 179 electrical axis of the heart in, xxiii. 70 see also Cardiolysis

and syphilitic infection, xv. 30

Periodicity of relapsing pyrexia in lymphadenoma, xvi. 27

Periosteal manifestations of neurofibromatosis, xxiii. 155

Periosteal neurofibromatosis: see Neurofibromatosis

Peripheral nerves in disseminated sclerosis, pathological changes, xxiii. 352

Peripheral neuritis, xiii. 337 gonorrhoeal infection and, xv. 88

Perirenal fascia, xvi. 291 as means of renal support, xvi. 296

Perirenal fat, xvi. 294
as means of renal support, xvi. 297

Peritoneal attachments in relation to renal support, xvi. 299

Peritonitis, pneumococci found in, xv. 111
Perkins, Herbert, and Miller, Reginald.
Congenital steatorrhoea, xiv. 1-9

Pernicious anaemia, achlorhydria and hydrochloric acid therapy in (Shaw, M. E.), xvii. 319-25

achlorhydria in, xvii. 319 treatment, xvii. 322

aetiology of, importance of familial achlorhydria in (Wilkinson, J. F., and Brockbank, W.), xxiv. 219–38

and achlorhydria, association of, xxiv. 449, 464

in families, simultaneous occurrence of, xxiv. 230

recorded cases, xxiv. 231

and latent jaundice, xvi. 410

and the reticulo-endothelial system, xxiii. 227

and sprue, differential diagnosis, xxiii.

bilirubin content in, xvi. 410 blood-platelets in, xxiv. 297, 300 bone-marrow in, xxiii. 225 Pernicious anaemia (cont.):

effects of administering hydrochloric acid in, xvii. 320

familial, xxiv. 220

recorded cases of pernicious anaemia occurring in brothers and sisters (one generation only), xxiv. 221

recorded cases of pernicious anaemia occurring in miscellaneous relationships, xxiv. 223

recorded cases of pernicious anaemia occurring in parent and children (2 generations), xxiv. 222

gastric juice in, xvi. 130; xxiv. 451 liver treatment, xxiii. 213

achlorhydria in, xxiii. 217 eosinophils, xxiii. 215

factors concerned in normal blood production, xxiii. 224

glossitis, xxiii. 218

mode of action of active liver principle, xxiii. 226

Price Jones curve, xxiii. 215 reticulocytes in, xxiii. 214

subacute combined degeneration of the cord, xxiii. 217

total white count, xxiii. 214 typical response, xxiii. 214

nature of deficiency in, xxiii. 228 occurrence of cardiac pain in, xxiii. 236

pepsin estimation in, xxiv. 451 a result of gastric defect, xxiv. 447

van den Bergh's test in, xviii. 23

Perry, C. B. The main branches of the coronary arteries in acute rheumatic carditis, xxiii. 241-4

Petechiae in chronic infective endocarditis, xvi. 267

Peters, R. A., Barcroft, J., Boycott, A. E., and Dunn, J. S. Observations on respiration and circulation in the goat, xiii. 35-45

Pfeiffer's bacillus: see Bacillus influenzae Pharyngitis, hyperalgesic areas in, xiii.

Phenoltetrabromphthalein sodium sulphonate: see Bromsulphalein

Phenylhydrazine hydrochloride, influence on the platelet count, xxiv. 308

Phosgene poisoning, xiii. 53 case histories, xiii. 187, 191

Phosphatase, bone, xxiv. 400 plasma, xxiv. 400

Phosphatases, xxiv. 400 distribution of, xxiv. 400

in intestinal mucosa and kidney, xxiv.

Phosphate content of the blood and metabolism of sugar, relationship between, xviii. 262

in nephritis, xvi. 346 retention in nephritis, xvi. 354

see also Phosphorus

Phosphoric acid, hexose, in anaesthesia,
xviii. 262

Phosphorus, absorption of, and its fixation in the skeleton (Telfer, S. V.), xvii. 245-59

absorption of, free fatty acids in intestine facilitate, xx. 2

historical, xvii. 245 methods, xvii. 247 results, xvii. 250

and calcium, relation between amounts ingested and excreted, xvi. 49

and calcium of the blood in renal disease (Wesselow, O. L. V. de), xvi. 341-62 and calcium metabolism, and the parathyroids in health and disease (Hunter,

D.), xxiv. 393-446

and calcium metabolism in chronic diarrhoea with tetany (Linder, G. C., and Harris, C. F.), xxiii. 195–212

clinical histories and experimental data, xxiii. 197

effect of ergosterol, xxiii. 208 methods and material, xxiii. 197

and calcium metabolism studies (Telfer, S. V.).

part I. Excretion of calcium and phosphorus, xvi. 45-62 part II. Metabolism of calcium and

part II. Metabolism of calcium and phosphorus in rickets, xvi. 63-72

part III. Absorption of calcium and phosphorus and their fixation in the skeleton, xvii. 245–59

part IV. The influence of free fatty acids in the intestine on the absorption and excretion of the mineral elements, xx. 1-6

part V. Infantile rickets. The excretion and absorption of the mineral elements and the influence of fats in the diet on mineral absorption, xx. 7-25

comparison of excretion of, by urine and faeces, xvi. 59

functions of, xxiv. 399

in the blood in renal disease, methods of estimation, xvi. 343

inorganic, content of the blood-plasma, xvii. 294; xxiv. 399

content of the cerebrospinal fluid (Cohen, H.), xvii. 289-301 age of the patient, xvii. 294

method, xvii. 290 results, xvii. 291

metabolism, effects of parathyroid extract on, xxiv. 403

in rickets (Telfer, S. V.), xvi. 63–72 method, xvi. 64

normal, xxiv. 398

relation of, to fat excretion, xvi. 58 urinary output of, xx. 2

Photophobia following mustard gas poisoning, xiii. 204, 205, 206

Phrenic evulsion: see Diaphragmatic paralysis

Phrenic nerve, accessory, xxi. 468 and sympathetic nerve, relation of, xxi. 467 Phrenic nerve (cont.):

course of, xxi. 467

section of, in massive collapse of the lungs, xiii. 296

Phrenicotomy: see Diaphragmatic paralysis Physical exertion: see Muscular effort

Physical fitness, assessment of, xxii. 461 in relation to basal metabolism, xvi. 377 Pickering, Dennison V. Some observations on the blood-sugar in diabetes, xiv. 19-56

Pigmentation: see Haemochromatosis

Pinealoma, xxiv. 596
Piney, A. The significance of the polynuclear (Cooke) and Schilling leucocyte counts, xxii. 405-11

Pink disease: see Erythroedema polyneuritis

Pink teeth and hydroa aestivale, associated with congenital porphyrinuria (Mackey, L., and Garrod, Sir A. E.), xv. 319-30 Pituitary body, adenoma of, xxiv. 601

basal metabolism in disorders of, xv. 339 disorders, diagnostic value of dextrosetolerance curves, xx. 463

disorders of function in pituitary tumours, xxiv. 621

in haemochromatosis, xxi. 126

in progressive lenticular degeneration, xvii. 392

tumours of, xxiv. 600

ophthalmoscopic appearances, xxiv.

symptoms and symptom-complexes,

(1) neighbourhood signs, xxiv. 619 (2) signs of raised intracranial tension, xxiv. 621

(3) disorders of pituitary function, xxiv. 621

Pituitary obesity in adolescence (Gardiner-Hill, H., Jones, I., and Smith, J. F.), xviii. 309-26

actiology and age of onset of obesity, xviii. 311

bone development and epiphyseal fusion, xviii, 315

comparison of height with average standards, xviii. 314

comparison of weight with normal standards, xviii. 311

general development and genital function, xviii. 316

growth, xviii. 313

metabolism, basal and carbohydrate, xviii. 317, 318

ophthalmic findings, xviii. 313

presence or absence of pituitary tumour, xviii. 312

respiratory quotient, xviii. 320

review of experimental evidence, xviii. 309 treatment and results, xviii. 322

type and distribution of obesity, xviii. 310 Plasma: see Blood plasma

Platt, Robert. An inquiry into the fate of thyroxin in the treatment of nephrosis, xxiii. 129-33

Pleural effusion, chloride content of, xx. 179 experimental, effect on the blood-pressure in right ventricle (Dunn, J. S.), xiii. 57-61

in bronchial carcinoma, xxiv. 46 in primary carcinoma of the lung, xxii. 423

magnesium content of, xx. 177 van den Bergh's test in, xviii. 31

Pleurisy and mustard gas poisoning, xiii. 211 as a factor in post-diphtheritic paralysis, xiii. 294

manifestations in malaria, xiii. 27, 34 respiratory conditions in, xiii. 327

Pleuro-pulmonary congestion in malaria, xiii. 28

Plexiform neuroma, xxiii. 154

Pneumococcal meningitis, sugar content of the cerebrospinal fluid, xv. 4

Pneumococci found from other sources than pneumonias, xv. 111

in bronchitis, xv. 112 in meningitis, xv. 112

in peritonitis, xv. 111

in subcutaneous abscess, xv. 112

methods of determining the types in lobar pneumonia, xv. 104

mouse method of determining type, xv. 105 rapid cultural method in determining type, xv. 105

types of, and a study of pneumonias (Malloch, A.), xv. 103-13

urine precipitin method of determining type, xv. 104

Pneumonia and malaria, xiii. 25

as cause of paroxysmal auricular fibrillation, xxiv. 72

digitalis in, xxi. 156

febrile albuminuria (Hill, L.C.), xxii.305-19 Russell's method of estimation of albumin in the urine, xxii. 305

incidence and carrier rate in Manchester, xxii. 89

lobar, blood-platelets in, xxiv. 297 cases (67), xv. 106

complications due to different types, xv. 108

epidemiology, xv. 107

incidence of types, xv. 106

methods of determining types of organism, xv. 104

mortality, xv. 103, 107

mouse method in determining organism, xv. 105

Pfeiffer's bacillus in, xv. 108

present position in regard to (review of literature), xxii. 73-76

primary, in Manchester, 1925-7 (Ferguson, F. R., and Lovell, R.), xxii. 73-90

methods and material, xxii. 76

methods employed in the collection and examination of sputum, xxii.

results of the investigation and comparison with other statistics, xxii. Pneumonia (cont.):

rapid cultural method in determining type of organism, xv. 105

relation of pulse-rate to temperature in (Lyon, D. M.), xx. 205-18 sugar content of the cerebrospinal fluid,

xv. 4

see also Broncho-pneumonia

Pneumonias, study of, and of types of pneumococci (Malloch, A.), xv. 103-13

Pneumothorax, artificial: see Artificial pneumothorax

Poison gas: see Mustard gas poisoning Poisoning, mustard gas: see Mustard gas poisoning

Polson, Cyril J. The storage of iron following its oral and subcutaneous administration, xxiii. 77-84

Polycythaemia and chronic cases of gas poisoning, xiii. 179, 180, 181 becoming leukaemic, xxii. 183

vera, blood-platelets in, xxiv. 299 case history and morbid histology, xxii. 178

see also Erythro-leukaemia, eosinophilic

with leucocytosis, xxii. 182 Polyneuritis, gonorrhoeal, xv. 88

Polynuclear count: see Leucocyte count Porphyrinuria, congenital, associated with hydroa aestivale and pink teeth (Mackey, L., and Garrod, Sir A. E.), xv. 319-30

congenital, blood picture in, xix. 361, 377, 384

blood-serum in, xix. 377, 384 conjunctivae in, xix. 383

enlargement of the spleen and liver in, xix. 364

expectation of life in, xv. 320 faeces in, xv. 327

(haematoporphyria congenita), a further contribution to the study of (Mackey, L., and Garrod, Sir A. E.), xix. 357-73

hirsuties in, xix. 390

history of cases in literature, xv. 320 hydroa vacciniforme in, xix. 378, 381

its association with hydroa vacciniforme and pigmentation of the teeth (Ashby, H. T.), xix. 375-9

mouth and teeth in, xix. 383

nature of the abnormal pigments in the urine and faeces, xix. 358 pigmentation of the bones in, xix. 365,

378, 383 of the teeth in, xix. 368, 383 possibilities of palliative treatment in,

xix. 371 rarity of, xv. 320 skin in, xix. 378, 382

stercoporphyrin in faeces, xv. 324 sulphonal and, xv. 322

tuberculosis and, xv. 320 urine and faeces in, xix. 376, 383

urine examination, xv. 326

Porphyrinuria (cont.):

with hydroa vacciniforme and hirsuties (Gray, A. M. H.), xix. 381-92

Post-encephalitic Parkinsonism, seborrhoeic facies as a manifestation (Krestin, D.), xxi. 177-86

Post-encephalitic rigidity: see Muscular rigidity

Post-operative massive collapse of the lungs (Briscoe, J. C.), xiii. 293-335

Posture, changes in the adenoid child, xvii. 164 effect on the electrical axis of normal

hearts, xxiii. 68 effect of, upon frequency of premature

ventricular beats, xx. 235 see also Albuminuria, orthostatic

Potassium iodide: see Iodine Potter, Dorothy G. E. Changes in the blood in anaesthesia, xviii. 261-73

Poulton, E. P., and Campbell, J. M. H. The effect on breathless subjects of residence

in an oxygen chamber, xx. 141-72
— and Campbell, J. M. H. The effect of exercise on the pulmonary ventilation and rate and depth of breathing in

chronic bronchitis: paper 1, xx. 27-48 and Campbell, J. M. H. Effect of exercise on the respiratory exchange in chronic bronchitis: paper 2, xx. 49-68
- and Payne, W. W. Visceral pain in the

upper alimentary tract, xvii. 53-80

Poynton, F. J., Greenfield, J. G., and Walshe, F. M. R. On progressive lenticular degeneration (hepato-lenticular generation) xvii. 385-403

Pregnancy, anaemia of, liver treatment, xxiii. 219

and sprue, relationship between, xxiii. 417

blood and urine chemistry during (Williams, E. C. P., and Wills, L.), xxii. 493-505

blood-pressure and pulse-rate up to six months after confinement compared with the ninth month of pregnancy and with controls, xxii. 397

blood-pressure in relation to age, xxii. 385 in relation to posture, and to period of pregnancy, xxii. 386

in relation to weight, xxii. 386 observations, xxii. 383

variations in, xxii. 390 blood-sugar curves during, classification of cases, xxii. 494

method of examination, xxii. 494 non-glycosuric cases,

1. cases with no sugar leak, xxii. 495 2. cases with sugar leak, xxii. 495 symptomless glycosuria,

 renal glycosuria, xxii. 496 raised sugar curves, xxii. 497

values in, xvii. 49 cholesterol in the blood during, xviii. 402 correlation of exercise response with body weight, xxii. 393

Pregnancy (cont.):

diabetes in, evidence of acidosis, xxii. 196 evidence of parenchymatous nephritis, xxii. 195

history of the case and course of the

pregnancy, xxii. 191 improvement due to foetal insulin (Lawrence, R. D.), xxii. 191–202

improvement in tolerance and relapse after labour, xxii. 197

protein requirements and nitrogenous balance, xxii. 197

effects in exophthalmic goitre, xv. 59 excess of cholesterol in suprarenals in, xviii. 403

exercise tests in, xxii. 392

hepatic condition in (Tallerman, K. H.), xvii. 37-52

in relation to aetiology of movable kidney, xvi. 303

normal distribution of diastolic pressure in, xxii. 388

normal distribution of systolic pressure in, xxii. 387

normal response to exercise during, and blood-pressure and pulse-rate in, with some observations after confinement (Hare, D. C., and Karn, M. N.), xxii. 381-404

methods of selection and tests employed, xxii. 382

pulse-pressure and pulse-rate product: 'cardiac energy' index, xxii. 393

pulse-pressure in, xxii. 385 pulse-rate at rest, xxii. 391

before and after exercise, xxii. 393 observations in, xxii. 391

relationship of, to the onset of Graves' disease, xxii. 227

systolic and diastolic pressure in, xxii. 384 toxaemias of, blood cholesterol in, xxi. 317 see also Blood-pressure

Premature contractions, auricular: see Auricular extra-systoles

Price Jones curve in liver treatment of pernicious anaemia, xxiii. 215

Protein content of the cerebrospinal fluid, xvii. 295

decrease in the plasma, xix. 288 Protein diet, high, effect on albuminuria and blood urea in cases of nephritis (Wordley, E.), xiv. 88-101

in patients suffering from diabetes mellitus, effect of (Lyall, A.), xx. 115-

Protein shock: see Anaphylaxis

Protein shock reaction and intravenous vaccine therapy, certain phenomena associated with (Gow, A. E.), xiii. 82-

Proteins in nephritis, osmotic pressure of (Cope, C. L.), xxii. 91-105

method and clinical material, xxii. 92 of the serum in cancer (Kennaway, E. L.), xvii. 302-11 method, xvii. 304

Proteins (cont.):

osmotic pressure, xix. 277-9 plasma, xxii. 150

requirements in a diabetic pregnant woman, xxii. 197 see also Amino-acids

Proteolysis, theories of, xiii. 267-73 Prothrombin, xx. 481

normal, introduction in haemophilia, by blood transfusion

(a) by direct method, xx. 500 (b) by citration method, xx. 500

(c) by defibrinated blood, xx. 502 (d) intravenous fresh human serum, xx. 502

(e) introduction of sheep serum, xx. 504

(f) introduction of horse serum, xx. 504

Prurigo and variola minor, differential diagnosis, xxiv. 494

Pseudo-haemophilia, blood coagulation in, xx. 478

Psoriasis arthritica: see Arthropathia psoriatica

Psychopathy in gonorrhoeal infection of the nervous system, xv. 70

Ptosis in encephalitis lethargica, xv. 133 Puberty goitres, basal metabolism in, xv. 337 relationship to onset of Graves' disease, xxii. 224

thyroid gland at (in girls), xv. 337

Puerperal septicaemia: see Peptone Puerperium, relationship of, to the onset of Graves' disease, xxii. 227

Pulmonary and aortic changes in goitre, correlation of, xxiv. 521

Pulmonary and aortic cusps forming the aortic and pulmonary valves, clinical importance of variations in the number (Wauchope, G. M.), xxi. 383-99

Pulmonary and aortic valves, clinical importance of variations in the number of cusps forming (Wauchope, G. M.), xxi. 383 - 99

Pulmonary apoplexy in mustard gas poisoning, xiii. 215

Pulmonary arc in goitre, xxiv. 519

Pulmonary arterioles, multiple embolism of, effects of (Dunn, J. S.), xiii. 129-47

Pulmonary artery, abnormalities of, aetiology, xxi. 62

abnormalities of, persistence of the ductus arteriosus, xxi. 51

records of cases, xxi. 54 acquired lesions of, xxi. 52

atheroma of, xxi. 52 'cardiacos negro', xxi. 53

certain abnormalities of, congenital and acquired (Clarke, R. C., Coombs, C. F., Hadfield, G., and Todd, A. T.), xxi. 51 - 69

congenital anomalies, xxi. 51 embolism of, xxiii. 135 non-syphilitic sclerosis, xxi. 60 pulmonic stenosis, xxi. 51

Pulmonary embolism and paradoxical embolism, relationship between, xxiii. 145 foramen ovale in, xxiii. 146

Pulmonary gases in pulmonary tuberculosis, xxiii. 89

Pulmonary manifestations in malaria (Falconer, A. W.), xiii. 25-34

Pulmonary stenosis, xxi. 54

Pulmonary tuberculosis, abortive, serum calcium in, xx. 439

acute, effect of raising serum calcium, xx.

serum calcium in, xx. 440 auricular flutter in, xxi. 27

basal metabolism in, xxiii. 87

calcium treatment of haemoptysis, xx.

carbon dioxide in expired air, xxiii. 89 chronic, advanced stage, serum calcium in, xx. 439

fibroid type, serum calcium in, xx. 440 incipient stage, serum calcium in, xx.

contralateral disease in pneumothorax therapy, development of (Davidson, M.), xix. 179-201

case reports, with details of intrapleural pressures, xix. 191

determination of degree of activity of disease, xix. 181

diaphragmatic paralysis of, xxi. 472 immunity in lime and plaster workers,

xx. 432 primary, in children (Canti, R. G.), xiii. 71 - 81

pulmonary gases in, xxiii. 89

pulmonary ventilation in, xxiii. 88 and oxygen consumption in, and the effect of the respiratory quotient on the relation between pulmonary

ventilation and oxygen consumption (Williamson, R.), xxi. 371-82 pulse-rate in, xxiii. 90

respiratory exchange in, xxiii. 91 and basal metabolic rate in (Williamson, R.), xxiii. 85-100

serum calcium in, active cases, xx. 435 and treatment by intravenous injection of calcium (Brockbank, W.), xx. 431-48

arrested cases, xx. 436 in haemoptysis, xx. 441 method of estimating, xx. 433 quiescent cases, xx. 437

special indications for phrenic evulsion, xxi. 472

tracheobronchial lymph nodes, xxii. 541 see also Lungs, tuberculous lesions; **Tuberculosis** 

Pulmonary valve, numerical variations in, xxi. 385

with four cusps, xxi. 395 with two cusps, xxi. 394

Pulmonary ventilation and oxygen consumption in pulmonary tuberculosis, and the effect of the respiratory quoPulmonary ventilation (cont.):

tient on the relation between pulmonary ventilation and oxygen consumption (Williamson, R.), xxi. 371-82

effect of exercise on, in chronic bronchitis (Campbell, J. M. H., and Poulton, E. P.), xx. 27-48

in pulmonary tuberculosis, xxiii. 88

with and without oxygen treatment, xx. 151

see also Respiration

Pulse in auricular flutter, xxi. 23

in chronic cases of gas poisoning, xiii. 198

Pulse-pressure after administration of adrenalin, xvii. 24

and basal metabolic rate, general correlation between, xviii. 39

and the basal metabolic rate in conditions of disturbed thyroid function, relation between (Davies, H. W., and Eason, J.), xviii. 36-61

methods of estimation, xviii. 38 and pulse-rate product, xxii. 393 effect of digitalis on, xxi. 156 in pregnancy, xxii. 385

Pulse-rate after administration of adrenalin, xvii. 24

after exercise, xx. 37

and blood-pressure up to 6 months after confinement compared with 9th month of pregnancy and with controls, xxii. 397

and exercise, xxii. 470

and heart-block in acute rheumatism, xiii. 370

and range in health and disease during childhood (Sutherland, G. A., and McMichael, J.), xxii. 519-29

and temperature in febrile conditions, relation between, methods and material, xx. 206

and temperature in health, relationship between, xx. 213

at rest in pregnancy, xxii. 391 before and after exercise related to period of pregnancy, xxii. 393

blood-pressure, and the response to exercise during normal pregnancy, and some observations after confinement (Hare, D. C., and Karn, M. N.), xxii. 381-404

methods of selection and tests employed, xxii. 382

during sleep and waking hours, xxii. 519 effect of digitalis on, xiii. 64

of helleborein on, xiii. 66 of quinidine on, xvi. 217

of warm immersion baths on, xxiii. 329 extreme variability in childhood, xxii. 519

in acute rheumatism, xiii. 366

in athletes, comparison between long and short distance runners, xxiv. 345

in auricular fibrillation, in treatment by quinidine, xv. 308

Pulse-rate (cont.):

in auricular flutter, xxi. 23

in basal metabolism, xvi. 380

in bronchial carcinoma, xxiv. 39

in children, effect of pyrexia on normal variation, xxii. 523

extreme variability in, xxii. 519 value of normal variation, xxii. 522

in chronic cases of gas poisoning, xiii. 198

in goitre, xxiv. 521

in marathon runners, xxiv. 344

in pulmonary tuberculosis, xxiii. 90

in rheumatic carditis, xxii. 524

influence of oxygen on, xx. 164 instability of, in nervous children, xxii.

522 normal variation in, xxii. 519 explanation of, xxii. 520

observations in pregnancy, xxii. 391 relation of, to temperature in febrile con-

ditions (Lyon, D. M.), xx. 205-18 Pulse-wave velocity in disease, xvii. 237

measurement of, xvii. 226 by means of hot wire, xvii. 227

historical, xvii. 226 hot wire sphygmograph, xvii. 227

method, xxi. 490 in isolated arteries, xvii. 228

relationship to age, xvii. 237 relationship to arterial elasticity, xvii.

225 variations in, xxi. 489

Pulsus alternans in acute rheumatism, xiii.

Pupils in encephalitis lethargica, xv. 133 Purgative action of magnesium salts (Cohen,

H.), xix. 249-56

experimental results, xix. 251 haemorrhagica, arsenobenzol, aetiology, xxiv. 387

arsenobenzol, blood counts, xxiv. 382,

384, 385 clinical symptoms and signs, xxiv. 387

haematology, xxiv. 388

morbid anatomy and pathology, xxiv.

mortality, xxiv. 387

prodromal symptoms, xxiv. 387

treatment, xxiv. 389

with a short description of four cases (Bamforth, J., and Elkington, J. St. G.), xxiv. 381-91

associated with intracranial haemorrhage in infancy and childhood, xx. 361 blood coagulation in, xx. 473

blood-platelet count and, xxiv. 305 blood-platelets in, xxiv. 296

thrombocytopenia in, xxiv. 306, 307 Pyloric spasm, influence of, in fractional

test meal, xvi. 108 Pyloric stenosis, congenital, alkalaemia in, xxii. 592

Pyloric ulcer, gastric juice in, xvi. 101 gastric juice in, post-operative, xvi. 112 Pylorospasm: see Pyloric spasm

Pyrexia, effect on normal variation of pulserate, xxii. 523

in acute rheumatism, xiii. 365

in chronic infective endocarditis, xvi. 267

in exophthalmic goitre, xv. 56

in primary carcinoma of the lung, xxii.

in sprue, xxiii. 425

(relapsing) in lymphadenoma (Hall, A. J., and Douglas, J. S. C.), xvi. 22-32 periodicity, xvi. 27

see also Fevers

**Q** deflexion in ventricular complexes in myocardial infarction and fibrosis, xxiii. 282

Quinidine and cardiac rhythm, xvi. 215 and digitalis in the treatment of auricular

fibrillation, xvi. 207 relative value of, xvi. 220

embolism consequent on restoration of

auricular function, xvi. 213

intoxication, general symptoms, xvi. 212 sulphate in cardiac disease (Hay, J.), xv. 313-18

treatment of auricular fibrillation (Clark-Kennedy, A. E.), xvi. 204–35 (Parkinson, J., and Campbell, M.),

xxii. 281-303

aetiology in relation to selection of cases, xxii. 282

associated with exophthalmic goitre, xvi. 222

blood-pressure in, xv. 308

case histories, xv. 291

paroxysmal fibrillation, xxii. 294-6 established fibrillation, xxii. 296-303 clinical advantages, xxii. 289

duration of fibrillation before treatment, xxii. 283

effect of quinidine on pulse-rate, blood-

pressure, and fluid output, xvi. 217 extra-systoles observed, xvi. 216

ill-effects of, xvi. 211; xxii. 290 ill-effects on the heart, xv. 306

ill-effects on the system generally, xv. 306

indications for, xvi. 225

influence of aetiology on result, xxii. 286 influence of duration of fibrillation before treatment on result obtained, xxii. 285

methods of administration and dosage, xvi. 206

methods of investigation, xv. 288 persistence of normal rhythm, xxii. 287 prognosis and tendency to relapse

(a) if quinidine is discontinued (b) if quinidine is continued in-

definitely, xv. 308 in successful cases, xvi. 223

pulse-rate in, xv. 308

respiratory paralysis associated with, xvi. 215

Quinidine (cont.):

restoration of normal rhythm as a therapeutic measure, xvi. 218 results, xv. 304

in established fibrillation, xxii. 285 in paroxysmal fibrillation, xxii. 283 successful, and its relationship to the pathological condition of the heart and clinical condition of the patient, xvi. 208

symptoms due to disturbances of the cerebral circulation, xvi. 215 due to the toxic action of the drug on the myocardium, xvi. 213

therapeutic value of, in the treatment of auricular fibrillation (Clark-Kennedy, A. E.), xv. 279-312

urinary excretion in, xv. 308 treatment of auricular flutter, xxi. 40 treatment of paroxysmal auricular fibrillation, xxiv. 86

Quinine, action of, in distribution of parasites in malignant malaria, xiii. 405 as prophylactic in malaria, xiii. 4 intramuscular injection, xiii. 20 intravenous injection, xiii. 20 intravenous treatment, rate of disappearance of parasites, xiii. 407 oral administration, xiii. 19 treatment of malaria, xiii. 1

#### R

R-T deviation in ventricular complexes in myocardial infarction and fibrosis, xxiii. 274

Rabinowitch, I. M. Does insulin improve carbohydrate tolerance in diabetes? xxi. 211-21

— and Finley, F. G. Renal glycosuria: a clinical and metabolic study, xvii. 260–73

Radium, acute constitutional symptoms after irradiation, xxiv. 107

acute constitutional symptoms after irradiation, acidosis as cause, xxiv. 112 anaphylaxis as cause, xxiv. 113 changes in the distribution of chlorides

changes in the distribution of chloride in the body as cause, xxiv. 113 mild symptoms, xxiv. 108

aetiology, xxiv. 108 severe symptoms, xxiv. 109

cause, xxiv. 109 treatment, xxiv. 114

and the blood cholesterol (Brunton, C. E.), xx. 321-9

methods, xx. 322 and X-rays, harmful effects of: critical review (Rolleston, Sir H.), xxiv. 101-31 chronic constitutional changes after irradiation, effects on the blood and

blood-forming organs, xxiv. 115
effects on the blood and blood-forming
organs, aplastic anaemia, xxiv. 119
irradiation-produced leukaemia, xxiv.
117

see also Radium poisoning; Aplastic anaemia; Leukaemia, &c.

Radium (cont.):

injury of the foetus by maternal irradiation, xxiv. 106

local chronic lesions after irradiation, radium dermatitis, xxiv. 120 radium-produced malignant disease,

xxiv. 122 question of stimulating effect of irradiations on malignant new growths, xxiv.

tions on mangnant new growths, xxiv. 104 question of stimulating effect of irradia-

tions on normal tissues, xxiv. 102 treatment in intracranial tumours, xxiv.

treatment of tumours, blood cholesterol after, xx. 325

Radium dermatitis: see X-ray dermatitis

Radium poisoning, xxiv. 119
Rake, Geoffrey W., and Hurst, Arthur F.
Achalasia of the cardia (so-called cardio-spasm), xxiii. 491-508

Ramage, J. H., Burton, J. A. G., Cowan, J., Kay, J. H., Marshall, A. J., Rennie, J. K., and Teacher, J. H. Four cases of fibrosis of the myocardium with electrocardiographic and post-mortem examinations, xxiii. 293-303

Raper, H. S., and McCrea, Edith F. W. The treatment of certain forms of infantile atrophy with atmospheres enriched by oxygen and carbon dioxide, xxii. 269– 79

Rat-bite fever, bacteriological diagnosis, xxi. 452

bacteriology of the disease, xxi. 437 classification and nomenclature, xxi. 450 experimental inoculation in cats, xxi. 448 experimental inoculation in ferrets, xxi. 448

experimental inoculation in guinea-pigs, xxi. 443

experimental inoculation in Macacus rhesus, xxi. 447

experimental inoculation in mice, xxi.
442

experimental inoculation in rabbits, xxi. 447

experimental inoculation in rats, xxi. 442 geographical distribution, xxi. 437 historical, xxi. 434

identity of spirilla derived from rat-bite fever in man, xxi. 449

identity of strains of human origin with those derived from mice and rats, xxi. 450

incubation period, xxi. 434 mode of infection, xxi. 450

review of clinical features, xxi. 434 serology, xxi. 446

study of the experimental disease with a critical review of the literature (Mc-Dermott, E. N.), xxi. 433-58

Recklinghausen's disease: see Neurofibromatosis; Osteitis fibrosa

Rectal absorption of glucose (Tallerman, K. H.), xiii. 356-62

Rectal injections of glucose, blood-sugar content, xiii. 357

method adopted, xiii. 356

Recto-genital pouch, tumour of, associated with diffuse infiltration of the lungs and intense erythraemia, malignant change developing in (Barnes, S., Thomson, A. P., and Lamb, F. W. M.), xix. 151-7

Rectus abdominis muscle in normal respiration, xiii. 300

Reflexes in encephalitis lethargica, xv. 134 Reid, Charles. Effect on renal efficiency of lowering the blood-pressure in case of high blood-pressure, xix. 411-30 Relapsing malaria, xiii. 11

Renal arteries, accessory, xvi. 288 Renal diabetes, xvii. 263

laboratory data, xvii. 264 see also Glycosuria, renal

Renal disease: see Kidney disease; Nephritis; Renal inefficiency, &c.

Renal dwarfism (Barber, H.), xiv. 205-13 aetiology, xiv. 206

arterio-sclerosis in, xvi. 33

arterio-sclerosis in, clinical and pathological records, xvi. 34

blood-pressure, xiv. 208 bone deformity, xiv. 209

cardiovascular signs, xiv. 208 course and termination, xiv. 209

definition, xiv. 205

diagnosis, xiv. 209

height and weight of cases, xiv. 208

mentally, xiv. 208 morbid anatomy, xiv. 206

onset, xiv. 207 prognosis, xiv. 210

symptoms, xiv. 206 synopsis of cases, xiv. 211

thirst and polyuria, xiv. 207

treatment, xiv. 210 urine, xiv. 207

Renal efficiency and blood-pressure, method employed, xix. 414

and blood-pressure, possible compensatory mechanisms, xix. 412

relations of, xix. 413

relation of changes in urine volume to pulse-pressure changes, xix. 422

relation of increase in urea concentration to fall in blood-pressure, xix.

capacity of, diastase determinations in urine and blood as a method for the measurement of (Stafford, D. D., and Addis, T.), xvii. 151-61 effect of lowering the blood-pressure in

cases of high blood-pressure (Reid, C.),

xix. 411-30

in renal glycosuria, xvii. 265 new test of (Brain, R. T., and Kay, H. D.), xxii. 203-16

advantages and disadvantages of the new method, xxii. 207 example of the test, xxii. 208 technique, xxii. 206

Renal efficiency (cont.):

test of: excretion of potassium iodide in the urine as (Linder, G.C.), xv. 227-43 method of investigation, xv. 228 urea tolerance as an index of, xviii. 281 see also Kidneys

Renal fossae, xvi. 285

in relation to aetiology of movable kidney, xvi. 302

Renal glycosuria: see Glycosuria, renal Renal infantilism: see Renal dwarfism

Renal rickets: see Rickets, renal Renal supports, xvi. 296

intra-abdominal tension in relation to, xvi. 298

perirenal fascia in relation to, xvi. 296 perirenal fat in relation to, xvi. 297 peritoneal attachments in relation to, xvi. 299

suprarenal gland in relation to, xvi. 297 vascular pedicle in relation to, xvi. 297

Renal threshold in old age, xxiv. 269 relation of age to blood-sugar and, xiv. 22 relation of carbohydrate tolerance to, xiv. 24 relation of clinical severity with, xiv. 23 relation of duration of disease with, xiv. 22 relation of ketonuria to, xiv. 25 variations in renal glycosuria (Graham,

G.), xvi. 236-44

Rennie, J. K., Burton, J. A. G., Cowan, J., Kay, J. H., Marshall, A. J., Ramage, J. H., and Teacher, J. H. Four cases of fibrosis of the myocardium with electrocardiographic and post-mortem examinations, xxiii. 293-303

Respiration after administration of adrenalin, xvii. 27

and circulation in the goat (Barcroft, J., Boycott, A. E., Dunn, J. S., and Peters, R. A.), xiii. 35-45

at rest in chronic bronchitis, xx. 30

crural type, xiii. 318, 319 and parietal type, xiii. 318, 319

depth and rate in exercise, xxii. 470 depth in healthy and in 'gassed' men,

xiii. 175 during and after exercise in chronic bronchitis, xx. 30

during oxygen treatment, xx. 150 effect of diaphragmatic paralysis on, xxi. 465

effect on the electrical axis of normal hearts, xxiii. 68

in chronic bronchitis, maximum depth with and without oxygen treatment, xx. 153

with and without oxygen treatment, xx. 154

in pulmonary tuberculosis, xxiii. 91 in various diseases, effect of breathing oxygen on, xx. 143

normal, conditions of, xiii. 300 rectus abdominis muscle in, xiii. 300

parietal type, xiii. 318, 319 rate after administration of adrenalin, xvii. 28

Respiration (cont.):

rate and depth of, in chronic bronchitis, effect of exercise on (Campbell, J. M. H., and Poulton, E. P.), xx. 27-48

rate and depth of, in chronic bronchitis, with and without oxygen treatment,

xx. 151

rate in bronchial carcinoma, xxiv. 40 relative effect on excess of carbon dioxide and want of oxygen, xx. 37

see also Dyspnoea; Pulmonary ventilation; Respiratory exchange, &c.

Respiratory exchange, alterations during exercise, due to lactic acid acidosis, xx. 416

alterations during exercise with increase and decrease of oxygen pressure, xx. 413

and basal metabolic rate in pulmonary tuberculosis (Williamson, R.), xxiii. 85–100

at increasing rates of work, xx. 401, 408 at the same rate of work, xx. 403

at rest, xx. 155

during and after exercise, xx. 155

effect of exercise in chronic bronchitis (Campbell, J. M. H., and Poulton, E. P.), xx. 49-68

in children (marasmic), xiv. 175 in cretinism and mongolian idiocy

(Fleming, G. B.), xvi. 11-21 in limitation of muscular effort and its relation to cardiac failure, xx. 392

in marasmus, method of determining, xiv. 172

in pulmonary tuberculosis, xxiii. 91
Respiratory muscles, effect of dyspnoea on, xiii. 324

Respiratory quotient, xx. 55 after administration of adrenalin, xvii. 26 and basal metabolic rate, xx. 196

following work, xx. 201 during and after exercise, xx. 155

effect on the relation between pulmonary ventilation and oxygen consumption (Williamson, R.), xxi. 371-82

in obesity, xxi. 331

in obesity, endogenous, xxi. 336

in pituitary obesity in adolescence, xviii. 320

Respiratory tract complications in mustard gas poisoning, xiii. 208

Reticulocytes in liver treatment of pernicious anaemia, xxiii. 214

Reticulo-endothelial system and cholesterol metabolism, xxiii. 112

and its relation to metabolism of bile pigment, xvi. 395 and pernicious anaemia, xxiii. 227

Retrobulbar neuritis as a symptom of disseminated sclerosis, xxiii. 373

Rhea, Lawrence J., and Malloch, Archibald. Fatal bronchiolitis and broncho-pneumonia caused by B. influenzae of Pfeiffer during an inter-pandemic period, xiv. 125–38 Rheumatic carditis: see Heart disease, rheumatic

Rheumatic endocarditis and heart failure

Rheumatic endocarditis and heart failure with normal rhythm, xix. 137 valves affected, xxi. 389

Rheumatic fever: see Rheumatism, acute Rheumatic heart disease: see Heart disease, rheumatic

Rheumatic infection, evidence for the coccal theory, xv. 119

Rheumatic lesions, evolution of, xv. 117 Rheumatic myocarditis, xiii. 363

Rheumatic nodules in acute rheumatism, xiii. 365

in evolution of rheumatic lesions, xv. 117
Rheumatism, acute, auricular fibrillation in,
xiii. 371

acute, auricular flutter in, xiii. 371; xxi. 26

changes in blood-platelet picture in, xxiv. 298

complications, xiii. 365

diagnosis, xiii. 365

disturbances in rate and rhythm of heart in, xiii. 366

evidence for the coccal theory, xv. 119 glands in, xiii. 365

heart and its rhythm in (Parkinson, J., Gosse, A. H., and Gunson, E. B.), xiii. 363–79

heart-block in, xiii. 369

acute, and acute myocarditis in, xiii.
371

in aetiology of chronic infective endocarditis, xvi. 315

incidence in aetiology of exophthalmic goitre, xv. 59

murmurs in, xiii. 366

nodal or a.-v. rhythm, and ventricular automatism in, xiii. 372

paroxysmal tachycardia in, xiii. 372 premature contractions, xiii. 367

pulse-rate in, xiii. 366 pulsus alternans in, xiii. 373

pyrexia in, xiii. 365

salicylate and premature contractions, xiii. 369

significance of auricular premature contractions in, xiii. 369

sinus arrhythmia in, xiii. 367 size of heart in, xiii. 365 summary of cases, xiii. 375

tonsils in, xiii. 365 treatment in, xiii. 365

and bundle branch block, aetiological relationship, xxiv. 17 and hypertrophied tonsils, xxii. 116

as symptom of gastro-intestinal disturbance, xxiii. 29

Rhinitis, hyperalgesic areas in, xiii. 247
Rickets, actiology of, relationship of the fat-soluble 'A' vitamin to; clinical investigation (Galbraith, D.), xvi. 321-40 and hypertrophied tonsils, xxii. 117 antenatal, xxiv. 427

associated with tetany, xviii. 65

Rickets (cont.):

calcium and phosphorus metabolism, xxiv. 423

calcium balance in normal and rachitic children, xiv. 362-97

cod-liver oil treatment, xvi. 329

coeliac, xxiv. 431

comparison of calcium balance in normal and rachitic children, xiv. 373

diagnosis, criteria of, xvi. 322 digestion and absorption of fat in, xiii. 287 early, xv. 183

early and late, aetiology of (Hutchison, H. S., and Shah, S. J.), xv. 167-94 aetiology of, dietary of different classes

(Nasik), xv. 175 social and economic conditions (Nasik), xv. 169

effect of various remedial measures, xvi. 328

experimental in dogs, calcium content of the blood, muscle, and brain in, xiv. 352, 359

incidence on a fat-deficient diet, xvi. 325 incidence on a fat-sufficient diet, xvi. 324 infantile, active stage, calcium and phos-

phorus metabolism in, xx. 20 effects of various fats, especially codliver oil, on excretion and absorption of mineral elements during active stage, xx. 7

excessive loss of mineral salts in active

stage, xx. 20 excretion and absorption of the mineral elements and the influence of fats in the diet on mineral absorption (Telfer, S. V.), xx. 7–25

healing stage, excretion and absorption of mineral elements in, xx. 20

influence of fats in the diet in, xx. 22 investigation of diet histories from birth, with special reference to probable fat content, xvi. 326

is it due to a deficient supply of calcium to the bones? xiv. 352-61

late, xv. 190; xxiv. 431

cases, xv. 191

line of healing, and line of arrested growth, xxi. 504

massage treatment, xvi. 329

metabolism, relation of stage of disease, xiv. 373

metabolism of calcium and phosphorus in (Telfer, S. V.), xvi. 63–72 method, xvi. 64

methods of treatment adopted and results, xvi. 329

prevalence (in Nasik, India), xv. 183 renal, xxiv. 432

see also Renal dwarfism

results of treatment, xvi. 331 scurvy: see Infantile scurvy

seasonal incidence of, xvi. 332 studies in the metabolism of (Findlay, L., Paton, D. N., and Sharpe, J. S.), xiv. 352-97 Rickets (cont.):

tables of diet in investigated cases, xvi.

tendency to natural healing during the summer, xvi. 328

Rigidity and creatine (Hirst, M., and Imrie, C. G.), xxi. 401-18

post-encephalitic: see Muscular rigidity Ritchie, A. G., McLeod, J. W., and Dottridge, C. A. Incidence of infections with Pfeiffer's bacillus before, during, and after the 1918 epidemic, xiv. 327–38

Ritchie, W. T., and Gilchrist, A. Rac. The ventricular complexes in myocardial infarction and fibrosis, xxiii. 273-92

-, Honey, R. M., and Thomson, W. A. R., Action of adenosine upon the human heart, xxiii. 485-9

— and Watson, W. N. Boog. Progressive lipodystrophy, xviii. 224–39

Robb, G. D., and Archer, H. E. The tolerance of the body for urea in health and disease, xviii. 274–87

Roberts, R. E., and Jones, H. Wallace. The electrical axis of the heart as an indicator of changes in ventricular predominance, xxiii. 67-76

Roberts, W. Morrell. The effect of oils on gastric secretion and motility, xxiv. 133-52

The fasting gastric secretion in man, xxi. 7-19

Some observations on the action of belladonna and neutral fats on the acidity of the stomach contents, xix. 74–85

of the stomach contents, xix. 74-85
Robertson, J. D., Bennett, T. Izod, and
Dodds, E. C. The conception of 'nephrosis'; observations on three fatal
cases; with an account of the histological changes, by S. L. Baker, xxiv.
239-55

— and Dodds, E. C. The origin and occurrence of lactic acid in human gastric contents, with special reference to malignant and non-malignant conditions, xxiii. 175-93

Rolleston, Sir Humphry Davy. The harmful effects of irradiation (X-rays and radium): critical review, xxiv. 101-31

Ross, J. P., Fraser, Francis R., and Dreyer, N. B. Reaction of the blood in relation to dyspnoea, xv. 195-206

Rossdale, George. Observations with the haematocrit volume-colour index, xvi. 245-62

Russell, James W. A study of orthostatic albuminuria by means of graphic records, xvi. 73-94

Russell, W. T., and Young, Matthew. Some observations on the recorded mortality from diabetes in recent years in England and Wales . . ., with special reference to the introduction of insulin, xx. 87-100

Russell's method of estimation of albumin in the urine, xxii. 305

913,97

Rutherford, Andrew, and Miller, James. Liver atrophy, xvii. 81-102

Ryle, J. A. Spirochaetosis ictero-haemorrhagica: a clinical analysis of 55 cases, xiv. 139-70

Ryle's stomach tube in fractional test meals, xvi. 96

in visceral pain in the upper alimentary tract, xvii. 54 see also Gastric contents

S

Saccular aortic aneurysm: see Aorta; Aneurysm

Salicylate and premature contractions, xiii.

Saline, normal, intake of 1,000 c.c., urine volume, chloride and urea content after, xxi. 74

Saliva, alkali content of, xxi. 13 chloride content of, xxi. 14

Saponin, haemolysis by, compared with cholesterol content of the plasma in various conditions, xviii. 411

Sarcoma, X-ray produced, xxiv. 122
Scarlet fever in actiology of liver atrophy,
xvii. 93

Schick reaction and artificial immunization, xxii. 360

and clinical diphtheria, xxii. 347 and its applications: critical review (Dudley, S. F.), xxii. 321-79

and passive immunity, xxii. 349 congenital Schick immunity, xxii. 351 'delayed', xxii. 325

genetic factor in Schick immunity, xxii.
372

immunity to diphtheria other than that due to antitoxin, xxii. 345 in diphtheria carriers, xxii. 349

latent immunization, xxii. 352 latitude and race, xxii. 368

negative, persistence of, xxii. 338 reliability of, as an indicator of immunity from clinical diphtheria, xxii. 334

positive, immunity of reactors to, xxii. 344 primary and secondary antigenic stimuli, xxii. 342

pseudo and positive or combined, xxii. 329 or protein reaction, xxii. 325

rate of natural immunization, xxii. 356 reliability of, as an indicator of the presence of diphtheria antitoxin in the blood, xxii. 330

sex and Schick immunity, xxii. 363 subsequent prophylactic inoculations against diphtheria, xxii. 336 summary of technique and the reading of

tests, xxii. 330 technique and interpretation of, xxii. 323 see also Diphtheria

Schilling count: see Leucocyte count School child, goitre in (Stocks, P.), xxi. 223-75 School children: see Children Sciatica, gonorrhoeal, xv. 92

Science, J., and Gordon, J. A study of the protective action of serum against haemolysin in cases of diphtheria, xxi. 345-58

Sclerosis, hyperplastic: see Hyperplastic sclerosis

Sclerotics, blue, with brittle bones, association of, and progressive deafness (Stobie, W.), xvii. 274–87

blue, with brittle bones, association of, and progressive deafness, aetiology and pathology, xvii. 283

with brittle bones, association of, and progressive deafness, historical introduction, xvii. 274

association of, and progressive deafness, X-ray examinations, xvii. 285

Scotland, incidence and mortality from dysentery in, xxiii. 246

Scott, W. H., Adams, D. K., Blacklock, J. W. S., and Dunlop, E. M. An investigation into the pathogenesis of disseminated sclerosis, xvii. 129-50

Scurvy, associated with intracranial haemorrhage in infancy and childhood, xx. 362 infantile: see Infantile scurvy rickets: see Infantile scurvy

Seasonal incidence of rickets, xvi. 332

Seborrhoeic facies as a manifestation of post-encephalitic Parkinsonism and allied disorders (Krestin, D.), xxi. 177– 86

description of the condition, xxi. 178 pathology, xxi. 181

Sedimentation rate: see Blood sedimentation Segmental hyperalgesia in visceral lesions (Jones, D. W. C.), xiii. 241-55

Sendroy, J., jr., Christie, Ronald V., and van Slyke, D. D. The distribution of electrolytes in haemophilic blood, xxii. 65-71

Senility, blood-sugar content in, xxiv. 265
Sepsis as a cause of lymphocytosis: critical
review (Tidy, H. L.), xvii. 210-14

chronic: see Focal sepsis see also Septicaemia

Septa, interventricular and interatrial, blood-vessels of, xxii. 252

Septal circulation, stereoscopic study of, xxii. 252

Septicaemia, peptone injections in (Gow, A. E.), xiv. 187-204

peptone injections in, changes in pulse frequency and blood-pressure, xiv. 189

coagulation of the blood, xiv. 193 dosage of peptone, xiv. 188

the leucocytes, xiv. 190 the lymphocytes, xiv. 192 the myelocytes, xiv. 192

preparation of the peptone solution, xiv. 187

technique of injection, xiv. 188

Sequeira, James H., and Panton, Philip N. Lymphoblastic erythrodermia, xviii. 250-60

Serbian heart, xiii. 413

Serum, bilirubin content, in the light of the observations of van den Bergh and others, xvi. 396

bilirubin content of normal, xvi. 408

calcium content of, xvi. 356; xviii. 288; xxiv. 371, 396

and cerebrospinal fluid calcium, relation between, xxiv. 376

effect of administration of parathyroid on (Stewart, C. P., and Percival, G. H.), xx. 349-52

in abortive pulmonary tuberculosis, xx. 439

in active pulmonary tuberculosis, effect of raising, xx. 443

in acute pulmonary tuberculosis, xx. 440

in chronic pulmonary tuberculosis, advanced stage, xx. 439 fibroid type, xx. 440

incipient stage, xx. 438 in haemoptysis, xx. 441

in nephritis, xvi. 349

in pulmonary tuberculosis and on treatment by intravenous injection of calcium (Brockbank, W.), xx. 431-48

in pulmonary tuberculosis, active cases, xx. 435

arrested cases, xx. 437 method of estimating, xx. 433 quiescent cases, xx. 437

in skin diseases, xix. 236 normal, xviii. 288; xix. 235; xx. 433 existence of tetany with, xviii. 65

pathological variations in (Percival, G. H., and Stewart, C. P.), xix. 235-48

diabetes, xix. 242

effect of parathyroid feeding, xix. 237 endocrine cases, xix. 243

epilepsy, xix. 244 methods, xix. 235 nephritis, xix. 241

results and discussion, xix. 235

changes in the acid-base balance, xx. 297 cholesterol content of, after operation under general anaesthesia, xx. 324 and radium (Brunton, C. E.), xx. 321-9 in cancer patients, xx. 323

effect of increasing magnesium content of, on magnesium content of the cerebrospinal fluid, xx. 181

existence of tetany with a normal calcium content, xviii. 65

haemostatic, administration in haemophilia, xx. 505

in congenital perphyrinuria, xix. 377, 384 magnesium content of, xviii. 290; xx. 175; xxiv. 372, 374

and cerebrospinal fluid magnesium, relation between, xxiv. 376

Serum (cont.):

effect of increasing, on magnesium content of the cerebrospinal fluid, xx. 181

effect of intramuscular injection of magnesium sulphate on, xix. 252 effect of oral administration of magnesium sulphate on, xix. 251

normal, xviii. 290
pathological calcium and magnesium
content of (Watchorn, E.), xviii. 288–

protective action of, against haemolysin in cases of diphtheria (Gordon, J., and Science, J.), xxi. 345–58

proteins of, in cancer (Kennaway, E. L.), xvii. 302–11

in cancer, methods, xvii. 304 solids of, in nephritis, xvi. 344

therapy in disseminated sclerosis, xxiii.

Shah, S. J., and Hutchison, H. S. Actiology of rickets, early and late, xv. 167-94

Sharpe, J. S., and Findlay, Leonard. Adult tetany and methylguanidin: a metabolic study, xiii. 433-6

—, Findlay, Leonard, and Paton, D. Noël. Studies in the metabolism of rickets, xiv. 352-97

Shaw, A. F. B., Hume, W. E., and Nattrass, F. J. Twenty cases of encephalitis lethargica, xv. 131-43

Shaw, Maurice E. Achlorhydria and hydrochloric acid therapy in Addison's (pernicious) anaemia, xvii. 319–25

Shaw, R. Cunliffe. Nerve irritation and aortic lesions: an experimental study, xix. 203-22

Shearer, C., and Parsons, T. R. Reaction of the spinal fluid during cerebrospinal fever, xiv. 120-4

Sheldon, J. H. The iron content of the tissues in haemochromatosis, with special reference to the brain, xxi. 123–

Sheldon, W. P. H. Intracranial haemorrhage in infancy and childhood, xx. 353-70

Shiskin, Cecilia, and MacAdam, William.
Cholesterol content of the blood in anaemia, and its relation to splenic function, xvi. 193–203

Silicosis, carcinoma of the lung complicating, xxii. 437

Simpson, Samuel Levy. Primary carcinoma of the lung, xxii. 413-49

— and Smith, F. Campbell. The measurement of skin temperatures, xxiii. 443-6

Sino-auricular block, a case (Abrahamson, L.), xviii. 335 in acute rheumatism, xiii. 370

Sino-auricular node in heart conductivity, xiv. 339

Sinus arrhythmia in acute rheumatism, xiii.

Skin, diseases of, serum calcium in, xix. 236 disorders of, gastric juice in, xvi. 131

Skin (cont.):

greasy: see Seborrhoea

in congenital porphyrinuria, xix. 378,

in gonorrhoeal infection, xv. 95 in haemochromatosis, xxi. 123, 126

in progressive lipodystrophy, xviii. 233

in spirochaetal jaundice, xiv. 155 insulin absorption through, xx. 191

sepsis, diagnostic value of dextrose tolerance curves in, xx. 466

temperatures, measurement of (Smith, F. C., and Simpson, S. L.), xxiii. 443 - 6

application of the thermometer, xxiii. 444 clinical application and method of use,

xxiii. 445 description of instrument for measuring

surface temperature, xxiii. 443

vascular reactions of, in spontaneous urticaria (Harris, K. E.), xxiv. 347-

in spontaneous urticaria, case summaries, xxiv. 365

characteristics of the eruption, xxiv. 348

presence of a poison in the blood, xxiv. 360

reactions of previously whealed skin to

(a) histamine, xxiv. 350

(b) to stroke, xxiv. 351

(c) to further spontaneous whealing, xxiv. 351

relation of urticaria factitia to spontaneous urticaria, xxiv. 352 refractoriness, xxiv. 349

spread of spontaneous urticaria, xxiv. 355

(a) eruption of wheals, xxiv. 355

(b) duration of wheals, xxiv. 359

Sleep, pulse-rate during, xxii. 519 Smallpox, mild: see Variola minor

Smith, F. B., and Miller, S. An investigation of gastric function in chronic arthritis and fibrositis, xx. 271-83

Smith, F. Campbell, and Simpson, S. Levy. The measurement of skin temperatures, xxiii. 443-6

Smith, J., and Fraser, A. M. Endemic bacillary dysentery in Aberdeen, xxiii.

Smith, J. Forest, Gardiner-Hill, H., and Brett, P. C. Carbohydrate tolerance in myxoedema, xviii. 327–34

-, Gardiner-Hill, H., and Brett, P. C. Some factors of significance in adolescent goitre, xviii. 133-42

-, Gardiner-Hill, H., and Jones, I. Pituitary obesity in adolescence, xviii. 309-26

, Goldblatt, M. W., and Gardiner-Hill, H. A clinical and metabolic study in obesity, xxi. 325-43

Soap in faeces, xiii. 288

Sodium bicarbonate, solutions of, effect on the gastric secretion, xxiv. 138

solutions of, effect on the gastric secretion, with oil administered previously, xxiv.

Sodium bicarbonate poisoning, xvii. 415 Sodium chloride: see Chloride

Sodium citrate, introduction of, in treatment of haemophilia, xx. 506

Sodium iodide: see Iodine

Somersetshire, incidence of goitre and thyroid enlargement in school children, xxi. 228

Sonne bacillus: see Lactose-fermenting organisms

Sonne dysentery: see Dysentery, bacillary Southam, A. H. Fixation of the kidney, xvi. 283-308

Spastic paraplegia, progressive, in disseminated sclerosis, xxiii. 378

Speech in encephalitis lethargica, xv. 134 Spence, J. C. Some observations on sugar tolerance, with special reference to variations found at different ages, xiv. 314 - 26

Sphincters in encephalitis lethargica, xv. 134 Sphygmograph, hot wire, in measurement of pulse-wave velocity, xvii. 227

Spinal and cranial nerve-roots in dissclerosis, pathological seminated changes in, xxiii. 352

Spinal cord, lesions of, condition of lungs in, xiii. 299

subacute combined degeneration of, in liver treatment of pernicious anaemia, xxiii. 217

Spinal fluid: see Cerebrospinal fluid Spirillum minus: see Spirochaeta morsus

muris Spirochaeta argentinensis, xxiii. 359 Spirochaeta cuniculi, xxiii. 365

Spirochaeta morsus muris, xxi. 433, 438 cultivation, xxi. 441

morphology, xxi. 439 Spirochaetosis ictero-haemorrhagica: see Jaundice, spirochaetal

Spleen and destruction of blood-platelets, xxiv. 293

chronic infection of, bacteriology, xvii. 192

blood examination, xvii. 195 brain in, xvii. 197

experiments on the aetiology of (Gibson, A. G.). xvii. 191-209

histology, xvii. 197 kidney in, xvii. 197

liver in, xvii. 196 lung in, xvii. 196

morbid anatomy, xvii. 195 stomach in, xvii. 197

symptoms and physical signs, xvii. 192

enlargement of, in chronic infective endocarditis, xvi. 265

in congenital porphyrinuria, xix. 364 see also Acholuric jaundice

Spleen (cont.):

function of, relation of the cholesterol content of the blood in anaemia to (MacAdam, W., and Shiskin, C.), xvi. 193-203

histological changes in malignant malaria, xiii. 419

in acholuric jaundice, streptothrix isolated from, xvii. 191

in chronic infective endocarditis, xvi. 274 in diffuse hyperplastic sclerosis, xiv. 223 in fatal cases of malignant malaria, xiii.

387, 397, 410, 412, 414 in haemochromatosis, xxi. 125

in progressive lenticular degeneration, xvii. 392

in spirochaetal jaundice, xiv. 154

streptothrix isolated from, in cases of splenomegaly, xvii. 191

Splenectomy, cholesterol content of the blood in acholuric jaundice after, xvi. 201

cholesterol content of the blood in haemolytic jaundice and splenic anaemia after, xvi. 197

for acholuric (haemolytic) jaundice, changes in blood-platelet picture, before and after, xxiv. 297

influence on modification of blood-platelet count, xxiv. 309

see also Acholuric jaundice Splenic anaemia, changes in blood-platelet picture in, xxiv. 297

cholesterol content of the blood after splenectomy in, xvi. 197

liver treatment, xxiii. 222

of infancy, associated with intracranial haemorrhage, xx. 361

van den Bergh's test in, xviii. 29 Splenomegaly, streptothrix isolated from cases of, xvii. 191

with anaemia, liver treatment, xxiii. 222 see also Acholuric jaundice

Spongioblast, xxiv. 589

Sprawson, C. A. Beri-beri in the Mesopotamian Force, xiii. 337-55 Spriggs, Edmund I. Functional disorders of

the colon, xxiv. 533-65 and Marxer, O. A. Intestinal diverticula,

xix. 1-34

Sprue, abdominal symptoms, xxi. 528; xxiii. 420

aetiology of, xxi. 523

after-treatment and care, xxiii. 439 age incidence, xxi. 524; xxiii. 412

alcoholism and, xxiii. 416 amenorrhoea in, xxiii. 417

anaemia in, liver treatment, xxiii. 219 analytical study of 150 cases (Low, G. C.), xxi. 523-34

and pregnancy, relationship between, xxiii. 417

aperients in, xxiii. 434 aphthous stomatitis in, xxiii. 419

approximate time under treatment, xxi. 531

Sprue (cont.):

blood picture, xxi. 529; xxiii. 421 blood-pressure, xxiii. 423 blood transfusion in, xxiii. 436 care of mouth and tongue in, xxiii. 434 chief symptoms, xxi. 524 clinical analysis of stools, xxi. 527 diarrhoea, xxi. 526 diet in, xxiii. 426 dietary and food values, xxiii. 430 differential diagnosis, xxiii. 437

from pernicious anaemia, xxiii. 437 drugs in treatment of, xxiii. 435 duration of illness, xxi. 524; xxiii. 413 emaciation in, xxi. 528; xxiii. 425 fat analysis of stools in, xxiii. 424 flatulence and abdominal symptoms, xxi.

528

geographical distribution, xxi. 523 heliotherapy in treatment of, xxiii. 437 incomplete, xxiii. 418 incubation period, xxiii. 413 intercurrent diseases, xxiii. 415 liability of patients to develop appendicitis, xxiii. 416

liver dullness, xxi. 528 liver shrinkage, xxiii. 421 liver treatment, xxiii. 432 malaria as a predisposing cause, xxiii. 415 mouth symptoms, xxi. 526 oesophageal pain in, xxiii. 419 pancreas in, xxiii. 424

patchy pigmentation in, xxiii. 423 period necessary for active treatment, xxiii. 439

place of infection, xxi. 525 predisposing causes, xxiii. 414 previous illnesses, xxi. 525 pyrexia in, xxiii. 425

radiographic examination of digestive tract in, xxiii. 425

results of treatment, xxi. 532 sedimentation rate in, xx. 379 sex incidence, xxi. 524; xxiii. 412

sigmoidoscope appearances of bowel in, xxiii. 424

special aspects as affecting the female, xxiii. 417 special symptoms and signs, analysis of,

xxiii. 418 syphilis combined with, xxiii. 415 tetany a rare complication of, xxiii. 195 tetany and muscular cramps in, xxiii. 423 tongue and mouth in, xxiii. 418

tongue symptoms, xxi. 525 treatment in, xxi. 530; xxiii. 426

with special reference to treatment (Manson-Bahr, P., and Willoughby, H.), xxiii. 411-42

source of clinical material, xxiii. 411 Sputum in bronchial carcinoma, xxiv. 36, 46 in fatal bronchiolitis and bronchopneumonia, xiv. 127

in primary carcinoma of the lung, xxii.

Stabilarsan, xxi. 449

Stafford, D. D., and Addis, T. Diastase determinations in urine and blood as a method for the measurement of the functional capacity of the kidney, xvii. 151-61

Starch digestion in man, xxiv. 171 see also Diastase

Starling, H. J. Endocarditis lenta, xvi. 263–81

Steatorrhoea, composition of, xiii. 288 congenital (Miller, R., and Perkins, H.), xiv. 1-9

case history, xiv. 2

cause of defective absorption of fat, xiv. 6

dietetic investigations, xiv. 3

fat absorption and excretion following fat diet, xiv. 4, 7

fat-splitting in, xiv. 5, 7 method of fat estimation, xiv. 6

utilization of fat, xiv. 4

idiopathic, of adults, xxiv. 432 in chronic diarrhoea with tetany, xxiii.

in diagnosis of diseases of the pancreas, xiv. 62

percentage in faeces, xvi. 57

Stercoporphyrin in faeces in hydroa aestivale, xv. 324

Stereoscopic radiography of the coronary system (Campbell, J. S.), xxii. 247-67

Sternum, anatomically considered in certain types of individuals, xiii. 319

Stewart, C. P., Christie, Ronald V., and Davies, H. Whitridge. Observations on haemic functions in haemophilia, xx. 481-98

— and Percival, G. H. The effect of administration of parathyroid on the serum calcium, xx. 349-52

Pathological variations in the serum calcium, xix. 235-48

Stiff-sickness of cattle, xxiv. 430

Stobie, William. An inquiry into the clinical manifestations of a syphilitic infection upon the heart, xv. 26-42

Association of blue sclerotics with brittle bones and progressive deafness, xvii. 274–87

Stocks, Percy. Goitre in the English school child, xxi. 223-75

Stokes-Adams syndrome as manifestation of gummatous lesion, xv. 32

Stomach, asthenic, xxii. 624

carcinoma of: see Gastric carcinoma chloride content of, action of histamine on (Duthie, R. J.), xxiii. 447-9

chloride content of: see Gastric contents contents of: see Gastric contents; Gastric juice

disorders of: see Gastric disorders dropping of (Conran, P. C.), xv. 144-66 method employed in radiological exam-

ination, xv. 145 see also Visceroptosis Stomach (cont.):

emptying time of, xxii. 35

rate, xvii. 218

variations between children and adults, xxii. 36

histological changes in malignant malaria, xiii. 420

hour-glass, gastric juice in, xvi. 110 hydrochloric acid in: see Gastric contents; Gastric juice, &c.

hypersthenic, xxii. 623

hypertonic, theories of, xxii. 626

hyposthenic, xxii. 624

in chronic infection of the spleen, xvii. 197 in fatal case of malignant malaria, xiii. 390 movements of: see Gastric motility

pain in, methods of experiment, xvii. 54 rates of emptying, in various degrees of gastric acidity, xx. 278

secretory activity of, in gastro-intestinal disturbances, xxiii. 33

secretory response of, to various articles of diet, xix. 462

sthenic, xxii. 624 syphilis of (McNee, J. W.), xv. 215–26 effects of antisyphilitic treatment in, xv. 219

gastric analysis in, xv. 219

historical, xv. 216

record of a case in which abundant spirochaetes were found in lesion, xv. 220

varieties, xv. 218

see also Gastric; Gastro-intestinal tract; Intestines; Visceroptosis

Stomatitis, aphthous, in sprue, xxiii. 419
Stools: see Faeces

Stools: see Faeces
Stott, A. W., Dunhill, T. P., and Fraser, F. R.
Auricular fibrillation in thyro-toxic

conditions, xvii. 326-38

Stramonium and hyoscine in Parkinsonian rigidity, comparison of therapeutic effects, xxii. 59

and its individual alkaloids, comparison of therapeutic effects in Parkinsonian rigidity, xxii. 62

dosage and toxic effects in Parkinsonian rigidity, xxii. 60

effect of, in Parkinsonian rigidity, xxii. 57 Streptococcal infections of the heart (Coombs, C. F.), xv. 114-30

Streptococcal theory of rheumatic infection, evidence for, xv. 119

Streptococci and coliform bacilli in faecal cultures, incidence of predominance, xx. 278

cardiac lesions following inoculation of animals with, xv. 127

in faeces and gastric secretion, association of, in arthritis, xx. 271

Streptococcus vaccine in intravenous vaccine therapy, xiii. 84

Streptothrix isolated from the spleen in acholuric jaundice, xvii. 191 isolated from cases of splenomegaly, xvii. Strophanthin, effect on electrocardiograms, xiii. 65

in treatment of auricular flutter, xxi. 40 Styfsiekte, xxiv. 430

Subarachnoid haemorrhage, spontaneous (Symonds, C. P.), xviii. 93-122

spontaneous,
anatomical considerations, xviii. 95
arteriosclerosis as cause of, xviii. 110
brain tumours and cysts as cause of,
xviii. 113

cerebrospinal fluid in, xviii. 97 chronic alcoholism as cause of, xviii.

111 clinical aspects, xviii. 97 differential diagnosis, xviii. 115 historical, xviii. 93 histories of cases now reported for the

first time, xviii. 117
irritative effects, xviii. 102
massive albuminuria in, xviii. 108
mechanical effects, xviii. 101
ophthalmoscopic appearances, xviii.

106
pathological aspects, xviii. 110
ruptured intracranial aneurysm as
cause of, xviii. 111

signs and symptoms, xviii. 101 sunstroke as cause of, xviii. 112 syphilis as cause of, xviii. 111 treatment, xviii. 116

Sugar ingestion in marathon runners, xxiv.

method for estimating in 0.2 c.c. of blood, xiv. 106

solutions required, xiv. 107 method of estimating, in testing sugar

method of estimating, in testing sugar tolerance, xiv. 106 see also Glucose

Sugar content of the blood: see Blood-sugar Sugar content of the cerebrospinal fluid and its diagnostic value, especially in encephalitis lethargica (Coope, R.), xv. 1-8

method of estimating, xv. 4 review of literature, xv. 1

in encephalitis lethargica (Halliday, J. L.), xviii. 300-8 normal, xv. 2

Sugar tolerance: see Dextrose-tolerance Sulphaemoglobinaemia (Garrod, L. P.), xix. 86-94

case reports, xix. 87 cultural technique employed, xix. 90 intraglobular, xxii. 508 spontaneous, in animals, xxii. 510

spontaneous, in animals, xxii. 510 investigations since recovery, xix. 89 'nitroso-bacillus' in, xix. 87
Sulphonal and congenital porphyrinuria, xv.

322 Sunstroke as cause of subarachnoid haemo-

rrhage, xviii. 112
Suprarenal cortex: see Adrenal cortex
Suprarenal gland: see Adrenal gland
Suprasellar meningioma: see Meningioma
Surface temperature: see Skin

Sutherland, G. A., and McMichael, John.
The pulse-rate and range in health and disease during childhood, xxii. 519-29
Sweating in chrysic infective endocarditie

 Sweating in chronic infective endocarditis, xvi. 267
 Symonds, C. P. Encephalitis lethargica:

critical review, xiv. 283-308
Spontaneous subarachnoid haemorrhage,
xviii. 93-122

Sympathetic nerve, anatomy of, xix. 212 and phrenic nerve, relation of, xxi. 467 irritation of, and aortic lesions, xix. 216 neurofibromatosis of, xxiii. 155 paralysis of, in bronchial carcinoma, xxiv.

Syncope in auricular flutter, xxi. 22 Syncresis, blood-platelets and, xxiv. 312 Synthalin, action of, xxi. 513

effect on blood-sugar, xxi. 510

a failure in some cases of diabetes mellitus, xxi. 517

in the treatment of diabetes mellitus (Graham, G., and Linder, G. C.), xxi. 509-21

Syphilis and cancer of the lung, xxii. 440 and disseminated sclerosis, question of relationship of, xvii. 132

aortic disease and, xv. 37 as cause of spontaneous subarachnoid haemorrhage, xviii. 111

auricular flutter in, xxi. 27 cardiovascular, and heart failure with normal rhythm, xix. 115

cause of heart failure, xix. 117 clinical features, xix. 116 the rhythm in, xix. 117

changes in endocardium due to, xv. 30 changes in myocardium due to, xv. 30 changes in pericardium due to, xv. 30 heart condition in, xv. 39

in aetiology of liver atrophy, xvii. 93 in relation to cardiac hypertrophy, xiv.

involving auriculo-ventricular bundle, xv. 32

mitral stenosis and, xv. 37 nervous system: see Neuro-syphilis of the heart (Stobie, W.), xv. 26-42

historical, xv. 27 pathology, xv. 30 symptoms, xv. 32

see also Syphilitic aortitis

of the stomach (McNee, J. W.), xv. 215–26 effects of antisyphilitic treatment in, xv. 219

gastric analysis in, xv. 219 historical, xv. 216

record of a case in which abundant spirochaetes were found in lesion, xv. 220

varieties, xv. 218

relation to common round ulcer of the stomach, xv. 218

Wassermann reaction with cerebrospinal fluid, xix. 431

with anaemia, liver treatment in, xxiii. 223

Syphilis (cont.):

with sprue, xxiii. 415

see also Wassermann reaction

Syphilitic aortitis and heart failure with normal rhythm, xix. 115

in relation to actiology of paroxysmal auricular fibrillation, xxiv. 71

Syphilitic infection, effect on the heart, clinical manifestations (Stobie, W.), xv. 26-42

Syphilitic meningitis, sugar content of the cerebrospinal fluid, xv. 4

Syphiloma, xxiv. 606

Systolic pressure: see Blood-pressure

#### T

T wave, changes in, due to digitalis, xxi. 155 in ventricular complexes in myocardial infarction and fibrosis, xxiii. 276, 293–303

Tabes, sugar content of the cerebrospinal fluid, xv. 4

see also Neuro-syphilis

Tachycardia, auricular: see Auricular tachycardia

in primary carcinoma of the lung, xxii.
420

paroxysmal: see Paroxysmal tachycardia ventricular: see Ventricular tachycardia

Tallerman, Kenneth H. Laevulose test for liver efficiency and an investigation of the hepatic condition in pregnancy, xvii. 37-52

On the rectal absorption of glucose, xiii. 356-62

Tea, secretory response of the stomach to, xix. 467

Teacher, J. H., Burton, J. A. G., Cowan, J., Kay, J. H., Marshall, A. J., Rennie, J. K., and Ramage, J. H. Four cases of fibrosis of the myocardium with electrocardiographic and post-mortem examinations, xxiii. 293–303

Teeth in congenital porphyrinuria, xix. 383 pigmentation of, in congenital porphyrinuria, xix. 368, 375

in congenital porphyrinuria; its association with hydroa vacciniforme and

(Ashby, H.T.), xix. 375–9 pink, and hydroa aestivale, associated with congenital porphyrinuria (Mackey, L., and Garrod, Sir A. E.), xv. 319–30

structure of, influence of diet on, xxiv.
428
Telfer, S. V. Studies on calcium and phos-

phorus metabolism: Part I. The excretion of calcium and

phosphorus, xvi. 45–62 Part II. The metabolism of calcium and phosphorus in rickets, xvi. 63–72

Part III. The absorption of calcium and phosphorus and their fixation in the skeleton, xvii. 245–59

Part IV. The influence of free fatty acids in the intestine on the absorption and Telfer, S. V. (cont.):

excretion of the mineral elements, xx. 1-6

Part V. Infantile rickets. The excretion and absorption of the mineral elements and the influence of fats in the diet on mineral absorption, xx. 7-25

Temperature and pulse-rate in febrile conditions, relation between, material and methods, xx. 206

and pulse-rate in health, relationship between, xx. 213

(body) and exercise, xxii. 472

charts in mustard gas poisoning, xiii. 214-19

in bronchial carcinoma, xxiv. 39

in febrile conditions, relation of pulse-rate to (Lyon, D. M.), xx. 205–18 skin: see Skin temperatures

Temporal lobe, tumours of, xxiv. 629

Test meals: see Gastric contents; Gastric juice

Tetany, a rare complication of sprue, xxiii.
195

adult, and methylguanidin: metabolic study (Findlay, L., and Sharpe, J. S.), xiii. 433-6

methods of investigation, xiii. 436 and the administration of alkalis (Henderson, P. S.), xiii. 427-32

and muscular cramps in sprue, xxiii. 423 associated with rickets, xviii. 65

calcium in treatment of, xxiv. 438 carpopedal spasm in, xiii. 431

chemical physiology of muscle mechanism and, xix. 314

chronic diarrhoea with, amenorrhoea in, xxiii. 205

calcium and phosphorus metabolism in (Linder, G. C., and Harris, C. F.), xxiii. 195–212

clinical histories and experimental data, xxiii. 197

methods and material, xxiii. 197 effect of ergosterol on, xxiii. 208

steatorrhoea, xxiii. 204 treatment, xxiii. 209

closely related to myotonia, xix. 312 deficiency of calcium in the serum, xxiii.

diagnosis of, xiii. 428

digestion and absorption of fat in, xiii.

existence of, with a normal calcium content of the serum, xviii. 65

hydrogen-ion concentration of serum in infants, xiii. 427

in alkalaemia, xvii. 417

in children, administration of ammonium chloride, xviii. 70

administration of calcium chloride, xviii. 68

aetiology of, existence of tetany with normal calcium content, xviii. 65 historical, xviii. 62 methods of investigation, xviii. 63 Tetany (cont.):

some factors concerned in (Anderson, G. H., and Graham, S.), xviii. 62-76

effect of changes in acid-base balance on the signs and symptoms of tetany, xviii. 68

pathological acidosis in, xviii. 71 relationship of alkalosis to, xviii. 73

lesions of ectodermal tissues in, xxiv. 406

parathyroid, xxiv. 404

thyroid treatment of, xxiv. 418

treatment of, elimination of focal sepsis in (Linder, G. C., Harris, C. F., and Fraser, F. R.), xxiv. 469–79

two cases reported, xxiv. 469

post-operative, xxiv. 404

spasm of, considered as a disturbance of the physiology of muscle (Martin, J. P.), xix. 311-21

a priori evidence that the spasm is myogenous, xix. 311

Third ventricle, tumours of, xxiv. 623

Thompson, Theodore, and Evans, William. Paradoxical embolism, xxiii. 135-50

Thomson, A. P., Barnes, Stanley, and Lamb, F. W. M. Case of malignant change developing in a tumour of the rectogenital pouch associated with diffuse infiltration of the lungs and intense erythraemia, xix. 151-7

Thomson, W. A. R., Honey, R. M., and Ritchie, W. T. Action of adenosine upon the human heart, xxiii. 485-9

Thoracic breathing: see Crural breathing
Thoracic capacity, effect of diaphragmatic
paralysis on, xxi. 465

Thoracoplasty, diaphragmatic paralysis as a preliminary to, xxi. 475

Thorax, tuberculosis of, in children, channel of infection, xiii. 74

Thorium poisoning: see Radium poisoning Thrombin, xx. 481

Thrombocytopenia in purpura haemorrhagica, xxiv. 306, 307

Thromboplastic substance, xx. 482

Thrombosis as cause of paradoxical embolism, xxiii. 137

blood-platelets and, xxiv. 311

see also Embolism

coronary: see Coronary arteries, thrombosis of

intracranial haemorrhage secondary to, xx. 365

Thymus enlargement in exophthalmic goitre,

Thymus extract, administration of, in treatment of haemophilia, xx. 507

Thyroid extract, influence of, on creatinuria as a sequel to fractures of bones and upon the creatinuria of post-encephalitic rigidity (Hirst, M., and Imrie, C. G.), xxii. 153-65

influence of, on creatinuria following fracture of femur, xxii. 154

Thyroid extract (cont.):

on creatinuria following Parkinsonian rigidity, xxii. 157

on the excretion of nitrogenous substances other than creatinuria, xxii. 158

treatment of parathyroid tetany, xxiv. 418

see also Thyroxin

Thyroid gland, action of, contrasted with parathyroid gland, xxiv. 418

adenoma of, basal metabolism in, xv. 337 at puberty, xv. 337

basal metabolism in disorders of, xv. 335 diseases of, and thyroxin, effects on calcium metabolism, xxiv. 417

in Addison's disease, xxii. 133

disorders of, diagnostic value of dextrosetolerance curves in, xx. 465

disturbed function of, relation between basal metabolism and pulse-pressure in conditions of (Davies, H. W., and Eason, J.), xviii. 36-61

method of investigation, xviii. 38 effect of iodine on (Cowell, S. J., and

Mellanby, E.), xviii. 1–18 effect of iodine on the secreting tissue and on the iodo-colloid tissue, xxii. 25

effect of surgical treatment on the residue of the gland in the non-iodized group of Graves' disease, xxii. 24

enlargement of, amongst school children in England and Wales, xxi. 224

at age 12, geographical distribution, xxi. 250

ealculation of thyroid breadth, xxi. 227 effect of locality on form of frequency distribution, xxi. 233

geological formation and, xxi. 272 incidence in school children in Somersetshire and Devonshire, xxi. 228

measurement of, xxi. 225 relation to altitude and geological formation, xxi. 269

sex incidence and effect of urbanization, xxi. 242

suggested definite standard, xxi. 241 urbanization, xxi. 247 see also Goitre

hyperplasia of, and hyperthyroidism, xviii. 2

and iodine content, xviii. 1 in haemochromatosis, xxi. 126

iodo-colloid function of, in Graves' disease, xxii. 23

physiology of, evidence of two functions in, drawn from a study of the therapeutics of Graves' disease (Williamson, G. S., and Pearse, I. H.), xxii. 21-31

see also Exophthalmic goitre; Goitre; Hyperthyroidism

Thyroidectomy in exophthalmic goitre, xv. 67

Thyrotoxic conditions, auricular fibrillation

Thyrotoxic conditions, auricular fibrillation in (Dunhill, T. P., Fraser, F. R., and Stott, A. W.), xvii. 326-38 Thyroxin and thyroid disease, effects on calcium metabolism, xxiv. 417

fate of, in the treatment of nephrosis (Platt, R.), xxiii. 129-33 description of cases, xxiii. 131 details of experiments, xxiii. 133

Tidy, H. Letheby. Sepsis as a cause of lymphocytosis: critical review, xvii. 210-14

Tissue buffers, importance of, in muscular effort, xvi. 159

Tissue fibrinogen, administration of, in treatment of haemophilia, xx. 506

Tissues, calcium content of, xiv. 356; xxiv. 397

iron content of, in haemochromatosis, with special reference to the brain (Sheldon, J. H.), xxi. 123–37

Tobacco as a cause of paroxysmal tachycardia, xv. 18

Todd, A. T., Clarke, R. C., Coombs, C. F., and Hadfield, G. On certain abnormalities, congenital and acquired, of the pulmonary artery, xxi. 51-69

Tonsil-adenoid operation and some of its results (Paton, J. H. P.), xxii. 107-19 deafness and otorrhoea and, xxii. 112 state of the lymphoid tissue of the nasopharynx, xxii. 114

Tonsillitis, hyperalgesic areas in, xiii. 248 incidence of, in aetiology of exophthalmic

goitre, xv. 60

Tonsils and the exanthemata, xxii. 115 associated maladies, xxii. 110 function of, xxii. 117 hypertrophied, and debility, xxii. 114

and dental caries, xxii. 113 and rheumatism, xxii. 116 and rickets, xxii. 117

in acute rheumatism, xiii. 365 significance of asymmetry of, xxii. 109 state of, compared with enlargement of anterior cervical glands, xxii. 111.

Toxaemia in mustard gas poisoning, xiii. 232 Toxoplasma cuniculi, xxiii. 364

Trachea, complications in mustard gas poisoning, xiii. 208

Tracheobronchial lymph nodes, tuberculosis of, xxii. 541

Training: see Exercise

Transversalis abdomini, effect of dyspnoea on, xiii. 324

Trauma and disseminated sclerosis, xxiii.
358

associated with auricular fibrillation, xxii. 241 in relation to actiology of movable kidney,

xvi. 303

Trench fever, relationship of haematuria to, xiii. 110

Trench nephritis, late effects of (Hume, W. E., and Nattrass, F. J.), xxi. 1-6 recovery rate, xxi. 5

Triangularis sterni, effect of dyspnoea on, xiii. 324

Trismus in encephalitis lethargica, xv. 133

Trophoneurosis and gonorrhoea, xv. 95
Tropical diseases, sedimentation-rate of
erythrocytes in certain (Newham,
H. B.), xx. 371–82

Tuberculin reaction, intradermal: see Tuberculosis, tuberculin reaction

Tuberculoma, xxiv. 606

Tuberculosis and cancer of the lung, xxii.
439

and congenital porphyrinuria, xv. 320 calcium metabolism changes in, xxii. 453 experimental, treatment by calcium administration (Hoyle, J. C.), xxii. 451-9 in aetiology of liver atrophy, xvii. 93 liver treatment in, xxiii. 223

of tracheobronchial lymph nodes, xxii.

541

pulmonary: see Pulmonary tuberculosis tuberculin reaction, intradermal, clinical interpretation of (Moncrieff, A.), xxiv. 153-70

intradermal, control cases, xxiv. 156
diagnostic results, xxiv. 157
abdominal conditions, xxiv. 160
bone conditions, xxiv. 165
chest conditions, xxiv. 164
intracranial conditions, xxiv. 164
intracranial conditions, xxiv. 164
obscure fevers, xxiv. 163
miscellaneous, xxiv. 165
material used and results, xxiv. 155
method employed, xxiv. 154

value of negative reaction, xxiv. 166 value of positive reaction, xxiv. 167 **Tuberculous lesions in the lungs,** latent, as determined by Roentgenological and

pathological investigation (Krestin,

D.), xxii. 531-56

Tuberculous meningitis (cases of), xiii. 75 and encephalitis lethargica, differential diagnosis by sugar content of the cerebrospinal fluid, xv. 1 sugar content of the cerebrospinal fluid,

xv. 4

Tularaemia, comparison of antigens, xvii. 377

diagnosis of, xvii. 372

in animals, histology of experimental lesions, xvii. 379

mode of transmission, &c., xvii. 377 in man from laboratory infection (Ledingham, J. C. G., and Fraser, F. R.), xvii. 365–83

laboratory diagnosis and pathology, xvii.

374

mechanism of infection in laboratory workers, xvii. 381

reports of cases, xvii. 367

Tumour embolus of paradoxical type, xxiii.
140

Tumours, blood cholesterol after radiation of, xx. 325

intracranial: see Intracranial tumours intrathoracic: see Bronchi, carcinoma of; Lungs, carcinoma of Turkington, S. I., and Campbell, S. B. Boyd. Right bundle branch block: an analysis of the clinical records of 56 cases with typical electrocardiograms, xxiv. 481-5

Typhoid fever in aetiology of liver atrophy, xvii. 93

protein shock therapy in, xiii. 83

Typhoid vaccine in intravenous vaccine therapy, xiii. 82
in the treatment of disseminated sclerosis,

xxiii. 379

#### TI

Ulceration, varicose: see Varicose ulceration United States of America, incidence of disseminated sclerosis in, xxiii. 345

Upright position: see Posture Uraemia, amino-nitrogen in, xxii. 488

effect of, on blood cholesterol findings in nephritis, xxi. 315

in nephritis, xvi. 352

sugar content of the cerebrospinal fluid, xv. 4

uric acid in tissues of patient, xiv. 15
Urea and creatinine excretion, relation be-

tween, xxiv. 575 and insulin, xviii. 247

and its estimation in diabetes mellitus (Brunton, C. E.), xviii. 241-9

concentration after intake of 1,000 c.c. of normal saline, xxi. 76

after intake of 9 gm. of sodium chloride, xxi. 77

after intake of 1,000 c.c. of water, xxi.

relation of height of systolic bloodpressure to, xix. 422

relation of increase in, to fall in bloodpressure, xix. 421

test, xvi. 344
effect of high protein diet on, in cases of
nephritis (Wordley, E.), xiv. 88–101

estimations in blood in diabetes, xv. 46 in nephritis, xv. 46

in various diseases, xv. 45 formation in diabetes after ingestion of glycine, xxii. 486

in liver disease, xxii. 484
in cardiovascular and renal disease, xxii.
485

in diabetes mellitus, xv. 46; xviii. 242 methods, xviii. 242

relationship between blood-sugar and, xviii. 245

in nephritis, xv. 46; xvi. 344 in nephrosis, xxiv. 252

variations in, after doses of glycine, xxii.
482

Urea nitrogen estimations in diabetes, xv.

in diabetes, xv. 46

in various diseases, xv. 45

Urea tolerance as an index to renal function, xviii. 281

in cases of deficient renal function, xviii. 278 Urea tolerance (cont.):

in health and disease (Archer, H. E., and Robb, G. D.), xviii. 274–87 methods employed, in the laboratory, xviii. 275

in the ward, xviii. 274 in the healthy subject, xviii. 275

Urethane, action of, on bronchi, xiii. 127

Uric acid and gout, xiv. 11

excretion, effect of hyoscine on, xxi. 143 effect of muscular tension on, xxi. 143 excreted in the urine after atophan, source of (Graham, G.), xiv. 10-18

in the blood, xiv. 10, 11 experiments in estimation, xiv. 12

in body fluids, xiv. 15

in urine, experiments in estimation, xiv.

secretion in post-encephalitic rigidity, xxi. 140

Urine, abnormal pigments in, in congenital porphyrinuria, xix. 358, 376, 383

chloride concentration in, xxi. 72 after intake of 1,000 c.c. of normal saline, xxi. 75

after intake of 9 gm. of sodium chloride, xxi. 76

after intake of 1,000 c.c. of water, xxi.

cholesterol in, in lipoid nephrosis, xxiii. 109

creatine in: see Creatinuria

cultures of, in chronic arthritis, xx. 281 diastase content of, in diagnosis of diseases of the pancreas, xiv. 64

diastase determinations in, as a method for the measurement of the functional capacity of the kidney (Stafford, D. D., and Addis, T.), xvii.

151-61 method, xvii. 151

diastase estimations in, in Bright's disease, xvii. 154, 158

diagnosis of diseases of the pancreas with special reference to (Wallis, R. L. M.), xiv. 57–87

examination of case of congenital porphyrinuria, xv. 326

excretion of potassium iodide in, in health and disease: its use as a test of renal function (Linder, G. C.), xv. 227-43

method of investigation, xv. 228 in acute ileocolitis in children, xviii. 341 in chronic infective endocarditis, xvi. 268 in haemochromatosis, xxi. 124

in nephrosis, xxiv. 251

in renal dwarfism, xiv. 207 lactic acid in, after severe exercise, xvi. 141

magnesium in, xx. 2

phosphorus in, output of, xx. 2

precipitin method in lobar pneumonia, xv. 104

relation between volume of urine and the diastase concentration of, xvii. 154 Urine (cont.):

relative amount of calcium excreted by, at different ages, xiv. 369

secretion during fractional test-meals, xix. 475

source of uric acid excreted in, after atophan (Graham, G.), xiv. 10-18 sugars in: see Diabetes; Glycosuria, &c.

uric acid in, experiments in estimation, xiv. 12

volume after intake of 1,000 c.c. normal saline, xxi. 74

after intake of 9 gm. of sodium chloride, xxi. 76

after oral administration of 1,000 c.c. of water, xxi. 73

relation of changes in, to pulse-pressure changes, xix. 422

Urotropin in encephalitis lethargica, xv. 136 Urticaria, calcium therapy in, xxiv. 440

factitia, relation to spontaneous urticaria, xxiv. 352

some observations upon the vascular reactions in the skin (Harris, K. E.), xxiv. 347-68

(spontaneous), skin reactions of, case summaries, xxiv. 365-8

skin reactions of, characteristics of the eruption, xxiv. 348

presence of a poison in the blood, xxiv. 360

reactions of previously whealed skin to

(a) histamine, xxiv. 350

(b) to stroke, xxiv. 351

(c) to further spontaneous whealing, xxiv. 351

refractoriness, xxiv. 349 relation of urticaria factitia to spontaneous urticaria, xxiv. 352

spread of spontaneous urticaria, xxiv. 355

(a) eruption of wheals, xxiv. 355 (b) duration of wheals, xxiv. 359 Urticarial conditions and variola minor, differential diagnosis, xxiv. 495

#### V

Vaccine therapy in disseminated sclerosis, xxiii. 379

intravenous, and protein shock reaction, certain phenomena associated with (Gow, A. E.), xiii. 82-104

Vagus nerve, anatomy of, xix. 212 irritation of, and aortic lesions, xix. 213 pressure on, effects in auricular flutter, xxi. 24

Valvular lesions in chronic infective endocarditis, xvi. 274

Van den Bergh's reaction, xvi. 396 biphasic reactions, xvi. 398 criticisms of, and suggested alternative tests, xvi. 417 in acholuric jaundice, xviii. 23 in ascites, xviii. 31

Van den Bergh's reaction (com.):

in carcinoma of head of the pancreas, xviii. 22

in catarrhal jaundice, xviii. 25 in cerebrospinal fluids, xviii. 30

in cholelithiasis, xviii. 21 in cirrhosis of the liver, xviii. 27 in general infections, xviii. 28

in haematoidin, xviii. 30

in haemolytic jaundice, xviii. 23 in jaundice (Andrewes, C. H.), xviii. 19–35

clinical observations, xvi. 408 clinical value of, xviii. 31 control cases, xviii. 29

results, xviii. 20, 21

in jaundice in the new-born, xviii. 24 in local infections of the liver, xviii. 28

in lymphadenoma, xviii. 29 in morbus cordis, xviii. 27

in new growth of the liver, xviii. 22

in paroxysmal haemoglobinuria, xviii. 23 in pernicious anaemia, xviii. 23

in pleural effusions, xviii. 31 in secondary anaemia, xviii. 24 in splenic anaemia, xviii. 29

in toxic jaundice, xviii. 26

technique of, xvi. 415

Van Slyke, D. D., Christie, Ronald, V., and Sendroy, J., jr. The distribution of electrolytes in haemophilic blood, xxii. 65-71

Vaquez's disease: see Erythraemia Varicella: see Chicken-pox

Varicose ulceration, calcium therapy in, xxiv. 441

Variola minor, clinical and epidemiological characteristics of, and its differential diagnosis (McSweeney, C. J.), xxiv.

diagnosis (McSweeney, C. J.), xxiv 487-97 clinical characteristics, xxiv. 489 course of the disease, xxiv. 492 differential diagnosis, acne, xxiv. 495

chicken-pox, xxiv. 493 erythema iris, xxiv. 495 erythema multiforme, xxiv. 495 prurigo, xxiv. 494 syphilitic dermatitis, xxiv. 494

urticarial conditions, xxiv. 495 discussion of name of the disease, xxiv. 487

distribution of rash, xxiv. 490 epidemiological considerations, xxiv.

evolution of the eruption, xxiv. 491 incubation period, xxiv. 489 infectivity of, xxiv. 493 period of eruption, xxiv. 489 period of invasion, xxiv. 489

relation of vaccination to, xxiv. 493
Vascular pedicle in relation to renal support,

xvi. 297
Vascular reactions of the skin in urticaria

(Harris, K. E.), xxiv. 347-68
Vaughan, Janet M. The liver treatment of anaemias: critical review, xxiii. 213-32

Veins, dilated, in bronchial carcinoma, xxiv.
41

relationship of disseminated sclerosis patches to, xxiii. 351

Venous blood-pressure: see Blood-pressure Ventilation rate: see Respiration

Ventricle, premature beats of: see Ventricular beats

rate of conduction in, xiv. 341

right, blood-pressure in, effect of experimental pleural effusion on (Dunn, J. S.), xiii. 57-61

measurement of pressure-changes in, by cardiac puncture (Dunn, J. S.), xiii. 46-56

third, tumours of, xxiv. 623

Ventricles in flutter, xxi. 35

Ventricular automatism in acute rheumatism, xiii. 372

Ventricular beats, premature, and syphilitic infection of the heart, xv. 33 premature, causes of, xx. 219

clinical classification of (Bourne, G.), xx. 219-43

method employed, xx. 220 summary of clinical condition of each

case, xx. 222-9
effect of amyl nitrite on, xx. 238

effect of atropin sulphate on, xx. 240 effect of graduated exercise on, xx. 234 effect of posture on, xx. 235

in acute rheumatism, xiii. 369 reaction to exercise, xx. 230

relation of, to heart failure, xx. 220
theories of parasystole and re-entry

theories of parasystole and re-entry in light of present investigation, xx. 241 Ventricular complexes, aberrant, in auricular

fibrillation, xxiii. 317
in myocardial infarction and fibrosis

(Gilchrist, A. R., and Ritchie, W. T.), xxiii. 273–92 anatomical evidence with two case re-

anatomical evidence with two case reports, xxiii. 285

four cases with electrocardiographic and post-mortem examinations, xxiii. 293-303

Q deflexion, xxiii. 282 R-T deviation, xxiii. 274

T wave, xxiii. 276, 293-303

Ventricular predominance, changes in, with

alteration in the cardiac rhythm, xxiii.

electrical axis of the heart as an indicator of changes in (Jones, H. W., and Roberts, R. E.), xxiii. 67-76 baby group, xxiii. 74

effect of respiration and posture on, xxiii. 68

fixed apex group, xxiii. 70 transposition group, xxiii. 73

in Olympic athletes, xxiv. 340 indicated by electrocardiography, xxiii.

Ventricular pressure changes, measurement of, by cardiac puncture (Dunn, J. S.), xiii. 46-56 Ventricular tachycardia (2 cases), xv. 20, 21 Ventriculo-diastolie (mitral) murmurs in auricular fibrillation treated with quinidine, xvi. 227

Ventriculography in diagnosis of intracranial tumours, xxiv. 633

Vestibular disturbances in disseminated selerosis, xxiii. 374

Vines, H. W. C. Anaphylaxis in the treatment of haemophilia, xiii. 257-76

Virilism: see Adrenal virilism

Viscera, permanent changes in, resulting from irradiation, xxiv. 125

Visceral lesions, segmental hyperalgesia in (Jones, D. W. C.), xiii. 241–55

Visceral pain in the upper alimentary tract (Payne, W. W., and Poulton, E. P.), xvii. 53–80

methods of experiment, xvii. 54

Visceroptosis and allied abdominal conditions associated with chronic in validism: a review (Bedingfield, H.):
Part I: xxii. 611-52

Part II: xxiii. 1-65

chronic appendicitis as cause, xxii. 631 clinical condition; symptoms and treatment, xxiii. 25

clinical picture, xxii. 611 'corset theory', xxii. 619

criticism of the mechanical theories, xxii.

gastric juice in, xvi. 122

Glénard's mechanical theories and those evolved under his influence, xxii. 618

historical outline of the problem before Glénard, xxii. 614

in association with functional disorders of the colon, xxiv. 550 mobile caecum, xxii. 635

physiological theories, xxii. 642

relationship between body-build and position of the stomach, xxii. 619

relationship between physical symptoms, mental reaction, and constitutional make-up, xxiii. 16

theories based on radiological and anthropological evidence, xxii. 621

theories based on surgical observations, xxii. 629

theories which have appeared since the introduction of Roentgen rays, xxii. 621 Viscosity of the blood and blood-pressure

(Lyon, D. M.), xiv. 398–408
methods of estimation, xiv. 401
pathological cases, xiv. 402
physical considerations, xiv. 399
variations due to age, xiv. 401
and low blood-pressure, xxiii. 454

high, xiv. 403 in high blood-pressure (Harris, I., and McLoughlin, G.), xxiii. 451-64

method, xxiii. 452 cases of abnormally high pressure, xxiii.

effect upon blood-pressure of artificially lowering viscosity, xxiii. 455

Viscosity of the blood (cont.):

effect of starvation on blood viscosity, xxiii. 458

effect on viscosity of artificially lowering the blood-pressure, xxiii. 456 normal daily variations in blood-pressure and blood viscosity, xxiii. 454 in normal cases, xxiii. 453

low, xiv. 403

Visual fibres in disseminated sclerosis, pathological changes, xxiv. 352

Vital capacity, effect of digitalis on, xxi. 156

see also Respiration

Vitamin 'A' (fat-soluble), relationship to aetiology of rickets; clinical investigation (Galbraith, D.), xvi. 321-40

Vitamin 'B' deficiency, constipation due to, xxiii. 9

Volume index: see Blood-count

Vomiting in children, blood-sugar content in, xviii. 180

in mustard gas poisoning, xiii. 220

#### W

Wallis, R. L. Mackenzie. Diagnosis of diseases of the pancreas, with special reference to diastase in the urine, xiv. 57 - 87

Walshe, F. M. R. Intracranial tumours: a critical review, xxiv. 587-640

, Greenfield, J. G., and Poynton, F. J. On progressive lenticular degeneration (hepato-lenticular degeneration), xvii. 385-403

War nephritis: see Trench nephritis Warner, E. C., and Campbell, J. M. H. Heredity in acholuric jaundice, xix.

333 - 55Warwick, Joan, and Wills, Lucy. adenoid child: a histological

clinical study, xvii. 162-70 Wassermann reaction and cerebrospinal fluid, xix. 437

in bronchial carcinoma, xxiv. 48

in disseminated sclerosis, significance of,

Watchorn, Elsie. Calcium and magnesium in some pathological sera, xviii. 288-93

and McCance, Robert Alexander. Inorganic constituents of the cerebrospinal fluid:

1. Calcium and magnesium, xxiv. 371-9 Water and chloride, excretion of, after their oral administration (Crawford, J.H.), xxi. 71-81

after oral administration of 1,000 c.c. of normal saline, xxi. 74 1,000 c.c. of water, xxi. 73 9 gm. of sodium chloride, xxi. 76 method of investigation, xxi. 73 content of the body, xxiii. 401

effect of, on gastric secretion, xxi. 10 excretion of, after oral administration of 1,000 c.c. of water, xxi. 73

Water (cont.):

intake of 1,000 c.c., urine volume, chloride and urea content after, xxi. 73 secretory response of the stomach to, xix.

462

Watson, H. Ferguson. A critical analysis of certain laboratory methods applied to the cerebrospinal fluid in the serological diagnosis of neuro-syphilis, xix. 431 - 53

Watson, W. N. Boog, and Ritchie, W. T. Progressive lipodystrophy, xviii. 224-

Wauchope, Gladys M. The clinical importance of variations in the number of cusps forming the aortic and pulmonary valves, xxi. 383-99

Relative prevalence of so-called endocarditis lenta before and after the war: survey of 195 cases, xix. 35-43

Weber, F. Parkes. Paraplegia and cauda equina symptoms in lymphogranulomatosis maligna (Hodgkin's disease), xvii. 1-5

Periosteal neurofibromatosis, with a short consideration of the whole subject of neurofibromatosis, xxiii. 151-65

Weight: see Body-weight

Weil's disease: see Jaundice, spirochaetal Wesselow, O. L. V. de. Excretion of chlorides by the healthy and diseased kidney, xix. 53-73

Phosphorus and calcium of the blood in renal disease, xvi. 341-62

and MacLean, H. The estimation of

sugar tolerance, xiv. 103-19
White, A. C. The blood-fats in diabetes mellitus in relation to treatment, xix. 159 - 78

White, R. Hale-: see Hale-White, R.

Whooping-cough associated with intracranial haemorrhage in a child, xx. 363 Widal reaction in acute ileocolitis in chil-

dren, xviii. 342

Wilkinson, John Frederick, and Brockbank, William. The importance of familial achlorhydria in the aetiology of pernicious anaemia, xxiv. 219-38 Williams, B. W., and Dyke, S. C. Observa-

tions on creatinuria and glycosuria in myasthenia gravis, xv. 269-78

Williams, E. C. Pillman, and Wills, L. Studies in blood and urinary chemistry during pregnancy, xxii. 493-505

Williamson, G. Scott, and Pearse, Innes H. Evidence, drawn from a study of the therapeutics of Graves' disease, of two functions in the thyroid physiology, xxii. 21-31

Williamson, Raymond. Observations on the pulmonary ventilation and oxygen consumption in pulmonary tuberculosis, and on the effect of the respiratory quotient on the relation between pulmonary ventilation and oxygen consumption, xxi. 371-82

Williamson, Raymond (cont.):

Observations on the respiratory exchange and basal metabolic rate in pulmonary tuberculosis, xxiii. 85-100

Willoughby, Hugh, and Manson-Bahr, Philip. Studies on sprue with special reference to treatment, xxiii. 411-42

Wills, L., and Williams, E. C. Pillman. Studies in blood and urinary chemistry during pregnancy, xxii. 493-505

Wills, Lucy, and Warwick, Joan. The adenoid child: a histological and clinical study, xvii. 162-70

Wilson, C. M., and Mackintosh, J. M.
Mustard gas poisoning, xiii. 201-40
Wilson, Claude, subsequent history of his

Wilson, Claude, subsequent history of his cases of acholuric jaundice (Campbell, J. M. H.), xix. 323–32

Winnipeg, second outbreak of epidemic encephalitis (Boyd, W.), xviii. 153– 73

Wishart, George Macfeat. The influence of previous muscular activity and other factors on the basal metabolism, xx. 199-204

The variability of basal metabolism, xx. 193-7

Witts, Leslie. Observations on the metabolism of amino-acids in health and disease, xxii. 477-91

Wordley, E. Effect of high protein diet on albuminuria and blood urea in cases of nephritis, xiv. 88-101

#### X

Xanthoma, associated with diabetes and jaundice, xviii. 408

X-ray carcinoma, xxiv. 122

X-ray dermatitis, chronic, xxiv. 120 onset of, and appearance of malignant disease, time interval, xxiv. 124

X-ray therapy, deep, in disseminated sclerosis, xxiii. 381 in bronchial carcinoma, xxiv. 49

in intracranial tumours, xxiv. 635 X-rays, acute constitutional symptoms after irradiation, xxiv. 107 X-rays (cont.):

acute constitutional symptoms after irradiation, alkalosis as cause, xxiv. 113 anaphylaxis as cause, xxiv. 113

changes in the distribution of chlorides in the body as cause, xxiv. 113

mild symptoms, xxiv. 108 aetiology, xxiv. 108

severe symptoms, xxiv. 109 aetiology, xxiv. 109 treatment, xxiv. 114

and radium, harmful effects of: critical review (Rolleston, Sir H.), xxiv. 101-31 chronic constitutional changes after irradiation, effects on the blood and

blood-forming organs, xxiv. 115
effects on the blood and blood-forming
organs, aplastic anaemia, xxiv. 119
irradiation-produced leukaemia,

xxiv. 117
see also Aplastic anaemia; Leukaemia, &c.

examination in bronchial carcinoma, xxiv. 48

influence on modification of blood-platelet count, xxiv. 308

injury of the foetus by maternal irradiation, xxiv. 106

local chronic lesions after irradiation, chronic X-ray dermatitis, xxiv. 120 X-ray produced malignant disease, xxiv. 122

permanent changes in the viscera resulting from irradiation, xxiv. 125

question of stimulating effect of irradiations on malignant new growths, xxiv.

question of stimulating effect of irradiations on normal tissues, xxiv. 102

### Y

Young, Matthew, and Russell, W. T. Some observations on the recorded mortality from diabetes in recent years in England and Wales . . . with special reference to the introduction of insulin, xx. 87–100



## Some Recent Issues

THE GREAT PHYSICIAN: A Short Life of Sir WILLIAM OSLER

By Edith Gittings Reid. Pp. 308. 10 Illustrations. 12s. 6d. net.

- THE NOTE-BOOK OF EDWARD JENNER; in the possession of the Royal College of Physicians of London. With an Introduction on Jenner's work as a Naturalist by F. Dawtrey Drewitt, M.D. (Oxon.), F.R.C.P. Pp. 57, with portrait of Jenner, after Lawrence. 3s. 6d. net.
- CONDITIONS AND CONSEQUENCES OF HUMAN VARIABILITY By RAYMOND DODGE. Pp. 171. 115. 6d. net.

ADVENTURES IN BIOPHYSICS

By A. V. HILL, Sc.D., LL.D., M.D. Pp. 171.

25 Diagrams. 125. 6d. net.

- A HANDBOOK OF CHILD PSYCHOLOGY

  Edited by Carl Murchison, Ph.D. Pp. 723. 76 Illustrations. 22s. 6d. net.
- DANGEROUS DRUGS: The World Fight against Illicit Trade in Narcotics
  By Arthur Woods. Pp. 130.

  9s. net.
- THE COMMONER NERVOUS DISEASES

  By Frederick J. Nattrass, M.D. (Dunelm.), F.R.C.P.
  (Lond.). Pp. 222. 15 Illustrations, 2 Colour Plates.

  125. 6d. net.
- THE DIAGNOSIS AND TREATMENT OF VENEREAL DISEASES IN GENERAL PRACTICE. (FOURTH EDITION.)

  By L. W. HARRISON, D.S.O., M.B., Ch.B.; F.R.C.P.E. Pp. 582. 79 Illustrations; 16 Colour Plates, 3 Black-and-White. 25s. net.

COMPLETE CATALOGUE SENT ON REQUEST

### OXFORD UNIVERSITY PRESS

UMPHREY MILFORD, AMEN HOUSE, WARWICK SQUARE, LONDON, E.C.4

### A SIMPLE FACE MASK FOR MIDWIFERY WORK

DR. HOWARD E. COLLIER (Redditch) writes: The belief that many cases of puerperal sepsis result either directly or indirectly from infection from the throats, noses, etc., of those who are in attendance upon the cases and who are carriers of virulent organisms, has been growing in strength during the last few years. Therefore it has become accessary that some efficient means should be devised for protection from droplet infection. A good maternity mask should conform to the following requirements: (a) it should be cheap; (b) it should be comfortable to wear; (c) it must be efficient to prevent the passage of organisms through it; (d) it should be easy to sterilize.

During the last three years I have been experimenting with different masks, the essential parts of which have been a shield of jaconet mounted upon various kinds of frames. At first I used a head-phone band, later a Seymour Jones spectacle frame, and now, on the advice of the makers (Measrs, Down Bros., London) the jaconet shield has been attached to a strip of flexible aluminium. The mask has been submitted to Dr. Leonard Colebrock of the inoculation department of St. Mary's Hospital, to Professor Miles Phillips of Sheffield, and to Professor Beckwith Whitehouse of Birmingham. As the result of their advice and criticiam the present mask is submitted for general use.

It consists of a piece of jaconet applied to a strip of flexible aluminium,

is submitted for general use.

It consists of a piece of jaconet applied to a strip of flexible aluminium, to the ends of which tapes are attached which are tied round the back of the head. The strip is moulded by the wearer to the shape of his nose and face. To the lower part of the jaconet is attached a light, open, metal neckwhich serves to prevent the mask from flapping forward when the wearer bends forward. The mask nerlized by simple washing in a strong antiseptic solution. It is germ-proof, does not fog the glasses, worn in any place, and is reasonably comfortable to wear. The price is 1s. I feel sure that its general octors and midwives would materially lessen the incidence of puerperal sepsis.—British Medical Journal.

QRANDS PRIX
Paris 1900, Brussels 1910, Busnos Aires 1910.



# DOWN BROS., LTD.,

Surgical Instrument Makers.

21 & 28 ST. THOMAS'S ST., LONDON, S.E. (Opposite Guy's Hospital).

Telegraphic Address ; DOWN, LONDON. Telephone: Hop 4400 (4 lines).

Subscription in India and abroad Rupees 16 per annum. Post free. Payable in advance

# THE INDIAN JOURNAL of MEDICAL RESEARCH

EDITED BY

THE DIRECTOR-GENERAL, INDIAN MEDICAL SERVICE, THE PUBLIC HEALTH COMMISSIONER WITH THE GOVERNMENT OF INDIA, AND THE DIRECTOR, CENTRAL RESEARCH INSTITUTE, IN COLLABORATION WITH leading authorities on Tropical Medicine

The Indian Journal of Medical Research is published quarterly. Each number contains about 200 pages, and is illustrated with Plates in Colour and Half-tone, and with Diagrams and Charts, and is the only medium publishing the results of the best medical research work being carried on by leading scientific medical men in India and the East.

EPITOME OF CONTENTS OF OCTOBER ISSUE: Vibriocidal Power of Indian River Waters, Malaria and Black Water Fever, Rat-fleas and transmission of Plague. FILARIASIS BANCROFTI: Liming Wells as a preventive of Dracontiasis; Indigenous Drug, Sida Cordifolia; Typical case of Mycetoma; Mitral Stenosis; Malarial Spleen and Osteomalacia; Storage of Cholera Vaccine; Malaria Surveys; Thyroid Gland of Albino Rats; Lymph-Adenoid Goitre in Rats; Urinary Calculi in Rats; and other articles considerable interest profusely illustrated.

THACKER, SPINK & CO. LTD., P.O. BOX CALCU

W. THACKER & Co., 2 CREED LANE, B.C. 4, London Agents

